1=9# == == = = : 1 Please read instructions on reverse before completing form. Form Approved OMB No 2070-0060 Approval expires 11-30-93 United States Environmental Protection Agency **OPP Identifier Number** (A) Registration Office of Pesticide Programs (H7505C) Amendment Washington DC 20460 185199 **Application for Pesticide:** Other Section I Company/Product Number 2 EPA Product Manager 3 Proposed Classification 2217-539 Joanne Miller None Restricted Company/Product (Name) Gordon's BL 8000 Lawn Weed Killer (PM 23) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling PBI/Gordon Corporation to: PO Box 14090 1217 West 12th Street EPA Reg. No._____ Kansas City, MO 64101 Check if this is a new address Product Name Section I I Final printed labels in response to Amendment - Explain below Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary, (For section I and Section II.) NOTIFICATION: Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, *Labeling Statement Prohibiting Application to Water, March 9, 1993. This is to certify that this notification meets every requirement of PR-Notice 88-6. Three copies of the revised labeling are enclosed. Section III 1. Material This Product Will Be Packaged In: Water Soluble Packaging Child-Resistant Packaging Unit Packaging 2. Type of Container Metal Yes Yes Plantc Glass Paper If "Yes. No per No per If "Yes Other (Specify) Unit Package wgt container Package wgt. containe Certification must be submitted. Location of Label Directions Size(s) of Retail Container 3 Location of Net Contents Information Container On Labeling accompanying product 6 Manner In Which Label Is Affixed To Product Lithograph Paper glued Stenciled Section IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application, Name Taleonone No. (Include Area Code) James A. Armbruster, Ph.D. Mgr. Regulatory Services .(B16)421-4070 Certification Date Application Fécéréed I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Lacknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) hoth under applicable law Signature Simhuetes Mgr. Regulatory Services 4 Typed Name James A. Armbruster, Ph.D. May 20, 1993

GORDON'S BL 8000 LAWN WEED KILLER

One Quart Covers Up To 8,000 Sq. Ft.

- KEEP FROM FREEZING -

Controls Dandelion, Chickweed, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds including those shown on the side panel.

ACTIVE INGREDIENTS:

•	Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	7.59%
**	Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	3.66%
***	Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	<u>0.84%</u>
	INERT INGREDIENTS	<u>87.91%</u>
	TOTAL	100.00%

THIS PRODUCT CONTAINS:

*0.543 lb. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 6.30%

Isomer Specific by AOAC Method.

Trimec[®] is a registered trademark of PBI/GORDON CORPORATION.

NOTIFICATION
LABEL HOT NEVEWED
PER PRINCIPLE 86-6

DATE 7/12/93

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

NET CONTENTS (1 PINT/1 QUART/.5 GALLON/1 GALLON/ 5 GALLON/30 GALLON/55 GALLON)

828/ AP052093

EPA REG. NO. 2217-539 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

^{**0.26} lb. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 3.02%

^{***0.059} lb. 3,6-dichloro-n-anisic acid equivalent per gallon or 0.69%

STOPI READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing, loading or applying this product.

When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

In case of contact, immediately flush eyes or skin with plenty of water. If imitation develops get medical attention. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray of drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal site. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse can. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS: Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use fine sprays because they can drift and cause damage to non-target plants. Coarse droplet sprays are less likely to drift. Use only lawn-type sprayers. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area, be particularly careful within dripline of tree and other ornamental species. This product may be injurious to St. Augustinegrass and centipedegrass; since injury can be expected, "spot-spray" weeds only with a pressure-sprayer.

WHERE TO USE: BL 8,000 Lawn Weed Killer may be used on bahiagrass, bermudagrass, bluegrass, fescue, perennial ryegrass or zoysiagrass lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. In addition, BL 8,000 Lawn Weed Killer controls most other broadleaf weeds, including sensitive weeds such as chickweed, clover, dandelion, knotweed and plantain. A partial list is given on the side panel.

The maximum application rate to turf is 0.8 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

WHEN TO USE:

- 1. Spray at any time during the growing season when weeds are actively growing.
- On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a "spot-treatment" may be made at any time with a small pressure-sprayer. Wait 3 weeks before seeding or planting stolons, plugs, or sprigs.
- 3. Poor weed control may result if spray is applied during drought or just before rain.
- 4. For hest results, mow before treating.
- 5. Do not water lawn within 24 hours after treatment.

HOW MUCH TO USE (Entire Lawn): HOSE-END SPRAYER: Use a hose-end sprayor designed for lawns. Put recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2), and spray on area shown in Column 3. For example, to spray 2,500 square feet measure 10 fl. oz. (20 tbsp.) in jar, add water to the 10 gallon level, and mix. Turn on hose and spray as evenly as possible over 2,500 square feet.

NOTE: If you have a CHEMLAWN APPLICATOR, use pint BL 8,000 Lawn Weed Killer in 2 1/2 gallons of water and cover 4,000 square feet.

Colu	Column 1		Column 3
Amount of Lawn Weed Killer to Use		Fill Bottle to	Area to Treat
(Tbsp.)	(Fluid Oz.)	(Gallons)	(Sq. Ft.)
10	5	5	1250
20	10	10	2500
30	15	15	3750
40	20	20	5000

PRESSURE-SPRAYERS: Measure indicated amount of BL 8,000 Lawn Weed Killer into tank and dilute with water according to the following chart. Use a spray pattern that gives small spray droplets without any fine mist, and cover the area indicated.

Amount of Lawn Weed Killer to Use		Amount of water in sprayer	Area to be sprayed
(Tbsp.)	(Fluid Oz)	(Gallons)	(Sq. Ft.)
2	1	1	25ე
4	2	2	500
6	3	3	750

SPOT-SPRAYING: To spray small areas or individual weeds, do not use a hose-end prayer. Mix 1 oz. (2 tbsp.) in 1/2 gallon of water in a pressure-sprayer, and spray as required, being certain to "wet" each weed.

CONTROLS:

SENSITIVE WEEDS:

Bedstraw	Dandelion	Purslane
Black Medic	Knotweed	Ragweed
Buckhorn	Lambsquarter	Shepherdspurse
Chickweed	Peppergrass	Wild Lettuce
Clover	Plantain	

HARD-TO-KILL WEEDS:

Chicory	Oxalis	Spurge
Dock	Pigweed	Wild Carrot
Ground Ivy	Poison Ivy	Wild Onion
Heal-All	Poison Oak	Yапоw
Lespedeza	Sheep Sorrel	and many other
Mallow Morningglory	Speedwell	broadleaf weeds.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the setler is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.