

CONTROLS

Bedstraw	Knotweed	Purslane
Black Medic	Lambsquarter	Ragweed
Buckhorn	Lespedeza	Shepherd's
Chicory	Mallow	Purse
Chickweed	Morning Glory	Speedwell
Clover	Peppergrass	Spurge
Dandelion	Pigweed	Wild Carrot
Dock	Plantains	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Heal-All	Poison Oak	Yarrow
Henbit		and many others

DIRECTIONS FOR USE

WHERE TO USE: TRIMEC BL6000 Lawn Weed Killer may be used on Bluegrass, Bermuda, or Zoysia lawns, vacant lots, playgrounds and other similar areas where hard-to-kill weeds are present. This product is especially effective on all types of hard-to-kill weeds such as HENBIT, CHICKWEED, KNOTWEED, SPOTTED SPURGE, OXALIS, BLACK MEDIC, and SHEEP SORREL. In addition to these, TRIMEC BL6000 Lawn Weed Killer controls most other broadleafed lawn weeds, including Dandelion and Plantain, and a partial list is given on the side panel.


Do not allow spray to get on vegetables or ornamental plants since injury may result. Since injury can be expected when used on Centipede or St. Augustine grass lawns, "Spot-Spray" weeds only. Clover present will be damaged if sprayed. Repeat if necessary for hard to kill weeds.

WHEN TO USE: Spray at any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. "Spot Spray" weed treatment, however, may be made at any time with a small pressure sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

U.S.D.A. Reg No 2217-540

827-1070



trimec®

BL6000

lawn weed killer

KEEP FROM FREEZING

1 QUART COVERS 6,000 SQ. FT.

Contains New Patented TRIMEC Herbicidal Concentrate

U. S. Patent No. 3,284,186

Contains: 2,4-D, MCPP and Dicamba

Also Kills: DANDELION, KNOTWEED, HENBIT, PLANTAINS, SPURGE, POISON IVY, and most other broadleaf weeds.

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	2.77%
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	6.10%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.635%
Dimethylamine salts of related compounds	0.080%
INERT INGREDIENTS	90.415%
Total	100.000%

*2-(2-methyl-4-chlorophenoxy) propionic acid equivalent	0.195 pounds per gallon, equivalent to 2.22%
**2,4-dichlorophenoxyacetic acid equivalent	0.432 pounds per gallon, equivalent to 5.01%
***3,6-dichloro-o-anisic acid equivalent	0.045 pounds per gallon, equivalent to 0.52%

CAUTION: Keep Out of Reach of Children
See Back Panel for Additional Cautions

CONTENTS 1 GALLON

827-1070

MANUFACTURED BY

PBI - GORDON CORPORATION

KANSAS CITY, KANSAS

HOW
HOST
sign
chen
indic
cater
sure
the
spray

Ant.
We-
(Tbs
1/2
3/4
4/5

PRE
of c
cord
whic
mist

BL6
(Tbs
1/2
3/4
4/5

NOT
sure
caut
garo

HOW
To :
use
gal.
quar
GON
this
Be
cord
each

CAU
bles
and
dom
solu
tect
cids
law
are
oug
spr
to
of
be

CA
ey
wi
st

T.
4



trimec®

BL6000

lawn weed killer

KEEP FROM FREEZING

1 QUART COVERS 6,000 SQ. FT.

Contains New Patented TRIMEC Herbicidal Concentrate

U. S. Patent No. 3,284,186

Contains: 2,4-D, MCPP and Dicamba

Also Kills: DANDELION, KNOTWEED, HENBIT, PLANTAINS, SPURGE, POISON IVY, and most other broadleaf weeds.

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	2.77%
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	6.10%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.635%
Dimethylamine salts of related compounds	0.080%
INERT INGREDIENTS	90.415%
Total	100.000%

*2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.195 pounds per gallon, equivalent to 2.22%

**2,4-dichlorophenoxyacetic acid equivalent 0.432 pounds per gallon, equivalent to 5.01%

***3,6-dichloro-o-anisic acid equivalent 0.045 pounds per gallon, equivalent to 0.52%

CAUTION: Keep Out of Reach of Children

See Back Panel for Additional Cautions

CONTENTS 1 GALLON

827-1070

MANUFACTURED BY

PBI-GORDON CORPORATION

KANSAS CITY, KANSAS

HOW MUCH TO USE—ENTIRE LAWN

HOSE-END SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of chemical (Column 1) in bottle and add water to indicated level (Column 2), and spray on area indicated. For example—to spray 1,900 sq. feet, measure 10 ozs. (20 tbsp.) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 1,900 sq. feet.

	Col. 1	Col. 2	Col. 3
Amt. TRIMEC BL6000 Lawn Weed Killer to use:	Fill Bottle To:	Area to Treat:	
(Tbsp.)	(Fl. Oz.)	(Gallons)	(Sq. Feet)
10	5	5	950
20	10	10	1900
30	15	15	2850
40	20	20 (full)	3800

PRESSURE SPRAYERS: Measure indicated amount of chemical into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

Amt. TRIMEC BL6000 Lawn Weed Killer to use:		Amt. of water in sprayer:	Area to be Sprayed:
(Tbsp.)	(Fl. Oz.)	(Gallons)	(Sq. Feet)
2	1	3/4	190
4	2	1 1/2	380
8	4	3	760

NOTE: Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

HOW MUCH TO USE: SPOT SPRAY

To spray small areas or individual weeds, do not use hose-end sprayers. Mix 1 oz. (2 tbsp.) in 1/2 gal. water in pressure sprayer and spray as required being certain to "wet" each weed. The GORDON TRIMEC Aerosol Spot Weeder is ideal for this use.

Be sure to use GORDON'S Spreader Sticker according to the directions on that container so that each weed is thoroughly wet.

CAUTION: Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domestic or irrigation water. Do not pour spray solution near these plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Do not spray on carpetgrass, dichondra nor lawns or turf where desirable bentgrass or clovers are present. When container is empty, wash thoroughly and destroy. Never re-use. Use only lawn sprayers for this use. Coarse sprays are less likely to drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. This product may be injurious to St. Augustine grass.

CAUTION: Harmful if swallowed. Avoid skin and eye contact and clothing. In case of contact, flush with water. Avoid contamination of feed or food-stuffs.

T.M. Registered P.B.I., K. C., K.

827-1070

ACCEPTED

Nov. 16, 1970

UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT
ECONOMIC POISON REGISTER
UNDER NO. 2217-540
SUBJECT: GORDON'S TRIMEC BL6000
ATTACHED COMMENTS.