

GORDON'S

TURF 45

LAWN FUNGICIDE

covers up to 10,000 square feet

ACCEPTED

March 21, 1957

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND HERBICIDE ACT
 FOR ECONOMIC PESTICIDE REGISTRATION
 REGISTERED UNDER NO. 222-1-57

ACTIVE INGREDIENT:

4,6-Dichloro-N-(2-chlorophenyl)-1,3,5-triazin-2-amine.....

50%

INERT INGREDIENTS.....

50%

TOTAL 100%

DYRENE is a Reg. TM of Mobay Chemical Corporation.

CAUTION: Keep Out of Reach of Children
 See Back Panel for Additional
 Caution Statements.

EPA REG. NO. 2217-551-AA

EPA EST. NO. 2217-KS-1

MANUFACTURED BY

-GORDON CORPORATION

KANSAS CITY, KANSAS 66118

NET WEIGHT 2½ POUNDS

STOP! READ THE LABEL BEFORE USE

DIRECTIONS FOR USE

Turf 45 gives effective control of Rhizoctonia (brown patch), Sclerotinia (dollar spot), Copper Spot, Rust, Snow mold (Typhula), and Helminthosporium diseases, such as melting-out of Kentucky bluegrass, red leaf spot of bentgrasses, leaf blotch of Bermuda grass, Helminthosporium blight of fescues, brown blight of rye grasses, zonate eye spot, and Helminthosporium leaf spot of bluegrasses, bentgrasses, and fescues.

HOW TO USE:

In Garden Hose Sprayer: Put Turf 45 into sprayer jar, fill with water and stir until uniform mixture is obtained. Apply spray mixture uniformly to lawn area. For disease prevention, use 4 ounces (approximately 1 cup) Turf 45 and spray to cover 1,000 square feet. For spot treatment of diseased areas, use 6 ounces (approximately 1½ cups) Turf 45 and thoroughly wet these areas.

In Compressed Air Sprayers: For use in hand or knapsack-type sprayers, add 4 ounces (approximately 1 cup) of Turf 45 to 2½ gallons of water and apply to 1,000 square feet (50 ft. X 20 ft.) of lawn or other turf area. For spot treatment of heavily diseased areas, add 6 ounces (approximately 1½ cups) to 2½ gallons of water and thoroughly wet these areas.

In Field Sprayers: Schedule applications in accordance with local conditions. Consult your State Agricultural Experiment Station or Extension Service for specific use information and for State regulations which may contain additional restrictions or requirements.

Recommended Applications—To control Brown Patch, Copper Spot, Dollar Spot, helminthosporium Leaf Spot, Melting-out, and Rust, mix ¼ to ½ pound TURF 45 in 5 gallons of water and apply per 1,000 square feet. Repeat at 1 to 2 weeks intervals throughout the spring and summer months.

WHEN TO APPLY:

For Foliar Turfgrass Diseases: Begin application in the spring before diseases appear and repeat at 10 to 14 days intervals. During extended periods of wet weather, applications every 7 days may be required. Continue treatments throughout the spring and summer months. If necessary, water lawn before applying Turf 45.

(continued on attachment).

For Control of Snow Mold (Typhula): Use 1/8 pound in 5 gallons water and apply to 1,000 square feet. Apply after the first killing frost in the fall. A second application should be made when the lawn or other turfgrass area is free of snow in mid-winter. Apply a third application after the final melting of snow in late winter or early spring.

CAUTION: Harmful if swallowed or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing of dust or spray mist. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Do not contaminate feed or foodstuffs. Keep out of the reach of children. Do not allow children or pets to play on treated areas until the material is washed into the soil and grass is dried. Do not graze treated areas. Do not feed clippings to livestock.

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Rinse equipment and dispose of wastes by burying in non-crop land away from water supplies. Dispose of container by burying with wastes or burning (keep out of smoke). Never reuse container.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.