TICEDE TERM HISTINCUONS ON P	LS Set	Form Appr	97 7/07/1P oved. OMB No. 2070-000	0. Approval expires 2-28-95
	United States Environmental Protection A Washington, DC 20460	Jency VIOITOUO3	Registration Amendment Other	OPP Identifier Number 231973 11 JAR NACWARAS
sad, end completing and	stan atab ent ; sinistrApplication fo	r Pesticide 🎂 Secti	eviewing instruction I no	response, manual trans for a
1. Company/Product Number	1	2. EPA Product Manag		roposed Classification and the second
4. Company/Product (Name) Gordon's Trimec® We	ed & Feed 4	РМ# (PM 23)		None Restricted
5. Name and Address of App PBI/Gordon Corporatio P.O. Box 014090 1217 West 12th Street Kansas City, MO 6410	on t	1	ew. In accordance with similar or identical in co	•
	Se	ection - II		
Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency letter dated	Final printed Agency letter "Me Too" Ag Other - Expla	oplication.	<b>ZICATION</b>
NOTIFICATION of Minor lab supplemental registrants may Appendix.) This notification is the labeling or the confidentia the EPA. I further understan	al page(s) if necessary. (For section I and el revisions according to PRN 95-2. We inter y present on their labeling. One (1) copy of the s consistent with the provisions of PR Notice 9 al statement of formula of this product. I under d that if this notification is not consistent with t to enforcement action and penalties under Sec	d to add an advertising claim proposed label is enclosed f 5-2 and EPA regulations at 4 stand that it is a violation of 1 he terms of PR Notice 95-2 a tion 12 and 14 of FIFRA.	for your review. (Please refe IO CFR 152.46, and no other 8 U.S.C.Sec. 1001 to willfull	changes have been made to y make any false statement to
	C.			
	36	ction - III	3	
1. Material This Product Will	Be Packaged In:		۰	
Child-Resistant Packaging Yes* No * Certification must	Be Packaged In:         Unit Packaging       Wather the second	er Soluble Packaging Yes No Yes" No. per	2. Type of Containe Metal Plastic Glass Paper Other	
Child-Resistant Packaging Yes* No * Certification must	Be Packaged In:         Unit Packaging       Wather the second	er Soluble Packaging Yes No	Matal Plastic Glass Paper	
Yes* No * Certification must be submitted 3. Location of Net Contents I	Be Packaged In: Unit Packaging Was Yes No If "Yes" No. per Unit Packaging wgt. container Packaging wgt. container	er Soluble Packaging Yes No Yes" No. per kage wgt container	5. Location of Label Direct	(Specify)
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I	Be Packaged in:       Was         Unit Packaging       Was         Yes       If         No       If "Yes"         Unit Packaging wgt.       No. per container         If "Yes"       No. per container         Unit Packaging wgt.       Container         Information       4. Size(s) Retail Container         Ontainer       Was         Unit Packaging wgt.       Distlement of the first of the fi	er Soluble Packaging Yes No Yes" No. per kage wgt container	5. Location of Label Direct	(Specify) ions
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I	Be Packaged In:       Was         Unit Packaging       Was         Yes       No         If "Yes"       No, per container         Unit Packaging wgt.       No, per container         If "Yes"       No, per container         Unit Packaging wgt.       Statistical for the set of the	er Soluble Packaging Yes No Yes" No. per container tainer tainer	5. Location of Label Direct	(Specify) ions
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I Lebel Which Label is 6. Manner in Which Label is	Be Packaged In:       Was         Unit Packaging       Was         Yes       If         No       If "Yes"         Unit Packaging wgt.       container         If "Yes"       No. per container         Unit Packaging wgt.       container         Information       4. Size(s) Retail Correst         Information       biol/sige1 edf Steam         Affixed to Product       Steam         Paper glued       Paper glued	er Soluble Packaging Yes No Yes" No. per container Intainer e of betrichdur enousce to betrichdur enousce Other.	5. Location of Label Direct On Labeling acco	(Specify) ions mpanying product
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I Label West Contents I 6. Manner in Which Label is 1. Contact Point (Complete	Be Packaged In:         Unit Packaging       Was         Yes       No         If "Yes"       No. per container         Unit Packaging wgt.       Container         Unit Packaging wgt.       Secontainer         If "Yes"       No. per container         Unit Packaging wgt.       Secontainer         Information       4. Size(s) Retail Corr         Ontainer       Was         Affixed to Product       Exercised of them         Affixed to Product       Exercised of them         Stenciled       Stenciled         Stenciled       Stenciled         Stenciled       Stenciled         Stenciled       Stenciled	er Soluble Packaging Yes No Yes" No. per container Intainer e of betrichdur enousce to betrichdur enousce Other.	5. Location of Label Direct On Label On Labeling acco	(Specify) ions mpanying product
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I Label UCOL C. C 6. Manner in Which Label is 1. Contact Point (Complete Name Craig Martens	Be Packaged In:         Unit Packaging       Was         Yes       No         If "Yes"       No. per container         Unit Packaging wgt.       Container         Unit Packaging wgt.       See 1         Information       4. Size(s) Retail Container         Ontainer       See 1         Affixed to Product       Lithograph         Affixed to Product       Lithograph         Stenciled       Stenciled         Stenciled       Stenciled         Stenciled       Title In         Man       Man         Certification       Man         Certification       Statement	er Soluble Packaging Yes No Yes" kage wgt ntainer tainer to betrimdue eriotister to betrimdue eriotister to betrimdue eriotister to betrimdue eriotister to betrimdue eriotister to betrimdue eriotister <b>ction - IV</b> dividual to be contacted, in participation of bodness are ager, Regulatory Serv	Matal Plastic Glass Paper Other 5. Location of Label Direct On Label On Label On Labeling acco of Labeling acco	(Specify) ions
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I Label State C 6. Manner in Which Label is 1. Contact Point (Complete Name Craig Martens	Be Packaged In:         Unit Packaging       Was         Yes       No         If "Yes"       No, per container         Unit Packaging wgt.       container         Unit Packaging wgt.       container         Information       4. Size(s) Retail Corrontainer         Information       4. Size(s) Retail Corrontainer         Affixed to Product       Datatester of Sear         Cather to be office statester of Sear       Datatester of Sear         Affixed to Product       Datatester of Sear         Paper glued       Stenciled         Stenciled       Stenciled         Cather to be office statester of Sear       Man         Certification       Man         Certification       Man         Certification       Man         Certification       Man         Certification       Man         Affixed of Boast of basi       3Title	er Soluble Packaging Yes No Yes" kage wgt ntainer tainer to be trindus enousch to be tri	Matal Plastic Glass Paper Other 5. Location of Label Direct On Label On Labeling acco on Labeling acco on Labeling acco f necessary, to process the Telephone accurate and complete or imprisonment or blast streetont - reuborg or book	(Specify) ions mpanying product is application.) ne No. (Include Area Code) 816) 421-4070 6. Date Application Réceived (Stamped)
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I Label Which Label is 6. Manner in Which Label is 1. Contact Point (Complete Name Craig Martens I certify that the stater I acknowledge that an both under applicable 2. Signature	Be Packaged In:         Unit Packaging       Wat         Yes       No.         If "Yes"       No. per container         Unit Packaging wgt.       container         If "Yes"       No. per container         Information       4. Size(s) Retail Cor         ontainer       Statistical Cor         Affixed to Product       Enclose of Corser         Mannettranscription       Second Corser         Mannettranscription       Second Corser         Mannettranscription       Second Corser         Anonisticat Enclose of Descilors       Second Corser         Anonisticat Enclose of Descilors       Mannettranscription         Anonisticat Enclose notables       Mannettranscription	er Soluble Packaging Yes No Yes" kage wgt ntainer to betrindus enousch other to betrindus enousch othe	Metal Plastic Glass Paper Other 5. Location of Label Direct On Label On Labeling acco on Labeling acco the finecessary, to process the Telephon (Cession of Label Direct On Labeling acco	(Specify) ions
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents I Label DEDECE C 6. Manner in Which Label is 1. Contact Point (Complete Name Craig Martens	Be Packaged In:       Unit Packaging       Wat         Unit Packaging       Yes       Information       No. per container         Information       4. Size(s) Retail Corronation       Information       Information         Affixed to Product       Information       Information       Information         Affixed to Product       I	er Soluble Packaging Yes No Yes" kage wgt ntainer to betrindus enousch other to betrindus enousch othe	Matal Plastic Glass Paper Other 5. Location of Label Direct On Label On Labeling acco on Labeling acco on Labeling acco f necessary, to process the Telephone accurate and complete or imprisonment or blast streetont - reuborg or book	(Specify) ions

-----

شتيشا تبيديه بدويوريدية المربينية

### **GORDON'S TRIMEC®** WEED & FEED 23-3-7

(Sixteen, Eighteen, or Twenty) Pounds Covers Up To 5,000 Square Feet.

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds including those listed on the back panel.

ACTIVE INGREDIENTS:	
*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	0.655%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	0.316%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.072%
INERT INGREDIENTS	<u>98.957%</u>
TOTAL	100.000%
THIS PRODUCT CONTAINS:	
*10.888 lbs. or 0.544% 2, 4-Dichlorophenoxyacetic acid equivalent per ton.	NATIONAL
**5.229 lbs. or 0.261% 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per ton.	NOTIFICATION
***1.206 lbs. or 0.061% 3, 6-dichloro-o-anisic acid equivalent per ton.	Sep. 17 1007
Isomer Specific by AOAC Methods.	23 1997


TRIMEC<sup>®</sup> is a registered trademark of PBI/GORDON CORPORATION.

# **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

Statement of Practical Treatment

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention. See back panel for additional Precautionary Statements.





READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

्रहर ने स्ट्रहर

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

#### **STORAGE & DISPOSAL**

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

#### USE PRECAUTIONS:

Do not use this product where desirable clovers are present or allow the material to wind drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

[This product may stain concrete and stone. Where spilling occurs, sweep off immediately, then flush with water. (For use for products when iron is present in the fertilizer.)]

#### INSTRUCTIONS:

Gordon's Trimec<sup>®</sup> Weed & Feed 4 controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. This product may be applied to established lawns of bermudagrass, bentgrass, bahiagrass, centipedegrass, Kentucky bluegrass, fescues, perennial ryegrass, zoysiagrass, and St. Augustinegrass. Do not use on dichondra or carpetgrass. Do not apply this product to 'Floratam' St. Augustinegrass in Florida. In addition, a 23-3-7 fertilizer provides a balanced supply of plant nutrients or plant food.

Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

EPA Reg. No. 2217-559

÷.

Page 2 of 5

ditta ana kin

1995 - 21 Mar 299 - 25 - --

성상에서 성공의 독기를

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Scott.	(
Lawn Beauty	
Jackson	7
Sears	

The above spreader settings are approximate. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.) (18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet)

23-3-7 GUARANTEED ANALYSIS	
Total Nitrogen (N)	23%
Water Insoluble Nitrogen	5%
Available Phosphate (P2O3)	3%
Soluble Potash (K <sub>2</sub> O)	7%

	- WEEDS -	
Bedstraw	Knotweed	Ragweed
Black Medic	Lambsquarters	Sheep Sorrel
Buckhorn	Lespedeza	Shepherdspurse
Burdock	Mallow	Speedwell
Chickweed	Momingglory	Spurge
Chicory	Oxalis	Thistle
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantains	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow
Henbit	Purslane	and many more

LIMITED WARRANTY AND DISCLAIMER. The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

#### I. Previously Approved Fertilizer Grades:

 Fertilizer grades with nutrient contents expressed as the percentages of N,P<sub>2</sub>O<sub>5</sub>, and K<sub>2</sub>O include the following:

8-3-16	18-3-5	24-4-12	27-3-4	
10-6-4	18-5-9	25-3-3	30-0-6	
13-2-3	20-4-4	25-4-4	33-3-5	
15-3-6	20-10-5	26-3-3		
15-5-7	20-10-10	26-3-5		
16-4-8	23-3-7	26-4-6		

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations. The following guaranteed analyses presentations have previously been submitted as notifications:

15-3-6 GUARANTEED ANALYSIS	
Total Nitrogen (N)	15%
12.4% Ammoniacal Nitrogen	
0.3% Urea Nitrogen	
2.3% Coated slow release urea nitrogen	
Available Phosphate (P2O5)	3%
Soluble Potash (K,O)	6%
Calcium (Ca)	2%
Sulfur (S)	14%
Derived from: Ammonium Sulfate, Sulfur-Coated Urea, Ammo	วกเนก
Phosphate, Rock Phosphate, Muriate of Potash	

- II. Advertising claims that may be presented on the retail containers:
  - (For products where iron is present) This product may stain concrete and stone. Where spilling
    occurs, sweep off immediately, then flush with water.
  - (Brand Name) enhances the fertilizer portion of this product with Agrico Turf<sup>®</sup>, a stabilized form of urea nitrogen that remains in the stable available ammonium form for longer periods of time. Agrico Turf<sup>®</sup>, when watered into the soil, attaches itself to clay particles where it remains for use by the plant, longer than if unstabilized. The result is a lawn that is greener longer than-if fertilized with unstabilized urea nitrogen. Added iron and other essential micronutrients promote root development, color enhancement, and seed production.
  - Contains Trimec<sup>®</sup> Herbicide.

EPA Reg. No. 2217-559

3

Page 4 of 5

#### Controls (Number) weeds! (Listing of weeds may include the following.) \* 🔶

19 Mar 19 (19 19 19

·\*\*1.00 - 2.98

	- V	VEEDS -		
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth	
Aster	Cocklebur	Mustard	Spiny cocklebur	
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle	
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear	
Beggarticks	Cudweed	Nettle	Spotted spurge	
Betony, Florida	Curly dock	Orange hawkweed	Spurweed	
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle	
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock	
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle	
Bittercress, hairy	Dandelion	Parsnip	Tall vervain	
Bitterweed	Dichondra	Pearlwort	Tansy ragwort	
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard	
Black medic	Dogfennel	•	Tanweed	
Black mustard	Dollarweed	Pennywort	Thistle	
		Peppergrass		
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch	
Blessed thistle	False dandelion	Pigweed	Tumble mustard	
Bloodflower milkweed	False flax	Pincywoods bedstraw	Tumble pigweed	
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf	
Blue vervain	Fiddleneck	Plantain	Venice mallow	
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed	
Brassbuttons	Frenchweed	Poison oak	Virginia creeper	
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed	
Broadleaf dock	Goathead	Poorjoe	Water pennywort	
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf bullthistle	
Broomweed	Ground ivy	Prickly lettuce	Western clematis	
Buckhorn	Gumweed	Prickly sida	Western salsify	
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard	
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster	
Bull thistle	Healall	Prostrate spurge	Wild buckwheat	
Bull nettle	Heartleaf drymary	Prostrate vervain	Wild carrot	
Burclover	Heathaster	Puncturevine	Wild four-o'clock	
Burdock	Hedge bindweed	Purslane, common	Wild garlic	
Burning nettle	Hedge mustard	Ragweed	Wild geranium	
Burweed	Hemp	Red sorrel	Wild lettuce	
Buttercup	Henbit	Redroot pigweed	Wild marigold	
Buttonweed	Hoary cress	Redstem filaree	Wild mustard	
Canada thistle	•			
	Hoary plantain	Rough cinquefoil	Wild non	
Carolina geranium	Hoary vervain	Rough fleabane	who parsmp	
Carpetweed	Horse nettle	Russian pigweed	Wild radish	
Latchweed bedstraw	Jimsonweed	Russian thistle	Wild rape	
Catnip	Knawel	Scarlet pimpernel	Wild strawberry	
Catsear	Knotweed	Scotch thistle	Wild sweet potato	
Chickweed, common	Kochia	Sheep sorrel	Wild vetch	
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorfel	
Chicory	Lespedeza	Slender plantain	Woolly croton	
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory	
Clover, crimson	Matchweed	Smooth dock	Woolly plantain	
Clover, hop	Mexicanweed	Smooth pigweed	Wormseed ? .	
lover, red	Milk vetch	Sorrel (sour dock)	Yarrow	
lover, strawberry	Morningglory	Sowthistle	Yellow rocket	***
lover, sweet	Mousecar hawkweed	Spanish needles	Yellowflower pepperweed	
	· ····································	w pressions and they are and the second states of t	Terroritorion hopperments (CC	

EPA Reg. No. 2217-559

Page 5 of 5

- :-