

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

100
12/21/84
2217-560

NOV 23 1984

Stephen Johnson
FBI/Gordon Corporation
1217 West 12th Street
P.O. Box 4090
Kansas City, MO 64101

BEST AVAILABLE COPY

Dear Mr. Johnson:

Subject: Amendment - Formula Change/Label Revisions
Weed-'N-Feed 5
EPA Registration No. 2217-560
Your Submission of November 8, 1984

The amendment referred to above is acceptable, provided you make the following changes before releasing the product for shipment:

1. Modify your front panel statement "...covers up to 5,000 sq. ft." to read "Covers 5,000 sq. ft." We have determined that use of the phrase "up to" is ambiguous and does not adequately describe the intended rate of application.
2. Add the statement: "Do not contaminate water by cleaning of equipment or disposal of wastes" to the Environmental Hazards Section.

We note that you have modified your brand name to Weed and Feed 5 on materials submitted. If it is your intention to add this brand name, please submit the appropriate documentation.

Provide one (1) copy of final printed labeling prior to shipment of product with amended labeling. A stamped copy of labeling is enclosed for your records.

Sincerely yours,

J. P. Mountfort
Richard P. Mountfort
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (78-767)

Enclosure

RD/FHB:Job:50767:Mountfort:RD-26:sah:11/21/84:Kenderick & Co., 898-1270:Del. 11/30/84

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								



ACCEPTED
with comment
NOV 23 1984
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2217-560



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS.

Weed & Feed 5

23-3-7

Twenty Pounds Covers up to 5,000 Sq. Ft.

KILLS: Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	0.827%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.399%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.090%
INERT INGREDIENTS	98.684%
TOTAL 100.000%	

THIS PRODUCT CONTAINS

- *13.75 lbs. or 0.687% 2,4-Dichlorophenoxyacetic acid per ton or 1.198 lb. per acre
- **6.60 lbs. or 0.330% 2-(2-methyl-4-chlorophenoxy) propionic acid per ton or 0.575 lb. per acre
- ***1.50 lbs. or 0.075% 3,6-dichloro-o-anisic acid per ton or 0.131 lb. per acre

*Isomer Specific by AOAC Method 6 DO1-5

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements.

TRIMEC is a registered trademark of PBI GORDON CORPORATION.

NET WEIGHT 20 POUNDS



PRECAUTIONARY STATEMENT

Hazards to Humans & Domestic Animals
CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin or clothing. Wash thoroughly after handling.

Environmental Hazards
Do not apply directly to water. Do not apply when weather conditions favor drift to the target area. Do not contaminate water used for irrigation or domestic purposes.

DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with these directions.

STORAGE: Store in original container and keep any bags containing this product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag.

USE PRECAUTIONS
Do not use this product where desirable clovers are present or allowed to drift onto flowers, vegetables or ornamental shrubbery. Do not apply to roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to lawns. During application, close spreader openings when turning.

INSTRUCTIONS
Weed & Feed 5 contains TRIMEC* herbicide. TRIMEC controls a wide range of weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge, and many other broadleaf weeds commonly found in home lawns. In addition, a 23-3-7 fertilizer provides a food needed for a normal season's growth. Possible retreatment may be necessary if (a) the lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions exist in a state of poor growth. A second application may be made in April or May on dichondra, carpetgrass, closely-mowed bentgrass putting green grasses.

- Mow lawn to normal height 1 to 2 days before application.
- Water lawn thoroughly at least 1 day before application to sustain lawn growth (see step 4).
- Apply when weeds are young and actively growing, preferably in the early morning. If grass is not moist at time of application, sprinkle water on the grass. If grass is not moist at time of application, sprinkle water on the grass. If grass is not moist at time of application, sprinkle water on the grass. If grass is not moist at time of application, sprinkle water on the grass.
- Do not wash from weed leaves for 1 to 2 days after application. Watering should be made.

Be patient, TRIMEC works slowly and gently and is friendly to your lawn.

SPREADER SETTINGS

Scott	6
Lawn Beauty	5
Jackson	7
Sears	4

The above spreader settings are approximate. Check your spreader settings to apply at the rate of 1 lb. per 250 sq. ft.

FERTILIZER GUARANTEE

Total Nitrogen (not less than) _____
Water Insoluble Nitrogen (not less than) _____
Available Phosphoric Acid (not less than) _____
Soluble Potash (not less than) _____

WEEDS

BEDSTRAW	DANDELION	LESPEDEZA	POISON IVY
BLACK MEDIC	DOCK	MALLOW	POISON OAK
BUCKHORN	GROUND IVY	MORNING GLORY	PURSLANE
BURDOCK	HEAL ALL	OXALIS	RAGWEED
CHICORY	HENBIT	PEPPERGRASS	SHEEP SORE
CHICKWEED	KNOTWEED	PIGWEEED	SHEPHERD'S PURSE
CLOVER	LAMBSQUARTER	PLANTAINS	SPEEDWELL

NOTICE: Seller warrants that this product conforms to the ingredient statement of use, such as weather, compatibility with other chemicals, and condition of application. Seller makes no claims other than those stated on this label.

EPA REG. NO. 2217-560
EPA EST. No. 2217-KS-1

Stephen Johnson
FBI/Gordon Corporation
1217 West 12th Street
P.O. Box 4090
Kansas City, MO 64101

BEST AVAILABLE COPY

Dear Mr. Johnson:

Subject: Amendment - Formula Change/Label Revisions
Weed-'N'-Feed 5
EPA Registration No. 2217-560
Your Submission of November 8, 1984

The amendment referred to above is acceptable, provided you make the following changes before releasing the product for shipment:

1. Modify your front panel statement "...covers up to 5,000 sq. ft." to read "Covers 5,000 sq. ft." We have determined that use of the phrase "up to" is ambiguous and does not adequately describe the intended rate of application.
2. Add the statement: "Do not contaminate water by cleaning of equipment or disposal of wastes" to the Environmental Hazards Section.

We note that you have modified your brand name to Weed and Feed 5 on materials submitted. If it is your intention to add this brand name, please submit the appropriate documentation.

Provide one (1) copy of final printed labeling prior to shipment of product with amended labeling. A stamped copy of labeling is enclosed for your records.

Sincerely yours,



Richard P. Mountfort
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (78-767)

Enclosure

RD/FHB:Joh:50767:Mountfort:RD-26:sah:11/21/84:Kenderick & Co., 899-1270:Del. 11/30/84
COCCURRENCES

SYMBOL							
SURNAME							
DATE							



ACCEPTED
with comment
NOV 23 1984
Use for the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2217-560



READ THE ENTIRE LABEL FIRST. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS

Weed & Feed 5

23-3-7

Twenty Pounds Covers up to 5,000 Sq. Ft.

KILLS: Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge & many other broadleaf weeds; some of which are listed on the back panel.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	0.827%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.399%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.090%
INERT INGREDIENTS	98.684%
TOTAL	100.000%

THIS PRODUCT CONTAINS

- *13.75 lbs or 0.687% 2,4-Dichlorophenoxyacetic acid per ton or 1.196 lb per acre
 - **6.60 lbs or 0.330% 2-(2-methyl-4-chlorophenoxy) propionic acid per ton or 0.575 lb per acre
 - ***1.50 lbs or 0.075% 3,6-dichloro-o-anisic acid per ton or 0.131 lb per acre
- *Isomer Specific by AOAC Method 6 D01-5

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water, for eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional precautionary statements

*TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

NET WEIGHT 20 POUNDS



PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals
CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with clothing. Wash thoroughly after handling.

Environmental Hazards
Do not apply directly to water. Do not apply when weather conditions favor drift to the target area. Do not contaminate water used for irrigation or domestic purposes.

DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with the label.

STORAGE: Store in original container and keep any bags containing product in a locked storage area inaccessible to children and domestic animals near food or feedstuffs. To prevent cross-contamination, do not store herbicides, insecticides, fungicides, or seeds near herbicides, insecticides, fungicides, or seeds.
PRODUCT DISPOSAL: To dispose of bags which contain unused product, wrap bag in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

USE PRECAUTIONS
Do not use this product where desirable clovers are present or allow drift onto flowers, vegetables or ornamental shrubbery. Do not apply to roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to lawns during application. Close spreader opening when turning corners.

INSTRUCTIONS
Weed & Feed 5 contains TRIMEC® herbicide. TRIMEC controls a wide range of weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge, and many other broadleaf weeds commonly found in home lawns. In addition, a 23-3-7 fertilizer provides a good food source for a normal season's growth. Possible retreatment may be necessary if the lawn is heavily overrun by weeds or (b) if adverse low moisture conditions in a state of poor growth. A second application may be made in appropriate conditions. Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens, or lawns.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain lawn during watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the early morning. If rain is on the grass. If grass is not moist at time of application, sprinkle the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. Watering should be made.

Be patient, TRIMEC works slowly and gently and is friendly to your lawn.

SPREADER SETTINGS

Scott	6
Lawn Beauty	5
Jackson	7 1/2
Sears	4

The above spreader settings are approximate. Check your spreader to apply at the rate of 1 lb per 250 sq ft.

FERTILIZER GUARANTEE

Total Nitrogen (not less than)
Water Insoluble Nitrogen (not less than)
Available Phosphoric Acid (not less than)
Soluble Potash (not less than)

BEDSTRAW	DANDELION	LESPEDEZA	POISON IVY
BLACK MEDIC	DOCK	MALLOW	POISON OAK
BUCKHORN	GROUND IVY	MORNING GLORY	PURSLANE
BURDOCK	HEAL ALL	OXALIS	RAGWEED
CHICKORY	HENBIT	PEPPERGRASS	SHEEP SORE
CHICKWEED	KNOTWEED	PIGWEEF	SHEPHERD'S PURSE
CLOVER	LAMBSQUARTER	PLANTAINS	SPEEDWELL

NOTICE: Seller warrants that this product conforms to the ingredient statement and conditions of use, such as weather, compatibility with other chemicals, and condition of application. Seller makes no claims other than those stated on this label.
EPA REG NO 2217 560
EPA EST No 2217 KS 1