10-23-2009

Jacket 6



## U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

NOTICE (	OF PES	TICIDE:

Registration
X Reregistration
(under FIFRA, as amended)

'DAD N. 1	D to Classic
PA Reg. Number:	Date of Issuance:
217 560	

OCT 23 2009

Term of Issuance:

Name of Pesticide Product:

Weed N Feed 5

Name and Address of Registrant (include ZIP Code):

PBI Gordon Corporation

1217 West 12th Street

Kansas City, Missouri 64101

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.

Signature of Approving Official:	Date:
Joanne Miller Product Manager 23 Herbicide Branch Registration Division (7505P)	OCT 23 2009

Page 2 EPA Reg. 2217-560

2) Based on toxicity ranking per the acute toxicity review, the First Aid statements should be placed on the label in the following order:

"IF SWALLOWED:...
IF ON SKIN OR CLOTHING:...
IF IN EYES:..."

3) Per the acute toxicity review, the Hazards to Humans and Domestic Animals must be revised to read:

#### "CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse."

Note: The text "Wear long-sleeved shirt, long pants, socks and shoes" may remain on the label.

- 4) Delete "General" from "General Precautions".
- 5) Update the Container Disposal language to comply with PR Notice 2007-4.

A stamped copy of the label is enclosed for your records. You must submit one copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. Your release for shipment of the product constitutes acceptance of these conditions. This label supersedes all other previously accepted labels. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

ruc v 0-0-08

A CEPTED with COMMENTS In EPA Letter Dated:

3

## WEED-'N-FEED 5

OCT 23 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

## EPA Reg. No. 2217-560

2217-560

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.83%
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	0.20%
Dimethylamine salt of dicamba: (3,6-dichloro-o-anisic acid)	0.09%
INERT INGREDIENTS	
TOTAL	

#### THIS PRODUCT CONTAINS:

13.8 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.69%.

3.4 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.17%.

1.6 lbs. 3,6-dichloro-o-anisic acid equivalent per ton or 0.08%.

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-877-800-5556 for emergency medical treatment information.



# 4

#### **Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **General Precautions and Restrictions:**

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

## **USE PRECAUTIONS:**

Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass. Do not use this product where desirable clovers are present. Do not exceed specified dosages for any area. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

#### Other Use Precautions:

- Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

#### **INSTRUCTIONS:**

Weed-'N-Feed 5 controls a wide range of lawn weeds, including dandelion, chickweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, a 23-3-7 fertilizer provides a supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in 30 days.

The maximum broadcast application rate is 4.0 pounds of product per 1,000 sq.ft. per application (1.2 lbs 2,4-D ae, 0.30 lb MCPP-p ae and 0.14 lb dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 8.0 pounds of product per 1,000 sq.ft. (2.40 lbs 2,4-D ae, 0.60 lb MCPP-p ae and 0.28 lb dicamba ae per acre).

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.

4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Spreader Settings	
Scott	6
Lawn Beauty	5
Jackson	71/2
Sears	4

The above spreader settings are approximate.

**16 pound bag:** Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.

**18 pound bag:** Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet

**20 pound bag:** Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet

23-3-7 GUARANTEED ANALYSIS	
Total Nitrogen (N)	. 23%
Water Insoluble Nitrogen	. 5%
Available Phosphoric Acid (P2O5)	
Soluble Potash (K2O)	. 7%

### State fertilizer labeling requirements:

- A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed this product supplies (0.92) pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your local agricultural extension agent for the proper amount of nitrogen to be applied in your area.
- Fertilizer Labeling Requirements by Association of American Plant Food Control Officials (AAPFCO): Information regarding the contents and levels of metals in this product is available on the Internet at <a href="http://www.aapfco.org/metal.htm">http://www.aapfco.org/metal.htm</a>.

Broadleaf Weeds				
Bedstraw	Ground ivy	Peppergrass	Speedwell	
Black medic	Healall	Pigweed	Spurge	
Buckhorn	Henbit	Plantain	Thistle	
Burdock	Knotweed	Poison ivy	Wild carrot	
Chickweed	Lambsquarters	Poison oak	Wild garlic	
Chicory ·	Lespedeza	Purslane	Wild lettuce	
Clover	Mallow	Ragweed	Wild onion	
Dandelion	Morningglory	Sheep sorrel	Yarrow	
Dock	Oxalis	Shepherdspurse		

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

**CONTAINER DISPOSAL:** If Empty: Do not reuse container. Place in trash or offer for recycling, if available. If partially filled: Call your local solid waste agency or toll free number (1-800-XXX-XXXX) for disposal instructions. Never place unused product down any indoor or outdoor drain.

## LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

## **APPENDIX**

- 1. Statements which may appear on different label components depending on packaging configuration.
  - · See next panel for additional Precautionary Statements and First Aid
  - Net Weight \_\_\_
  - EPA Est. No.
- 2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:
  - [Sixteen, Eighteen, or Twenty[ Pounds Covers 5,000 Square Feet.
  - Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds including those listed on the back panel.

## **DOCUMENT CONTROL INFORMATION**

- 1. Unique Label Identifier: 002217-00560.20080807.proposed.doc
- Reason for Issue: Various changes pertaining to re-registration. Re-format label.