

WEED-'N-FEED 6

A 23-3-7 Lawn Fertilizer Plus *TRIMEC™ Herbicide

Contains 2,4-D, MCPP and Dicamba.

- FEEDS THE LAWN -

- KILLS WEEDS -

CHICKWEED, DANDELION, KNOTWEED, AINS, HENBIT, SPURGE and many other weeds as listed.

KEEP FROM FREEZING

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2,4-dichlorophenoxy-acetic acid	1.040%
**Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.462%
***Dimethylamine salt of Dicamba (3, 6-dichloro-o-anisic acid)	0.108%
INERT INGREDIENTS:	98.390%
TOTAL	100.000%
*Equivalent to 2,4-dichlorophenoxyacetic acid	0.855%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	0.382%
***Equivalent to 3,6-dichloro-o-anisic acid	0.090%

CAUTION: Keep Out of Reach of Children

See Back Panel for Additional Cautions

NET WEIGHT 20 POUNDS

For Fertilizer Guarantee See Reverse Side

*TRIMEC™ is a Registered Trademark of PBI-Gordon Corporation. U.S. Patent #3,284,186.

MANUFACTURED BY

PBI - GORDON CORPORATION

KANSAS CITY, KANSAS

EPA 2217-561

66118

589-372

WEED-'N-FEED 6

In addition to the 23-3-7 fertilizer, this product contains *TRIMEC™ Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal season's growth and the herbicide controls hard-to-kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dandelions, henbit, spurge, and most other common lawn weeds.

The weed killing benefits from *TRIMEC™ Turf Herbicide are especially important because excellent control results from minimum amounts of chemical. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a *TRIMEC™ Turf Herbicide liquid formulation when conditions improve.

WHEN TO APPLY: For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.

The material may be used on bluegrass, fescue, ryegrass, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed-N-Feed 6 is a remarkably effective lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the *TRIMEC™. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 20 lb. bag of Weed-N-Feed 6 should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time.

To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

CAUTION: Avoid inhaling dust or contact with skin, eyes and clothing. May be harmful if swallowed.

Do not reuse container. Destroy when empty.

Do not use on dichondra, carpetgrass, St. Augustine grass or bentgrass.

Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs.

Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7½
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on ½ lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

Fertilizer Guarantee

Total Nitrogen (not less than)	23%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	3%
Soluble Potash (not less than)	7%

SEP 172

ACCEPTED
5-16-72
UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON RESISTANCE NO. 2217-561

51

WEED-N-FEED 6

A 23-3-7 Lawn Fertilizer Plus TRIMEC Herbicide
Contains 2,4-D, MCPP and Dicamba

- FEEDS THE LAWN -
- KILLS WEEDS -

CHICKWEED, DANDELION, KNOXWEED, PLANTAINS, HENBIT, SPURGE and many other weeds as listed.

KEEP FROM FREEZING

ACTIVE INGREDIENTS	
*Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.40%
**Dimethylamine salt of 2-methyl-4-chlorophenoxypropionic acid	0.402%
***Dimethylamine salt of Dicamba (3,6-dichloro-pyridic acid)	0.108%
INERT INGREDIENTS	98.390%
TOTAL	100.000%
*Equivalent to 2,4-dichlorophenoxyacetic acid	0.855%
**Equivalent to 2-(2-methyl-4-chlorophenoxy)propionic acid	0.382%
***Equivalent to 3,6-dichloro-pyridic acid	0.290%

CAUTION: Keep Out of Reach of Children
See Back Panel for Additional Cautions

NET WEIGHT 20 POUNDS

For Fertilizer Guarantee See Reverse Side

TRIMEC is a Registered Trademark of PBI Gordon Corporation
U.S. Patent #3,184,186

MANUFACTURED BY

PBI - GORDON CORPORATION

KANSAS CITY, KANSAS

EPA 2217-561

66118

WEED-N-FEED 6

This product is a 23-3-7 lawn fertilizer plus herbicide. It kills weeds. The fertilizer supplies the plants with the nutrients needed for normal seasonal growth and the herbicide controls troublesome weeds such as chickweed, bush clover, ground ivy, knotweed, yellow foxtail, henbit, spurge, and most other common lawn weeds.

The weed-killing benefits from TRIMEC Turf Herbicide are especially important because excellent control results from the minimum amounts of chemical. However, if abnormal low moisture conditions prevail and weed growth is in a state of poor growth, possible retreatment may be necessary with this TRIMEC Turf Herbicide liquid formulation when conditions improve.

WHEN TO APPLY: For best results apply when plants are growing vigorously in the spring or early fall after heavy rains.

The material may be used on bluegrass, fescue, ryegrass, Bermuda and zoysia lawns. Usually at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed N Feed 6 is a remarkably effective lawn food which combines the advantages of both fast and long-lasting feeding action plus the broad range of weed control of the TRIMEC. The fertilizer produces a thick green turf while killing weeds to make way for new growth. Weeds controlled by the product stop growing gradually and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 20 lb. bag of Weed N Feed 6 should be used on 5,000 sq. ft. Apply evenly with a lawn spreader with one pass application or a two pass application, cross crossing the area at half the rate each time. To get maximum weed-killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

CAUTION: Avoid inhaling dust or contact with skin, eyes and clothing. May be harmful if swallowed.

Do not reuse container. Destroy when empty.

Do not use in dichondra, centipennis, St. Augustine grass or bentgrass.

Do not use this product where desirable covers are present or allow the product to wind drift on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs.

Spreader setting should be calibrated as follows:

Grass	6
Lawn Berms	5
Lawns	7 1/2
Seeds	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 10 lbs. per 100 sq. ft. Use normal rate of walk when applying to lawns. Refer to rate of application.

NOTICE: Buyer warrants that this product conforms to the ingredient statement on the label. Some conditions of use, such as weather, compatibility with other materials, and condition of application equipment, will vary. Seller makes no other warranty than those stated on this label.

Fertilizer Guarantee	
Total Nitrogen, not less than	23%
Water Insoluble Nitrogen, not less than	3%
Available Phosphoric Acid, not less than	3%
Soluble Potash, not less than	7%

SEP 1972

WEED-'N-FEED 6

A 23-3-7 Lawn Fertilizer Plus *TRIMEC® Herbicide

Contains 2,4-D, MCPP and Dicamba.

- FEEDS THE LAWN -
- KILLS WEEDS -

CHICKWEED, DANDELION, KNOTWEED, PLANTS,
AINS, HENBIT, SPURGE and many other weeds as listed.

KEEP FROM FREEZING

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2,4-dichlorophenoxy-acetic acid	1.040%
**Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.462%
***Dimethylamine salt of Dicamba (3, 6-dichloro-o-anisic acid)	0.108%
INERT INGREDIENTS:	98.390%
TOTAL	100.000%
*Equivalent to 2,4-dichlorophenoxyacetic acid	0.855%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	0.382%
***Equivalent to 3,6 dichloro-o-anisic acid	0.090%

CAUTION: Keep Out of Reach of Children

See Back Panel for Additional Cautions

NET WEIGHT 20 POUNDS

For Fertilizer Guarantee See Reverse Side

*TRIMEC® is a Registered Trademark of PBI-Gordon Corporation.
U.S. Patent #3,284,186.

MANUFACTURED BY

PBI - GORDON CORPORATION

KANSAS CITY, KANSAS

EPA 2217-561

66118

589-372

WEED-'N-FEED 6

In addition to the 23-3-7 fertilizer, this product contains *TRIMEC® Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal season's growth and the herbicide controls hard-to-kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dandelions, henbit, spurge, and most other common lawn weeds.

The weed killing benefits from *TRIMEC® Turf Herbicide are especially important because excellent control results from minimum amounts of chemical. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a *TRIMEC® Turf Herbicide liquid formulation when conditions improve.

WHEN TO APPLY: For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.

The material may be used on bluegrass, fescue, ryegrass, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed-N-Feed 6 is a remarkably effective lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the *TRIMEC®. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 20 lb. bag of Weed-N-Feed 6 should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time.

To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

CAUTION: Avoid inhaling dust or contact with skin, eyes and clothing. May be harmful if swallowed.

Do not reuse container. Destroy when empty.

Do not use on dichondra, carpetgrass, St. Augustine grass or bentgrass.

Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs.

Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7½
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on ½ lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

Fertilizer Guarantee	
Total Nitrogen (not less than)	23%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	3%
Soluble Potash (not less than)	7%

589-372

5

ACCEPTED
5-10-72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
EPA REG. NO. 2217-561

SI