**61 DEC** 1992

Dr. James A. Armbruster 1217 West 12th Street P.O. Box 4090 Kansas City, Missouri 64101

Dear Dr. Armbruster:

Subject: Label Amendment - Conversion of 2,4-D Manufacturing Use

Products to End Use Product

Trimec 848 Herbicide

EPA Registration Number 2217-531

Trimec DMB #2 Herbicide

BPA Registration Number 2217-566

Trimec 878 Herbicide

EPA Registration Number 2217-571

Your Submission Dated October 21, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. Stamped copies are enclosed for your records, please submit, for each product, three (3) copies of final printed labeling.

Sincerely yours.

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure



CONCURRENCES							
SYMBOL	475050		_				
	Rabbins			1			
DATE	11/27/92						

EPA Form 1328-1 (12-70)

# TRIMEC DMB #2 HERBICIDE

ACTIVE INGREDIENT:						
2,4-dichlorophenoxyacetic acid	•	•	•	•	•	45.59
2-(2-methyl-4-chlorophenoxy) propionic acid .	•	•	٠	•		20.40
Dicamba (3,6-dichloro-o-anisic acid)	•	•	•	•	•	4.30
INERT INGREDIENTS	•	•	•	•	•	29.71
		TO	ra t		1	00 00

isomer Specific by AOAC Methods TRIMEC $^{(R)}$  is a registered trademark of PBI/GORDON CORPORATION.

### KEEP OUT OF REACH OF CHILDREN

#### DANGER


See Side Panel for Additional Precautionary Statements and Statement of Practical Treatment.

NET WEIGHT POUNDS ( KILOS)

562/1092 APX00000X

EPA REG. NO. 2217-566 EPA EST. NO. 2217-KS-1

Mid. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



3015

## STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

#### Hazards to Human and Domestic Animals

DANGER: Corrosive, causes eye damage. Do not get in eyes, on skin or clothing. When using this product, wear long-sleeved shirt, long pants, socks, shoes, chemical resistant gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection. Wear long pants, long-sleeved shirt, shoes and gloves when miding, loading or applying this product. Wear goggles or face shield and rubber gloves when handling. If eye exposure occurs, get immediate medical attention. Harmful if swallowed. Wash thoroughly after handling.

#### Statement of Practical Treatment

IF IN EYES: In case of contact, immediately flush eyes with plenty of water. Call a physician at once. IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SIGN: Wash promptly with soap and water. Rinse thoroughly.

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a la: ye area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

#### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

#### STORAGE & DISPOSAL

STORAGE: Store in original container. To prevent cross-contamination, do not store near other pesticides, fertilizers, food, feed, or seeds.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, apray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into formulation equipment. Then dispose in a sanitary landill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke,

#### - SITES -

TRIMEC DMB # 2 HERBICIDE is intended to be applied by lawn care operators and landscape personnel for use in ornamental lawns and turf established in ornamental sites. Ornamental sites include turf-grass established around residences, parks, streets, retail outlets, cemeteries, industrial and institutional buildings. Cool season turfgrass species include Kentucky bluegrass, perennial ryegrass, and the fescues.

#### - MIXING INSTRUCTIONS WITH WATER AS THE CARRIER -

- 1. Prepare only the amount of spray mixture which can be used the day that it will be sprayed.
- 2. Fill the spray tank with 1/2 to 3/4 of the required amount of water and begin agitation. Sufficient agitation during mixing and application is essential.
- Add TRIMEC DMB # 2 HERBICIDE into the spray tank and maintain continuous agitation to avoid separation.
- Fill the spray tank to 3/4 of the required amount of water. If tank-mixtures are being prepared, add the companion product when the spray tank is approximately 3/4 full.
- Finally, add the balance of the required water volume and maintain agitation prior to and during the application. Apply the spray mixture on the same day of spray preparation.

#### APPLICATION RATES FOR ORNAMENTAL TURFGRASS -

For Kentucky bluegrass, Fescue spp., and Perennial Ryegrass: The maximum application rate for established turfgrass is 1.25 pound 2,4-D acid equivalent per application per site. The equivalent application rates are presented below:

Pounds of 2,4-D Acid equivalent/application		n Rates of Trimec DMB#2 ounces/1000 ft <sup>2</sup>					
1.25	2.74	1.00					

For selective broadleaf control in ornamental turf, apply a maximum of 2.74 pounds of product per acre per application with spray volumes ranging from 20 to 220 gallons per acre. Or, apply a maximum of 1.0 ounce of product per 1000 square feet of turf per application with spray volumes ranging from 0.5 to 5.0 gallons per 1000 square feet of turf.

The maximum number of broadcast applications per treatment site is two applications per year.

## 5945

#### - USE PRECAUTIONS -

Do not apply this product through any type of irrigation system. Avoid drift of spray mist to vegetables, flowers, ornamentals, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present.

Use only lawn-type aprayers. Coarse sprays are less likely to wind-drift. Do not apray roots ornamentals and trees. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species. Do not apply to newly seeded grasses until well established. Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F. Seed can be safely sown 3 to 4 weeks after application at recommended rates.

#### TRIMEC 848 CONTROLS:

Bedstraw
Black Medic
Buckhorn
Burdock
Chicory
Chickweed
Clover
Dandelion
Dock
Ground Ivy
Heal-All

Henbit
Knotweed
Lambsquarter
Lespedeza
Mallow
Morningglory
Peppergrass
Pigweed
Plantain
Poison lvy
Poison Oak

Purstane
Ragweed
Sheep Sorrel
Sheepherdspurse
Speedwell
Spurge
Wild Carrot
Wild Garlic
Wild Lettuce
Wild Onion
Yarrow

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSION OF OTHER WARRANTIES AND REMEDIES. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.