



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

_8 DEC 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

James L. Kunstman PBI/Gordon Corporation 1217 West 12th Street P.O. Box 014090 Kansas City, MO 64101

Dear Dr. Kunstman:

SUBJECT:

RED Label Amendment

Trimec ® 800 Herbicide

EPA Registration No. 2217-566

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- 1) Per the acute toxicity review, the text "Probable mucosal damage may contraindicate the use of gastric lavage" must be added to the Note to Physician. The Agency also recommends that the Note to Physician be revised to include text that addresses eye irritation concerns.
- 2) Per the acute toxicity review, the text "protective eyewear" appearing in the handler PPE section should be revised to read "goggles or face shield."
- 3) The text "This pesticide may be toxic to fish and aquatic invertebrates" should be revised to read "This pesticide is toxic to fish and aquatic invertebrates."
- 4) Per Page 49 of the 2,4-DP-p RED, the maximum single broadcast application application rate is 0.75 lb ae per acre. Any directions for use exceeding this rate must be revised.
- 5) Add the following statements to the labeling:

Use of this product in certain portions of California, Oregon and Washington is subject to the January 22m 2004 Order for injunctive relief in <u>Washington Toxics</u>

Coalition, et al. v. EPA, C01-032C, (W.D. WA). For further information, please refer to EPA Web Site: http://www.epa.gov/espp.

Please note: Final product reregistration cannot be considered until after all active ingredients in this product are eligible for reregistration.

Submit one (1) copy of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records. Please note that final product registration cannot be considered until after all active ingredients in this product are eligible for reregistration.

Sincerely yours,

Joanne I. Miller

Product Manager (23)

Herbicide Branch

Registration Division (7505P)

vanne J. Miller

Enclosure

TRIMEC® DMB #2 HERBICIDE

EPA Reg. No. 2217-566

ACTIVE INGREDIENT:	
2,4-dichlorophenoxyacetic acid	45.59%
(+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	10.20%
Dicamba (3,6-dichloro-o-anisic acid)	4.30%
	39.91%
TOTAL	100.00%

Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

DANGER

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

ACCEPTED with COMMENTS In EPA Letter Dated:

L 8 DEC 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2217-566

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Avoid contact with skin. Prolonged or repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment

Some materials that are chemical-resistant to this product are natural rubber. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators and other handlers must wear:

- · protective eyewear,
- long-sleeved shirt and long pants,
- shoes and socks, plus
- chemical-resistant gloves (except for applicators using ground boom equipment) and
- chemical-resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.

See engineering controls for additional requirements.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.



User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid	
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artiful preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. 	
	ct container or label with you when calling a poison control center or doctor or going for may also contact 1-877-800-5556 for emergency medical treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This pesticide may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions:

- Do not enter or allow people (or pets) to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

SITES

Trimec® DMB #2 Herbicide is intended to be applied by lawn care operators and landscape personnel for use in ornamental lawns and turf established in ornamental sites. Ornamental sites include turfgrass established around residences, parks, streets, retail outlets, cemeteries, industrial and institutional

buildings. Cool season turfgrass species include Kentucky bluegrass, perennial ryegrass, and the fescues.

MIXING INSTRUCTIONS WITH WATER AS THE CARRIER:

- 1. Prepare only the amount of spray mixture which can be used the day that it will be sprayed.
- 2. Fill the spray tank with 1/2 to 3/4 of the required amount of water and begin agitation. Sufficient agitation during mixing and application is essential.
- 3. Add Trimec® DMB #2 Herbicide into the spray tank and maintain continuous agitation to avoid separation.
- 4. Fill the spray tank to 3/4 of the required amount of water. If tank mixtures are being prepared, add the companion product when the spray tank is approximately 3/4 full.
- 5. Finally, add the balance of the required water volume and maintain agitation prior to and during the application. Apply the spray mixture on the same day of spray preparation.

APPLICATION RATES FOR ORNAMENTAL TURFGRASS:

For Kentucky bluegrass, Fescue spp. and Perennial Ryegrass

For selective broadleaf control in ornamental turf, apply a maximum of 2.74 pounds of product per acre per application with spray volumes ranging from 20 to 220 gallons per acre.

Limitations o	n broadcast applications Maximum Rate per Application	Maximum Number of Applications per	Minimum Interval	Minimum Spray Volume	Maximum seasonal rate
Ornamental turfgrass	2.74 pounds/A (1.25 lb 2,4-D ae/A) (0.28 lb MCPP-p ae/A) (0.12 lb dicamba ae/A)	2	30 Days	2 gal/A	5.48 pounds/A (2.50 lb 2,4-D ae/A) (0.56 lb MCPP-p ae/A) (0.24 lb dicamba ae/A)

ae = Acid Equivalent. Do not exceed the maximum seasonal rate of 5.48 pounds (2.50 lb 2,4-D ae), 0.56 lb. MCPP-p ae and 0.24 lb dicamba ae) per acre per season, excluding spot treatments.

USE PRECAUTIONS:

Do not apply this product through any type of irrigation system. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present.

Use only lawn-type sprayers. Do not use this product on or near desirable plants, including within the drip line of the roots of desirable trees and shrubs, since injury may result.

Do not exceed specified dosages for any area. Do not apply to newly seeded grasses until well established. Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F. Seed can be sown 3 to 4 weeks after application at recommended rates.

Spray Drift Management

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of ground application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Droplet Size

Use only Medium or coarser spray nozzles according to ASAE (S 572) definition of standard nozzles or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Wind Speed

Do not apply at wind speeds greater than 10 mph. Only apply this product if the wind direction favors ontarget deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Susceptible Plants

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

Equipment

All ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

Do not apply with a nozzle height greater than 4 feet above the crop canopy.

Trimec® DMB #2 Herbicide Controls:					
Bedstraw	Ground ivy	Peppergrass	Shepherdspurse		
Black medic	Healall	Pigweed	Speedwell		
Buckhorn	Henbit	Plantain	Spurge		
Burdock	Knotweed	Poison ivy	Wild carrot		
Chickweed	Lambsquarters	Poison oak	Wild garlic		
Chicory	Lespedeza	Purslane	Wild lettuce		
Clover	Mallow	Ragweed	Wild onion		
Dandelion	Morningglory	Sheep sorrel	Yarrow		
Dock		,	· ·		

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container. To prevent cross-contamination, do not store near other pesticides, fertilizers, food, feed, or seeds.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into formulation equipment. Then dispose in a sanitary landfill, or by incineration, or if allowed by State and local authorities by burning. If burned stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

IMPORTANT: Read this LIMITED WARRANTY AND DISCLAIMER before buying or using this product. By opening and using this product, buyer and all users agree to accept the terms of this LIMITED WARRANTY AND DISCLAIMER in their entirety and without exception. If the terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full.

It is impossible to eliminate all risks inherently associated with use of this product. Damage to the treated article, ineffectiveness, or other unintended consequences can result from use of the product under abnormal conditions such as weather, presence of other materials, or the manner of use or application, etc. Such factors and conditions are beyond the control of the manufacturer, and **BY PURCHASING AND USING THIS PRODUCT THE BUYER AND ALL USERS OF THIS PRODUCT AGREE TO ACCEPT ALL SUCH RISKS**. Buyer and all users further agree to assume all risks of loss or damage from the use of the product in any manner that is not explicitly set forth in or that is inconsistent with label instructions, warnings and cautions.

The manufacturer warrants only that this product conforms to the chemical description given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use, subject to the inherent risks described below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED.

THE EXCLUSIVE REMEDY OF BUYER AND ALL USERS OF THIS PRODUCT, AND THE EXCLUSIVE LIABILITY OF THE MANUFACTURER, FOR ANY AND ALL LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. The Manufacturer must be promptly notified in writing of any claims, whether based in contract, tort, negligence, strict liability, or otherwise, to be eligible to receive either remedy stated above.

APPENDIX

- 1. Statements which may appear on different label components depending on packaging configuration.
 - See next panel for additional Precautionary Statements and First Aid
 - Net Weight:
 - EPA Est. No.

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00566.20080305.doc

2. Previous Version: AP030705

Reason for Issue: Various changes pertaining to re-registration. Re-format label.