PH ···					PO(C)	
• euse read instructions: on reverse before completii	ng form.	Form	Approved QM	IB No 2070-0060	Approval expires 11-30.93	
A) SEPA United States Environmental Protect Office of Pesticide Programs (H) Washington, DC 20460 Application for Pes		tion Agency (7505C)	Re An	gistration nendment	OPP Identifier Number	
·····	Section I		<u> </u>			
Company/Product Number		2. EPA Product I	Vanager	3. Pi	oposed Classification	
2217-572		Dennis Ed	wards		None Restricted	
Company/Product (Name)		PM#				
Gordon's Sevin® Dust 5%, A Multi-Purpos	e Insecticide	(PM 19)				
Name and Address of Applicant (Include ZIP Code)					FIFRA Section 3(c)(3)	
PBI/Gordon Corporation PO Box 4090		to:	ict is similar	or identical in cu	mposition and labeling	
1217 West 12th Street		EPA Rog No				
Kansas City, MO 64101		EPA Reg. No				
Check if this is a new address		Product Name				
	Section I I					
Amendment - Explain below Resubmission in response to Agency letter dated		Final printed labels in response to Agency letter dated				
Through Imigation Systems." This product is intended disclaimer statement. (4) Three copies of the revised	labeling are enclo		, yaro, or garoe	NOTIF		
	Section III			DATE 7	12793	
. Material This Product Will Be Packaged In: hild Resistant Packaging Unit Packaging	Water	Soluble Packagin	12	Type of Container		
Yes• Yes		Yes	9	Metal		
	┝╼┥	163		Plastic		
No No		No		Glass Paper		
	per If*Yes ntainer Packa		io per ontainer	Other (S	Specify)	
submitted.		L				
Locator of Net Contents Information 4 Siz	re(s) of Retail Co	ontainer		ion of Label Direc <b>In Labe</b> l	tions	
Label Container				In Labeling accon	npanying product	
Manner In Which Label Is Affixed To Product	Lithograph Paper giued		Other (		)	
	Stencted				·	
Contact Point (Complete items directly below for ider	Section IV		tod if necess	any to process th		
lame	Title				e No. (Include Area Code)	
James A. Armbruster, Ph D.	- N	lgr. Regulat	ory Servic	ces(81	6) <b>421-40</b> 70	
Cert		"			6 Date Application	
Leartify that the statements I have made on this form Lacknowledge that any knowingly false or misleadin both under applicative law	and all attachme		-	•	Received (Stamped)	
Signature	3 Title			······································	1	
J.A. Simlimette	-   N	lgr Regulat	ory Servi		·	
Typerd Name	<b>4</b> - 5 D ne				1	
James A. Armbruster, Ph D	N	fay 20, 1990	3			
PA Form 6570 1 (Rev. 12-90) Previous editions (		White	EPA Fin Co	(	Viellow Apply ant copy	

# **GORDON'S SEVIN® DUST 5%**

# A MULTI-PURPOSE INSECTICIDE

ACTIVE INGREDIENT:	
Carbaryl (1-napthyl N-methylcarbamate)	5.0%
INERT INGREDIENTS.	<u>95.0%</u>
TOTAL	100.0%

SEVIN® is the registered trademark of Rhone Poulenc for carbaryl insecticide.

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 88-6	
DATE. 1/12/93	

# KEEP OUT OF REACH OF CHILDREN

# CAUTION


See side panel for Precautionary Statements and Statement of Practical Treatment

## NET WEIGHT ONE POUND

AP052093

EPA REG. 110. 2217-572 EPA EST. NO. 2217-KS-1

Mfd by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



### STOPI READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if swallowed. Avoid breathing vapors [dust or spray mist]. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

#### Statement of Practical Treatment

IF SWALLOWED: Induce vomiting and seek medical attention immediately. IF IN EYES OR ON SKIN: Flush eyes thoroughly with water; wash skin thoroughly with soap and water.

**NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or cholinesterase inhibiting drugs.

#### Environmental Hazards

This pesticide is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### STORAGE & DISPOSAL

**STORAGE**: Do not contaminate water, food, or feed by storage or disposal. Store in original container in a locked storage area inaccessible to children or animals. Keep in cool, dry place.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

Subsequent planting of food and feed crops in treated soil must be make with crops on this or other carbaryl label(s).

Apply SEVIN<sup>®</sup> DUST 5% when insects or their damage appear. Make applications to plants in the morning or evening when it is cool. Treat upper and lower surface of all foliage for complete coverage. Repeat as necessary, generally at 7-day intervals. For best results apply with a dust gun. Do not apply in excess. Subsequent planting of food and feed crops in treated soil must be make with crops on this crother carbaryl labels.

#### INSECT CONTROL ON VEGETABLES

ASPARAGUS - To control Asparagus Beetle and Apache Cicada Do not repeat application within three days. Do not treat within one day of harvest.

BEANS - (Green Beans, Lima Beans, Snap Beans, Cowpeas, Black-eyed): To control Mexican-Bean Bectle, Bean Leaf Buetle, Cucumber Beetles, Flea Beetles, Japanese Beetle, Leathoppers, Velvetbean Caterpillar, Western Bean Cutworm, Armyworms, Com Earworm, Stink Bugs and Tarnish Plant Bugs.

SWEET CORN - To control Com Earworm, Com Rootworm adults, European Com Borer, Fall Armyworm, Flea Beetles, Japanese Beetles, Sap Beetles, and Leafhoppers. For farvae in Whort (budworm damage) and foliage feeders, apply to entire plant. Repeat as necessary

For insects attacking silks and ears, apply at 2 to 3 day intervals starting when first silks begin to dry. Three or more applications may be required depending on severity of infestation. Turning and good coverage are essential for effective control.

**CUCUMBER, MELONS, PUMPKIN, SQUASH** - To control Pickleworm, Melonworm, Cucumber Beetles, Flea Beetles, Leafhoppers and Squash Bugs. Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity. Do not use on watermelons in Florida.

**POTATO, TOMATO, EGGPLANT, PEPPER -** To control Colorado Potato Beetle, Flea Beetles, Leafhoppers, European Com Borer, Fall Armyworm, Lace Bugs, Tomato Fruit Worm, Tomato Hornworm, Tamish Plant Bugs, Stink Bugs.

HEAD LETTUCE AND CARROTS - To control Flea Beetles, Harlequin Bug, Leafhoppers, Armyworms, Cabbage Caterpillars, Com Earworms, Spittlebugs, Tarnished Plant Bugs and Stink Bugs. To control small Cabbage Loopers use on a 5 to 7 day schedule.

**CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER, KOHLRABI** • To control Flea Beetles, Harlequin Bugs, Armyworms, Cabbage Caterpillars, Com Earworms. To control small Cabbage Loopers use on a 5 to 7 day schedule.

### INSECT CONTRO! ON SMALL FRUIT

**STRAWBERRIES** - To control Meadow Spittlebugs, Strawberry Leaf Roller and Strawberry Weevil. Do not apply within one day of harvest.

### TO CONTROL GRASSHOPPERS ON THE ABOVE CROPS

Apply SEVIN<sup>®</sup> DUST 5% as often as necessary on crops to control grasshoppers. On Asparagus follow cautions noted above.

**IMPORTANT NOTE:** Allow 1 day between dusting and harvest of Strawberries. Three days on Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce and Kahirabi. Do not use on Leaf Lettuce within 14 days of harvest, injury to young tender foliage may occur if plants are wet or in the presence of high humidity of several days duration following treatment.

#### POULTRY

### (Chickens, Turkeys, Ducks, Geese, Game Birds, Pigeons)

Application of 5%SEVIN<sup>®</sup> DUST to poultry for control of chicken mites and fleas is to be make as a supplement to litter treatment for control of these pests:

On birds: Northern fowl mite, chicken mite, lice, fleas 1 lb. 5% dust per 100 birds.

On litter: Northern fowl mite, chicken mite, lice, fleas, bedbugs 1 lb. 5% dust per 40 sq. ft.

Dust bath boxes: Northern fowl mite, chicken mite, lice and fleas 2 1/2 lbs. 5% dust per box for each 50 birds.

DO NOT APPLY 7 days before slaughter. Do not treat nest litter. Avoid direct contamination of eggs. Tolerance 5 ppm. on meat and fat, 0 in eggs.

#### ON DOGS AND CATS

Brown dog tick, fleas: rub in skin and apply in sleeping quarters weekly. Do not treat kitten and pupples under 4 weeks old. Do not use on pregnant dogs.

LIMITED WARRANTY AND DISCLAIMER The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS. 50R A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited violations, or to use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of products or values, except as otherwise provided by law

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner

· •

.

••••••

•

. .:

· · ·

5 .