11

or mix thoroughly with

8 oz./100 lbs, seed 4 to 6 oz./100 lbs, seed

4 oz./bus, seed

8 to 12 oz./100 lbs. seed 4 to 6 oz./100 lbs. seed

FOOD, FEED OR OIL JLD BE LABELED AS

ACCEPTED Dec 20,1971

2217-575



Seed Treater 25" HEPTACHLOR

with 15% SEED LUBE

FOR
SEED TREATMENT
AGAINST WIREWORM
AND FOR THE PROTECTION
OF GERMINATING SEEDS AND
SEEDLINGS FROM CERTAIN
OTHER SOIL INSECTS

WARNING:

Keep Out of Reach of Children
See Side Panels for Additional Warnings

CONTENTS
TREATS
4 BUSHELS
OF SEED CORN

ACTIVE INGREDIENTS Heptachlor* Related Compounds INERT INGREDIENTS:	A 9AA
TOTAL *Heptachlorotetrahydro-4 anoindene	

NET WEIGHT 1 POUND

MEASURE ENCLOSED

2 LEVEL MEASURES = 1 OZ.

May be fatal if a mist. Do not get with soop and w

soap and water.
tumbler of wate

This product will atreams, and parkilled. Dispose of taminate water b

Containers should burying with was

Seller warrants to statement on the weather, compate application equiother than those

586-1171

MANUFACTURED BY

-GORDON CORPORATION

KANSAS CITY, KANSAS

rops - (Seed)

· · · · · ·

SEED TREATMENT

Add to seed in a suitable container or mix thoroughly with reed in planter box.

SORGHUM	FALSE WIREWORM KAFIR ANT	8 oz./100 lbs. seed 4 to 6 oz./100 lbs. seed
CORN	WIREWORM SOUTHERN CORN ROOTWORM SEED CORN MAGGOT	4 oz./bus. seed
WHEAT-OATS	FALSE WIREWORM WIREWORM	8 to 12 oz./100 lbs. seed 4 to 6 oz./100 lbs. seed

DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. TREATED SEED SHOULD BE LABELED AS SUCH.

586.117

ACCEPTED Dec 20,1971

GORDANS Chemicals

TOER THE FEDERAL INSECTION
OF OCIDE AND RODEN AND STATE
OF FORMUM OF PREDICTION
TO ATTACHED COMMENTS

Seed Treat 25% HEPTACHL

with 15% SEED LUBE

INF

SEED TREATMENT
AGAINST WIREWORM
AND FOR THE PROTECTION
OF GERMINATING SEEDS AND
SEEDLINGS FROM CERTAIN
OTHER SOIL INSECTS

WARNING:

Keep Out of Reach of Children

See Side Panels for Additional Warnings

-GORDON CORPORATION

KANSAS CITY, KANSAS

TED

471

FOR

TREATMENT

T WIREWORM

THE PROTECTION

FROM CERTAIN

SOIL INSECTS



Seëd Treater 25% HEPTACHLOR with 15% SEED LUBE ®

CONTENTS TREATS 4 BUSHELS OF SEED CORN

ACTIVE INGREDIENTS

Heptachlor* 25.00% Related Compounds 9.72% INERT INGREDIENTS: 65.28°3

TOTAL 100.00%

Heptachlorotetrahydro-4,7-methanoindene

NET WEIGHT 1 POUND

MEASURE ENCLOSED 2 LEVEL MEASURES - 1 OZ.

ATING SEEDS AND

WARNING:

Out of Reach of Children de Panels for Additional Warnings

> MANUFACTURED BY GORDON CORPORATION KANSAS CITY, KANSAS

WARNING

n by be fatal it swallowed. Do not breathe vapor, dust of spray mist. Do not get on skin. In case of contact wash immediately with soap and water. Do not contaminate feed and foodstuffs.

ANTIDOTE: In case of spillage on skin, wash promptly with. soap and water. INTERNAL Emetic of 1 tablespoon mustard in. tumbler of water. Call a physician.

This product will kill fish and wildlife. Keep out of lakes, streams, and ponds. Birds feeding on treated great may be killed. Dispose of excess treated seeds by burial. Do not contuminate water by cleaning of equipment or disposal of wastes.

Containers should be disposed of by punching holes in them and burying with wastes, or by burning them (Keep out of smake).

NOTICE:

Seller warrants that this product conforms to the Ingredient statement on the label. Since conditions of use such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label

586-1171

E.P.A. Reg. No. 2217-575