

WEED & FEED

24-4-8

Lawn Fertilizer

Plus
TRIMEC® TURF HERBICIDE⁽¹⁾

Covers 5,000 sq. ft.

— KILLS WEEDS —
— FEEDS THE LAWN —

**CHICKWEED, DANDELION, KNOTWEED, PLANTAINS,
HENBIT, SPURGE and many other weeds as listed.**

ACTIVE INGREDIENTS:		
2,4-dichlorophenoxyacetic acid	0.7276%	
2-(2-Methyl-4-chlorophenoxy) propionic acid	0.3071%	
Dicamba (3,6-dichloro-o-anisic acid)	0.0652%	
INERT INGREDIENTS	98.9001%	
TOTAL	100.0000%	

EQUIVALENT TO:		
2,4-dichlorophenoxyacetic acid	1.266 lbs. per acre	
2-(2-Methyl-4-chlorophenoxy) propionic acid	0.5343 lbs. per acre	
(3,6-dichloro-o-anisic acid)	0.1134 lbs. per acre	
2,4-dichlorophenoxyacetic acid	14.552 lbs. per ton	
2-(2-Methyl-4-chlorophenoxy) propionic acid	6.142 lbs. per ton	
Dicamba (3,6-dichloro-o-anisic acid)	1.304 lbs. per ton	

⁽¹⁾U.S. Patent 3,284,186

CAUTION: Keep out of Reach of Children
See Back Panel for Additional Cautions

NET WEIGHT 20 POUNDS

FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

TRIMEC® is a registered Trademark of PBI-Gordon Corporation.
E.P.A. Reg. No. 2217-579


575-372

MANUFACTURED BY

PBI - GORDON CORPORATION

KANSAS CITY, KANSAS

66118



DIRECTIONS FOR USE

GENERAL INFORMATION: This product contains TRIMEC® TURF HERBICIDE⁽¹⁾, a new herbicidal formulation designed to keep the herbicide in the weed zone on the surface on a 24-4-8 lawn fertilizer.

The weed killing benefits from Gordon's WEED & FEED are especially important because excellent control results from minimum amounts of chemical. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with Gordon's LAWN WEED KILLER when conditions improve.

WHEN TO APPLY: For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.

The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Gordon's WEED & FEED is a remarkably effective lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the TRIMEC® herbicide. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

— COVERS 5,000 SQ. FT. —

HOW MUCH TO USE: This 20 lb. bag of Gordon's WEED & FEED should be used on 5,000 square feet. Apply evenly with a lawn spreader either as a one-pass application or a two-pass application, criss-crossing the area at half the rate each time.

To get maximum weed killing results, do not rake, mow or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

CAUTION: Harmful if swallowed. Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply in areas underlaid by roots of desirable trees and shrubs. Do not reuse container. Destroy by burying in a safe place. Do not burn.

Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7 1/2
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on 1/2 lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

The following is a partial list of weeds controlled by this product:


BEDSTRAW	GROUND IVY	PEPPERGRASS	SPEEDWELL
BLACK MEDIC	HEAL-ALL	PIGWEEED	SPURGE
BUCKHORN	HENBIT	PLANTAINS	THISTLE
BURDOCK	KNOTWEED	POISON IVY	WILD CARROT
CHICORY	LAMBSQUARTER	POISON OAK	WILD GARLIC
CHICKWEED	LESPEDEZA	PURSLANE	WILD LETTUCE
CLOVER	MALLOW	RAGWEED	WILD ONION
DANDELION	MORNING GLORY	SHEEP SORREL	YARROW
DOCK	OXALIS	SHEPHERD'S PURSE	

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

FERTILIZER GUARANTEE

Total Nitrogen (not less than)	24%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	4%
Soluble Potash (not less than)	8%

575-372



WEED & FEED

24-4-8

Lawn Fertilizer

Plus
TRIMEC[®] TURF HERBICIDE⁽¹⁾

Covers 5,000 sq. ft.

— KILLS WEEDS —
— FEEDS THE LAWN —

CHICKWEED, Dandelion, KNOXWEED, PLANTAINS,
HENBIT, SPURGE and many other weeds as listed.

ACTIVE INGREDIENTS:	
2,4-dichlorophenoxyacetic acid	0.7276%
2-(2-Methyl-4-chlorophenoxy) propionic acid	0.2071%
Dicamba (3,6-dichloro-o-anisic acid)	0.0652%
INERT INGREDIENTS	
TOTAL	98.9001%
EQUIVALENT TO:	100.0000%
2,4-dichlorophenoxyacetic acid	1.266 lbs. per acre
2-(2-Methyl-4-chlorophenoxy) propionic acid	0.3343 lbs. per acre
3,6-dichloro-o-anisic acid	0.1124 lbs. per acre
2,4-dichlorophenoxyacetic acid	16.522 lbs. per ton
2-(2-Methyl-4-chlorophenoxy) propionic acid	6.142 lbs. per ton
Dicamba (3,6-dichloro-o-anisic acid)	1.304 lbs. per ton
J.U.S. Patent 3,264,186	

CAUTION: Keep out of Reach of Children

See Back Panel for Additional Cautions

NET WEIGHT 20 POUNDS

FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

TRIMEC[®] is a registered trademark of PBI-Gordon Corporation.
A. Reg. No. 2217-579 575-372

MANUFACTURED BY
PBI-GORDON CORPORATION
KANSAS CITY, KANSAS
66118



DIRECTIONS FOR USE

GENERAL INFORMATION: This product contains TRIMEC[®] TURF HERBICIDE⁽¹⁾, a new herbicidal formulation designed to keep the herbicide in the weed zone on the surface on a 24-4-8 lawn fertilizer.

The weed killing benefits from Gordon's WEED & FEED are especially important because excellent control results from minimum amounts of chemical. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with Gordon's LAWN WEED KILLER when conditions improve.

WHEN TO APPLY: For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.

The material may be used on bluegrass, fescue, ryegrass, Bermuda and royal lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Gordon's WEED & FEED is a remarkably effective lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the TRIMEC[®] herbicide. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

— COVERS 5,000 SQ. FT. —

HOW MUCH TO USE: This 20 lb. bag of Gordon's WEED & FEED should be used on 5,000 square feet. Apply evenly with a lawn spreader either as a one-pass application or a two-pass application, criss-crossing the area at half the rate each time.

To get maximum weed killing results, do not rake, mow or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

CAUTION: Harmful if swallowed. Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply in areas underlaid by roots of desirable trees and shrubs. Do not reuse container. Destroy by burying in a safe place. Do not burn.

Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7 1/2
Scars	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on 1/2 lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

The following is a partial list of weeds controlled by this product:

REDTAR	GROUND IVY	PEPPERCASS	SPRINGWELL
BLACK MEDIC	HEAL ALL	PIEDWEED	SPURGE
BUCKHORN	HENBIT	PLANTAINS	THISTLE
BURDOCK	KNOXWEED	POISON IVY	WILD CARROT
CHICORY	LAMBQUARTER	POISON OAK	WILD GARLIC
CHICKWEED	LEPPEDZA	PURSLANE	WILD LETTUCE
CLOVER	MALLOW	RAGWEED	WILD ONION
DANDELION	MORNING GLORY	SHEEP SORE	YARROW
DOCK	OXALIS	SHEPHERD'S PURSE	

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, seller makes no claims other than those stated on this label.

FERTILIZER GUARANTEE	
Total Nitrogen (not less than)	24%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	4%
Soluble Potash (not less than)	8%

575 372