pbi/sondon conponation

1217 W. 12TH STREET P.O. BOX 4090 KANSAS CITY, MO 64101

# The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of Gordon's Trimec Weed-N-Feed 30 (2217:579) produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

James A. Armbruster, Ph.D.

Mgr. Regulatory Services

Date

816/42 -4070 • TOLL-FREE 1-800-821-7925 • FAX: 316-474 14F2 • TEX 62133

# TRIMEC® WEED & FEED 30

24-4-8

(SIXTEEN, EIGHTEEN, OR TWENTY) POUNDS COVERS UP TO 5,000 SQUARE FEET.

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

THIS PRODUCT CONTAINS:

13.676 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton 6.121 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton 1.291 lbs. 3,6-dichloro-o-anisic acid equivalent per ton

Isomer Specific by AOAC Methods.

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

STATEMENT OF PRACTICAL TREATMENT In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional Precautionary Statements.


TRIMEC<sup>(P)</sup> is a registered trademark of PBI/GORDON CORPORATION

NET WEIGHT (16, 18, OR 20) POUNDS

575/1292 APXXXXXX

EPA REG. NO. 2217-579 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64 101



#### PRECAUTIONARY STATEMENTS

## Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS: Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

#### STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

<u>USE PRECAUTIONS</u>: Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass. Do not use this product where desirable clovers are present or allow the material to 'wind drift' onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

INSTRUCTIONS: Gordon's Weed & Feed 30 contains TRIMEC<sup>(F)</sup> Herbicide. TRIMEC controls a wide range of lawn weeds, including dandelion, chickweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 24-4-8 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.

2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4)



- Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

## SPREADER SETTINGS

Scott	6	
Lawn Beauty	5	
Jackson	7	1/2
Sears	4	

The above spreader settings are approximate. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet)(18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet)(20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.)

#### 24-4-8

## **GUARANTEED ANALYSIS**

Total Nitrogen (N)	24%
Water Insoluble Nitrogen	
Available Phosphoric Acid (P2O5)	
Soluble Potash (K20)	8%

#### - WEEDS -

Bedstraw	Knotweed	Ragweed	
Black Medic	Lambsquarter	Sheep Sorrel	
Buckhom	Lespedeza	Shepherdspurse	
Burdock	Mallow	Speedwell	
Chicory	Morningglory	Spurge	
Chickweed	Oxalis	Thistle	
Clover	Peppergrass	Wild Carrot	
Dandelion	Pigweed	Wild Garlic	
Dock	Plantains	Wild Lettuce	
Ground Ivy	Poison Ivy	Wild Onion	
Heal-All	Poison Oak	Yarrow	
Henbit	Purslane		

## LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the interedients statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WAR-RANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are



575

beyond the corarol of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.