		•	· · · · · · · · · · · · · · · · · · ·	" <u>"</u> 3 7	1217-570 Not	ificat	Fr 1/ 1/	
(A) CEPA United States Environmental Protect Office of Pesticide Programs (H) Washington, DC 20460 Application for Pes				g ençy , C)		2070-0060 ation	Approval expires 11-30-33 OPP Identifier Number 185148	
*		Sec	ction i					
Company/Product Number 2217-579				2. EPA Product Manager Joanne Miller 3. Proposed Classification				
4. Company(Physiculation Name) Feed 30			PMs ((PM 23)				
PBI/Gordon Corporation PO Box 14090 1217 West 12th Street Kansas City, MO 64101				Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No				
		·		Product Name				
Amendment - Explain b	Section I I Amendment - Explain below			Final printed labels in response to				
Resubmission in response to Agency letter dated				Agency letter dated				
Notification - Explein below.				"Me Too" Application. Other - explain below.				
neets every requirement 1. Material This Product W	BEST		LABL	E COP	. •	BOY W	2 0-4	
Child-Resistant Packaging	Unit Packaging		Water Solubi	e Packaging	2. Type o	f Container		
Yes*	Yes No No			Ves Metal Plastic Glass Pager				
* Certification must be submitted.	If "Yes," Unit Package wgt.	No. per container	if "Yes," Package wgi	No. j t. cont <u>i</u>		Other (S	pecify)	
3. Location of Net Contents	Location of Net Contents Information 4. Size(s) of Retail Cor			otainer 5. Location of Label Directions On Label On Labeling accompanying product				
Lithograph 6. Manner in Which Label is Affixed To Product — Lithograph Paper glued Stenciled				Con-			ранунд розоссі	
1. Contact Point (Complete	itama efematis balann		tion IV	n he contrated	il announce to		e anningtion t	
Name	neeris unacey below		itte	o ou corrected,	n recompany, 10	·	n No. (Include Area Code)	
James A. Armbruster, Ph.D.				gr. Regulatory Services (816)421,-4070				
I certify that the statement I acknowledge that any lit both under applicable law	nowingly false or mis		Machments the				6 Date Application Received (Stemped)	
I. A. Simbustes				Mgr. Regulatory Services				
James A. Armbruster, Ph.D. Ma				0, 1 993				
	Therefore del		Lib		File Come lock		Yellow - Applicant conv	

TRIMEC®WEED & FEED 30

24-4-8

(SIXTEEN, EIGHTEEN, OR TWENTY) POUNDS COVERS UP TO 5,000 SQUARE FEET.

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

ACTIVE INGREDIENTS

* 2,4-Dichlorophenoxyacetic acid	0.684%
** 2-(2-methyl-4-chlorophenoxy) propionic acid	0.306%
Dicamba (3,6-dichloro-o-anisic acid)	0.065%
INERT INGREDIENTS	98.945 %
TOTAL	100.000%

THIS PRODUCT CONTAINS:

*13.676 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT
In case of contact, wash skin with plenty of soap and water.
For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional Precautionary Statements.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION


NET WEIGHT (16, 18, OR 20) POUNDS

575/ AP052093

EPA REG. NO. 2217-579 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101 HOTIPICATION
LANGE MOT REVIEW 648
PER PR REVIEW 648

DATE. 7/1/93 ___



^{6.121} lbs. 2-(2-methyl-4-chiorophenoxy) propionic acid equivalent per ton

^{1.291} lbs. 3,6-dichloro-o-anisic acid equivalent per ton Isomer Specific by AOAC Methods.

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS: Drift or runoff may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

<u>USE PRECAUTIONS</u>: Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass. Do not use this product where desirable clovers are present or allow the material to "wind drift" onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Application of this product to newly seeded areas should be delayed until the third mowing. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

INSTRUCTIONS: Gordon's Weed & Feed 30 contains TRIMEC® Herbicide. TRIMEC® controls a wide range of lawn weeds, including dandelion, chickweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 24-4-8 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Treated areas may be seeded 3 to 4 weeks after application.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

- 1. Mow fawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moistufe liftle the riext...*
 watering (see step 4)
- 3. Apply when weeds are young and actively growing, preferably in the moraing when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly will water to hold the material and prevent dust drift onto non-target plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorought ***
 watering should be made.

SPREADER SETTINGS

The above spreader settings are approximate. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet) (18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.)

24-4-8

1 1/2

GUARANTEED ANALYSIS

Total Nitrogen (N)	24%
Water Insoluble Nitrogen	
Available Phosphoric Acid (P ₂ O ₂)	
Soluble Potash (K.0)	

- WEEDS -

Bedstraw Knotweed Ragweed Black Medic Lambsquarter Sheep Sorrel Buckhom Lespedeza Shepherdspurse Burdock Mallow Speedwell Morningglory Chicory Spurge Cirickweed Oxalis Thistle Peppergrass Wild Carrot Clover **Dandelion** Wild Garlic Pigweed Dock **Plantains** Wild Lettuce Ground Ivy Wild Onion Poison Ivy Healall Poison Oak Yалтоw Henbit **Pursiane**

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any writted or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.