

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number  
243582

Application for Pesticide - Section I

1. Company/Product Number 2217-579	2. EPA Product Manager Joanne I Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gordon's Trimec® Weed & Feed 30 24-4-8	PM# (PM 23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
 NOTIFICATION of Minor label revisions per PRN 95-2. We are requesting to add three advertising claims that may be presented on the retail containers marketed by supplemental registrants (Refer to page 5). One copy of proposed labeling is enclosed. This notification is consistent with the provisions of PRN 95-2 & EPA regulations at 40CFR 152.46, & no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 USC. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PRN 95-2 & 40CFR 152.46, this product may be in violation of FIFRA & I may be subject to enforcement action & penalties under Section 12 & 14 of FIFRA.

APR 22 1997  
NOTIFICATION  
APR 24 1997

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Craig Martens		Title Manager, Regulatory Services		Telephone No. (Include Area Code) (816) 421-4070	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Manager, Regulatory Services			
4. Typed Name Craig Martens		5. Date March 12, 1997			

2 8 6

# GORDON'S TRIMEC® WEED & FEED 30 24-4-8

(Fifteen, Sixteen, Eighteen, or Twenty) Pounds Covers Up To 5,000 Square Feet.

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

### ACTIVE INGREDIENTS:

*2,4-dichlorophenoxyacetic acid.....	0.684%
**2-(2-methyl-4-chlorophenoxy) propionic acid.....	0.306%
***Dicamba: 3,6-dichloro-o-anisic acid.....	0.065%
INERT INGREDIENTS.....	98.945%
TOTAL	100.000%

### THIS PRODUCT CONTAINS:

- \*13.676 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton
  - \*\*6.121 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton
  - \*\*\*1.291 lbs. 3,6-dichloro-o-anisic acid equivalent per ton
- Isomer Specific by AOAC Methods.  
TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

NOTIFICATION  
APR 24 1997

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

### Statement of Practical Treatment

In case of contact, wash skin with plenty of soap and water.  
For eyes, flush with water for 15 minutes and get medical attention.  
See back panel for additional Precautionary Statements.

**NET WEIGHT (15, 16, 18, 20, 36, 40, or 50) POUNDS**

575 AP031297  
EPA REG. NO. 2217-579  
EPA EST. NO. 2217-KS-X  
MANUFACTURED BY:



3 7 6



**READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:** drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**PESTICIDE DISPOSAL:** Securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

**USE PRECAUTIONS:**

Do not use on dichondra, carpetgrass, closely mowed bentgrass putting greens or St. Augustinegrass. Do not use this product where desirable clovers are present or allow the material to wind drift onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Application of this product to newly seeded areas should be delayed until the third mowing. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

**INSTRUCTIONS:** Gordon's Trimec® Weed & Feed 30 contains Trimec® Herbicide. Trimec® controls a wide range of lawn weeds, including dandelion, chickweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 24-4-8 fertilizer provides a balanced supply of plant food needed for growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Treated areas may be seeded 3 to 4 weeks after application.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

4 76

Spreader Settings	
Scott.....	6
Lawn Beauty.....	5
Jackson.....	7½
Sears.....	4

The above spreader settings are approximate. (15 pound bag: Calibrate your spreader on 330 square feet and adjust to apply 1.0 pound of product per 330 square feet of turfgrass. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet) (18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.)

24-4-8 GUARANTEED ANALYSIS	
Total Nitrogen (N).....	24%
Water Insoluble Nitrogen .....	5%
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	4%
Soluble Potash (K <sub>2</sub> O).....	8%

WEEDS		
Bedstraw	Knotweed	Ragweed
Black Medic	Lambsquarters	Sheep Sorrel
Buckhorn	Lespedeza	Shepherdspurse
Burdock	Mallow	Speedwell
Chickweed	Morningglory	Spurge
Chicory	Oxalis	Thistle
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantains	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow
Henbit	Purslane	

**LIMITED WARRANTY AND DISCLAIMER.**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions; warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

**APPENDIX**

**I. Previously Approved Fertilizer Grades:**

- ◆ Fertilizer grades with nutrient contents expressed as the percentages of N, P<sub>2</sub>O<sub>5</sub>, and K<sub>2</sub>O include the following:

10-6-4	16-3-5	20-10-0-(1)	23-7-7	25-4-8	28-3-8
10-16-20	16-6-9	20-10-5	24-3-7	26-3-3	29-3-4
10-18-10	18-3-5	21-5-7	24-4-8	26-3-5	30-3-4
12-5-5	18-6-12	22-6-6	25-3-3	26-4-6	30-3-5
15-5-10	20-4-6	22-7-7	25-3-5	28-3-3	30-3-10
16-2-3	20-4-8	22-10-10	25-3-8	28-3-7	30-4-8

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations. The following guaranteed analyses presentations have previously been submitted as notifications:

<b>10-16-20 GUARANTEED ANALYSIS</b>	
Total Nitrogen (N).....	10%
6.0% Ammoniacal Nitrogen	
4.0% Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	16%
Soluble Potash (K <sub>2</sub> O).....	20%
Magnesium (Mg).....	1.0%
0.1% Water Soluble Magnesium (Mg)	
Sulfur (S).....	2.0%
2.0% Combined Sulfur (S)	
Iron (Fe).....	1.0%
Manganese (Mn).....	0.5%
0.1% Water Soluble Manganese (Mn)	
Nutrient Sources: Urea, Ammonium Phosphate, Ammonium Sulfate, Muriate of Potash, Ferrous Sulfate, Manganese Oxide, Manganese Sulfate, Sulfate of Potash Magnesia and Magnesium Oxide.	

<b>29-3-4 GUARANTEED ANALYSIS</b>	
Total Nitrogen (N).....	29%
1.1% Ammoniacal Nitrogen	
27.9% Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	3%
Soluble Potash (K <sub>2</sub> O).....	4%
Derived from: Polymer-coated urea, urea, diammonium phosphate, and muriate of potash.	
*11.0% slowly available urea nitrogen from polymer-coated urea.	
Chlorine (Cl), not more than.....	4.0%

<b>10-18-10 GUARANTEED ANALYSIS</b>	
Total Nitrogen (N).....	10%
10.0% Ammoniacal Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	18%
Soluble Potash (K <sub>2</sub> O).....	10%
Sulfur (S) .....	2.0%
5.0% Combined Sulfur (S)	
Nutrient Sources: Ammonium Sulfate, Ammonium Phosphate and Muriate of Potash.	

26-4-6 GUARANTEED ANALYSIS	
Total Nitrogen (N).....	26%
1.8% Ammoniacal Nitrogen	
24.4% Urea Nitrogen	
Available Phosphoric Acid(P <sub>2</sub> O <sub>5</sub> ).....	4%
Soluble Potash (K <sub>2</sub> O).....	6%
Boron (B).....	0.02%
Copper(Cu).....	0.05%
Iron (Fe).....	1.00%
Total Manganese(Mn).....	0.06
Molybenum(Mo).....	0.0005%
Zinc(Zn).....	0.05%
Primary Plant Food Sources: Sulfur coated urea, urea, diammonium phosphate, muriate of potash.	
Secondary Plant Food Sources: Fertilizer grade borate, sulfates and oxides of copper, sulfates and oxides of iron, oxides of manganese, fertilizer grade molybdate, and sulfates and oxides of zinc.	
*4.0% slowly available urea nitrogen from sulfur coated urea.	
Chlorine (Cl), not more than.....	4.8%

28-3-7 GUARANTEED ANALYSIS	
Total Nitrogen (N).....	28%
1.2% Ammoniacal Nitrogen	
26.8% Urea Nitrogen	
Available Phosphoric Acid(P <sub>2</sub> O <sub>5</sub> ).....	3%
Soluble Potash (K <sub>2</sub> O).....	7%
Primary Plant Food Sources: Polymer-coated urea, urea, diammonium phosphate, muriate of potash	
*7.0% slowly available urea nitrogen from polymer-coated urea.	
Chlorine (Cl), not more than.....	6.4%

28-3-8 GUARANTEED ANALYSIS	
Total Nitrogen (N).....	28%
1.2% Ammoniacal Nitrogen	
26.8% Urea Nitrogen	
Available Phosphoric Acid(P <sub>2</sub> O <sub>5</sub> ).....	3%
Soluble Potash (K <sub>2</sub> O).....	8%
Primary Plant Food Sources: Polymer-coated urea, urea, diammonium phosphate, muriate of potash.	
*7.0% slowly available urea nitrogen from polymer-coated urea.	
Chlorine (Cl), not more than.....	6.4%

**ii. Advertising claims that may be presented on the retail containers:**

- ◆ An 18-6-12 fertilizer provides slow-release feeding to promote winter hardiness and drought tolerance in lawns.
- ◆ Feeds your lawn for up to 12 weeks.
- ◆ Kills over 30 varieties of weeds while feeding your lawn.
- ◆ Greens lawns and develops deep roots while controlling weeds.
- ◆ **Bring out the best with the turf magic touch!**
- ◆ **Kills dandelions, plantain, and other weeds.**
- ◆ **Feeds the lawn with two (2) types of nitrogen and is pelleted for easy application.**