And I have	611 99126	1.6	Burgan Carry Car		1 30 -	て 1 3 出 賞・	the stage of the beginning to the stage of
Ph 23		17-579	1/5/9	8	Vian sa	TO THE STATE OF	P9 14-73
► Flease read instructions on re	verse before completin	g form.	Transport of the second	Form App	19.5	Last Company of the	060. Approval Expirés 05-31-98
orna.		United Sta	All and the second second		Regi	stration	
SEPA		ental Prote ashington, Do	ection Agend	y .	Amer	ndment	
	VV	asnington, DC		etis Viintaa luuda 1	Other	*************************************	
		, , , , , , , , , , , , , , , , , , , 	on for Pestic	ide - Sect	ion I	40 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1. 1. 14 to 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
1. Company/Product Num				A Product Mai	· · · · · · · · · · · · · · · · · · ·		3. Proposed Classification
	2217-579			Joanne	I. Miller		
4. Company/Product (Nar Gordon's T	ne) Frimec [®] Weed & F	eed 30	PM#	(PM	23)		None Restricte
5. Name and Address of A	Applicant (Include Z	IP Code)	6. Exp	edited Revie	w. In acco	rdance wi	th FIFRA Section 3(c)(3)
PBI/Gordon Corporat	tion		1: "	my product is	similar or i	dentical ir	n composition and labeling
PO Box 014090	: C4404		to:	Pos No			
Kansas City, Missour			EPAI	Reg. No			
Check if thi	s is a new address			ict Name			
			Section -				TIFICATION
Amendment - Explain t	oelow.			Final printed to Agency letter		nse to	0 5 2000
Resubmission in respo	ense to Agency letter da	ited		"Me Too" App		- 1 1	4N 0 5 1998 —
Notification - Explain be				Other - Explai			
Explanation: Use addition	nal mass(s) if massass	n. (Ear analise	a Land Cadios II \	NOTIFICAT	TON of Mis	nor label	revisions per PR Notice 95-2
							zer containing iron. Refer to
page 3. 2) The Associati	on of American Pla	int Food Con	trol Officials (AA	PFCO), depa	rtments of a	gricultur	e, and state officials regulate
							We ask to add one paragrapl
							d labeling is enclosed. This her changes have been made
							U.S.C.Sec. 1001 to willfully
make any false statement	to the EPA. I furt	her understa	nd that if this no	tification is n	ot consister	nt with the	e terms of PRN 95-2 and 40
	may be in violation	of FIFRA ar	nd I may be subjec	ct to enforcen	nent action	and penal	ties under Section 12 and 14
of FIFRA.			Section - I	 P1			
1. Material This Product Will I	Be Packaged In:	•	Gection - I	111	•		• • •
Child-Resistant Packaging	Unit Packaging	•	Water Soluble F	ackaging	1 -	of Contain	
Yes'	Yes		Yes			Metal	
■ No	No No		☐ No			Plastic Glass	•
* Certification must	If "Yes"	No. per	If "Yes"	No. per	_ =	Gass Paper	
be submitted	Unit Packaging wgt.	container	Package wgt.	container	1 =	Other (Spe	cify) • • • •
3. Location of Net Contents Info	ormation	4. Size(s) Re	tail Container	:	5. Location of	LabelDirec	tions
Label Con	tainer				On Label		: ·*·
	•	<u> </u>	•	<u> </u>	On Label	ng accompa	anying product
6. Manner in Which Label is Af	fixed to Product	Lithogra	•	Other			•
		Paper g	• .				
	•		Section - I	V			
1. Contact Point (Complete iter	ns directly below for ide	entification of inc	dividual to be contact	ed, if necessary	, to process t	his applicat	ion.)
Name Craiq	g Martens		Title Manager of	f Regulatory	Services	Telepi	hone No. (Include Area Code) 816/460-6287
I and the that the statement	to I have made on this	Certifica		tale security	and complete		6. Date Application
I certify that the statemen I acknowledge that any ki	nowingly faise or misies						Received
both under applicable law						•••	(Stamped)
	hartens_		3. Title Manager of F	Regulatory S	ervices	••••	
4. Typed Name () Craig	Martens		5. Date Decem	ber 19, 1991	7		

WEED & FEED 30

(Fifteen, Sixteen, Eighteen, or Twenty) Pounds Covers Up To 5,000 Square Feet.

Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

ACTIVE INGREDIENTS:

*2,4-dichlorophenoxyacetic acid	0.684%
**2-(2-methyl-4-chlorophenoxy) propionic acid	0.306%
***Dicamba: 3,6-dichloro-o-anisic acid	
INERT INGREDIENTS	98.945%
ΤΩΤΔΙ	100.000%

THIS PRODUCT CONTAINS:

- *13.676 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton
- **6.121 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

In case of contact, wash skin with plenty of soap and water. • • For eyes, flush with water for 15 minutes and get medical attention. See back panel for additional Precautionary Statements.

AP121997 575 EPA REG. NO. 2217-579 **EPA EST. NO. 2217-KS-X** MANUFACTURED BY:



Page 1 of 6

EPA Reg. No. 2217-579

^{***1.291} lbs. 3,6-dichloro-o-anisic acid equivalent per ton Isomer Specific by AOAC Methods.



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS:

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS:

Do not use on dichondra, carpetgrass, closely mowed bentgrass putting greens or St. Augustinegrass. Do not use this product where desirable clovers are present or allow the material to wind drift onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within driging of tree and other ornamental species. Apply when the air is calm. Application of this product to newly seeded areas should be delayed until the third mowing. During application, close spreader operings when turning. Do not contaminate domestic or impation waters.

INSTRUCTIONS:

Gordon's Trimec® Weed & Feed 30 contains Trimec® Herbicide. Trimec® controls a wide range of lawn weeds, including dandelion, chickweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 24-4-8 [222 and 55 of artilizer grade) fertilizer provides a balanced supply of plant food. needed for growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Treated areas may be seeded a to 4 weeks after application.

Note to Supplemental Registrants. Guarantees for plant nutrients other than nitrogen, phosphorous, and potassium may be permitted or required by regulation by the ______ The guarantees for such other nutrients shall be expressed in the form of the element. The source (oxides, salts, chelates, etc.) of such other nutrients may be required to be stated and may be included on the label.

adding registrations in Kentucky, add the following paragraph:

Sewit specially will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing stateon. When self a state-cled, this product will supplement your regular fertilizer program bysproviding <u>"Number of Varids"</u> of nitrogen per 1,000 square feet. Please consult your local extension office for questions egarding a regular fertilizer program suitable for your geographic region.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
- Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Spreader Settings	
Scott	6
Lawn Beauty	5
Jackson	71/2
Sears	4

The above spreader settings are approximate. (15 pound bag: Calibrate your spreader on 330 square feet and adjust to apply 1.0 pound of product per 330 square feet of turfgrass. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet) (18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.)

24-4-8 GUARANTEED ANALYSIS		•••••	•
Total Nitrogen (N)	24%	•••	
Water Insoluble Nitrogen	5%	••••	•••••
Available Phosphate (P ₂ O ₆)	4%	•••••	•
Soluble Potash (K ₂ O)	8%		• • • • • • • • • • • • • • • • • • • •
1, 1			

Note to Supplemental Registrants: Fertilizer sources may vary in micronutrient composition, and iron may discolor or stain concrete. For fertilizers containing iron: Sweep all fertilizer from concrete surfaces immediately after application. Do not wast this product from concrete surfaces because fertilizers which contain iron may cause discoloration upon exidation.

-11-1			٠.	Ψ.
`	_	٠.,	1	٠.
	•		-	7.4
2		/		3
•	-			· .
	- (7	,	· 7
		,	٠.	

,		
	- WEEDS -	1985 A
Bedstraw	Knotweed	Ragweed
Black Medic	Lambsquarters	Sheep Sorrel 🔭 🦠
Buckhorn 🧓	Lespedeza	Shepherdspurse
Burdock	Mallow	Speedwell Signature
Chickweed	Morningglory	Spurge
Chicory	Oxalis	Thistle
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantains Plantains	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healali	Poison Oak	Yarrow
Henbit	Purslane	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

I. Previously Approved Fertilizer Grades

◆ Fertilizer grades with nutrient contents expressed as the percentages of N,P₂O₀, and K₂O include the following:

10-6-4	16-3-5	20-10-0-(1)	23-7-7	25-4-8	28-3-8
10-16-20	16-6-9	20-10-5	24-3-7	26-3-3	29-3-4
10-18-10	18-3-5	21-5-7	24-4-8	26-3-5	30-3-4
12-5-5	18-6-12	22-6-6	25-3-3	26-4-6	30-3-5
15-5-10	20-4-6	22-7-7	25-3-5	28-3-3	30-3-10
16-2-3	20-4-8	22-10-10	25-3-8	28-3-7	30-4-8

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations. The following guaranteed analyses presentations have previously been submitted as notifications:

10-16-20 GUARANTEED ANALYSIS	
Total Nitrogen (N)	10%
6.0% Ammoniacal Nitrogen	
4.0% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	16%
Soluble Potash (K ₂ O)	20%
Magnesium (Mg)	1.0%
0.1% Water Soluble Magnesium (Mg)	,
Sulfur (S)	2.0%
2.0% Combined Sulfur (S)	
Iron (Fe)	1.0%
Manganese (Mn)	0.5%
0.1% Water Soluble Manganese (Mn)	
Nutrient Sources: Urea, Ammonium Phosphate, Ammonium S	
Muriate of Potash, Ferrous Sulfate, Manganese Oxide, Mang	anese
Sulfate, Sulfate of Potash Magnesia and Magnesium Oxide.	

Total Nitrogen (N)	29%
1.1% Ammoniacat Nitrogen	
27.9% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	3%
Soluble Potash (K,O)	4%
Derived from: Polymer-coated urea, urea, diammonium phosp and muriate of potash.	ohate.
*11.0% slowly available urea nitrogen from polymer-coated urea.	
Chlorine (CI), not more than	4.0%

10-18-10 GUA	RANTEED ANALYSIS	
Total Nitrogen (N)		10%
10.0% Ammoniacai Nitrogen	•	
Available Phosphate (P2O5)		18%
Soluble Potash (K,O)	*	10%
Sulfur (S)		2.0%
5.0% Combined Sulfur (S)		
	Sulfate, Ammonium Phosphate	and
Muriate of Potash.		

*	The second secon
26-4-6 GI	UARANTEED ANALYSIS
Total Nitrogen (N)	
1.8% Ammoniacal Nitrog	en 📜
24.4% Urea Nitrogen	
Available Phosphoric Acid(P,O) 4%
Soluble Potash (K.O)	6%
Boron (B)	0.02%
Copper(Cu)	0.05%
	1.00%
	0.06
	0.0005%
Zinc(Zn)	0.05%
Primary Plant Food Source	es: Sulfur coated urea, urea, diammonium
phosphate, muriate of potas	sh.
Secondary Plant Food Sou	irces: Fertilizer grade borate, sulfates and
	and oxides of iron, oxides of manganese,
	and sulfates and oxides of zinc.
	nitrogen from sulfur coated urea.
Chlorine (Cl), not more than	

28-3-7 GUARANTEED ANALYSIS	
Total Nitrogen (N)	28%
1.2% Ammoniacal Nitrogen	
26.8% Urea Nitrogen	001
Available Phosphoric Acid(P ₂ O ₆)	3%
Soluble Potash (K ₂ O)	7%
Primary Plant Food Sources: Polymer-coated urea, urea, diamm- phosphate, muriate of potash	onium
*7.0% slowly available urea nitrogen from polymer-coated urea.	
Chlorine (CI), not more than	6.4%

28-3-8 GUARANTEED ANALYSIS	
Total Nitrogen (N)	28%
1.2% Ammoniacal Nitrogen	
26.8% Urea Nitrogen -	•
Available Phosphoric Acid(P2O2)	3%
Soluble Potash (K,O)	8%
Primary Plant Food Sources: Polymer-coated urea, urea, diamment phosphate, muriate of potash.	onium
*7.0% slowly available urea nitrogen from polymer-coated urea.	
Chlorine (Cl), not more than	6.4%

II. Advertising claims that may be presented on the retail containers:

- An 18-6-12 fertilizer provides slow-release feeding to promote winter hardiness and drought tolerance in lawns.
- + Feeds your lawn for up to 12 weeks.
- ♦ Kills over 30 varieties of weeds while feeding your lawn.
- Greens lawns and develops deep roots while controlling weeds.
- Bring out the best with the turf magic touch!
- Kills dandelions, plantain, and other weeds.
- Feeds the lawn with two (2) types of nitrogen and is pelleted for easy application.