



1217 W. 12TH STREET  
P.O. BOX 4090  
KANSAS CITY, MO 64101

The Certification of Compliance for the 2,4-D Exposure Reduction Program


"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of Gordon's Trimec Weed-N-Feed 20 (2217-580) produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

*J. A. Armbruster*

*2/17/93*

James A. Armbruster, Ph.D.  
Mgr. Regulatory Services

Date



2 7 5

# GORDON'S TRIMEC<sup>(R)</sup> Weed & Feed 20

16-4-8

(TWENTY, TWENTY-FIVE, THIRTY OR FIFTY) POUNDS COVERS  
UP TO 5,000 SQUARE FEET.

**CONTROLS:** Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds including those listed on the back panel.

**ACTIVE INGREDIENTS:**

* 2,4-Dichlorophenoxyacetic acid . . . . .	0.456%
** 2-(2-methyl-4-chlorophenoxy) propionic acid . . . . .	0.204%
*** Dicamba (3,6-dichloro-o-anisic acid) . . . . .	0.043%
INERT INGREDIENTS . . . . .	<u>99.297%</u>
<b>TOTAL</b>	<b>100.000%</b>

**THIS PRODUCT CONTAINS:**

- \* 9.117 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton.
- \*\* 4.081 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
- \*\*\* 0.861 lb. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, wash skin with plenty of soap and water.  
For eyes, flush with water for 15 minutes and get medical attention.

See back panel for additional Precautionary Statements.


TRIMEC<sup>(R)</sup> is a registered trademark of PBI/GORDON CORPORATION

**NET WEIGHT (20, 25, 30 or 50) POUNDS**

576/1292 APxxxxxx

EPA REG. NO. 2217-580  
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, MISSOURI 64101



**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wear long pants, long-sleeves shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:**

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**PESTICIDE DISPOSAL:** Securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

**USE PRECAUTIONS** Do not use on Dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass. Do not use this product where desirable clovers are present or allow the material to "wind drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

**INSTRUCTIONS:** Gordon's Trimec Weed & Feed 20 controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 16-4-8 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds of 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).



3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

**SPREADER SETTINGS**

Scott ..... 6  
 Lawn Beauty .... 5  
 Jackson..... 7 1/2  
 Sears..... 4

The above spreader settings are approximate. (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 lb. of product per 250 square feet)(25 pound bag: Calibrate your spreader on 200 square feet and adjust to apply at the rate of 1 lb. of product per 200 square feet)(30 pound bag: Calibrate your spreader on 166 square feet and adjust to apply at the rate of 1 lb. of product per 166 square feet)

16-4-8

**GUARANTEED ANALYSIS**

Total Nitrogen (N) ..... 16%  
 Water Insoluble Nitrogen ..... 5%  
 Available Phosphoric Acid (P2O5)..... 4%  
 Soluble Potash (K2O) ..... 8%

**- WEEDS -**

Bedstraw	Knotweed	Ragweed
Black Medic	Lambsquarter	Sheep Sorrel
Buckhorn	Lespedeza	Shepherdspurse
Burdock	Mallow	Speedwell
Chicory	Morningglory	Spurge
Chickweed	Oxalis	Thistle
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantain	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Heal-All	Poison Oak	Yarrow
Henbit	Purslane	

**LIMITED WARRANTY AND DISCLAIMER**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under

**BEST AVAILABLE COPY**

5 75

abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

