770TIFICATION 8-23-2001 2217-580 Piuzse read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval Expires 05-31-98 OPP Identifier Number Registration **United States \$EPA Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification Joanne I. Miller PM# 4. Company/Product (Name) X None Restricted Gordon's Trimec® Weed & Feed 20 (PM 23) 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) PBI/Gordon Corporation (b)(i), my product is similar or identical in composition and labeling to: P.O. Box 014090 EPA Reg. No. _ Kansas City, Missouri 64101 Product Name _____ Check if this is a new address Section - II Final printed labels in response to Amendment - Explain below. NOTIFICATION Agency letter dated ___ Resubmission in response to Agency letter dated ______ "Me Too" Application. AUG 2 3 2001 Other - Explain below. Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section i and Section II.) NOTIFICATION of minor labeling revisions per PRN 98-10. We ask to add five (5) advertising claims and one (1) satisfaction guaranteed statement that supplemental registrants may present on their container labeling. We also ask to expand the list of spreader settings for this granular weed and feed product. The application schedule, application methods, and application rate or dosage rate of this product have been maintained without change. See the Appendix Section, page 6 of the enclosed labeling. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C.Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: 2. Type of Container Child-Resistant Packaging Unit Packaging Water Soluble Packaging Metal Yes* Yes Yes **Plastic** No Glass * Certification must If "Yes" No. per If "Yes" No. per Paper Unit Packaging wgt. Package wgt. container container be submitted Other (Specify) 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) Retail Container On Label Label Container On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) Title Name 816-460-6287 Manager of Regulatory Services Craig Martens Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or · (Stamped) both under applicable law 2. Signature Manager of Regulatory Services 4. Typed Name 5. Date Cralg Martens August 10, 2001 White - EPA File Copy (original) Yellow - Applicant Copy

FPA Form 8570-5 (Rev. 2-92) Previous editions are obsolete.

GORDON'S TRIMEC® WEED & FEED 20 16-4-8

Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds including those listed on the back panel.

ACTIVE INGREDIENTS	S	•
--------------------	---	---

2,4-dichlorophenoxyacetic acid	0.456%
2-(2-methyl-4-chlorophenoxy)propionic acid	0.204%
Dicamba: 3,6-dichloro-o-anisic acid	0.043%
INERT INGREDIENTS:	99.297%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

9.117 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.

4.081 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.

0.861 lb. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods.

TRIMEC is a registered trademark of PBI/GORDON CORPORATION

NOTIFICATION

AUG 2 3 2001

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

In case of contact, wash skin with plenty of soap and water.
For eyes, flush with water for 15 minutes and get medical attention.
See back panel for additional Precautionary Statements.

NET WEIGHT (20, 25, 30, 40, or 50) POUNDS

576/ AP081001
EPA REG. NO. 2217-580
EPA Est. No. 2217-KS-1
MANUFACTURED BY:

Conspiculation
All Employee-Owned Company

All Employee-Owned Company



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS:

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS:

Do not use this product where desirable clovers are present or allow the material to drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

INSTRUCTIONS:

Gordon's Trimec® Weed & Feed 20 controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. This product may be applied to established lawns of bermudagrass, bentgrass, bahiagrass, centipedegrass, Kentucky bluegrass, fescues, perennial ryegrass, zoysiagrass, and St. Augustinegrass. Do not apply to dichondra or carpetgrass. Do not apply this product to 'Floratam' St. Augustinegrass in Florida. In addition, a 16-4-8 fertilizer provides a supply of plant nutrients or plant food.

Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds of 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
- Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Spreader Settings			
Scott	6		
Lawn Beauty	5		
Jackson	71/2		
Sears	4		

The above spreader settings are approximate.

- 20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.
- 25 pound bag: Calibrate your spreader on 200 square feet and adjust to apply at the rate of 1 pound of product per 200 square feet.
- 30 pound bag: Calibrate your spreader on 166 square feet and adjust to apply at the rate of 1 pound of product per 166 square feet.

GUARANTEED ANALYSIS 16-4-8	
Total Nitrogen (N)	16%
Water Insoluble Nitrogen	5%
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K₂O)	8%

Fertilizer Labeling Requirements:

- All fertilizer products distributed in Washington at a minimum, must have the following labeling statement: "This product has been registered with the Washington State Department of Agriculture. When applied as directed, this fertilizer meets the Washington standards for arsenic, cadmium, cobalt, mercury, molybdenum, lead, nickel, selenium, and zinc. You have the right to receive specific information about Washington standards from the distributor of this product."
- After July 1, 1999, the label must also state: "Information received by the Washington State Department of Agriculture regarding the components in this product is available on the internet at http://www.wa.gov/agr/."
- "OR" Information regarding the contents and levels of metals in this product is available on the Internet
 at http://www.xxx.com.


- WEEDS -					
Bedstraw	Knotweed	Ragweed			
Black medic	Lambsquarters Scarlet pimp				
Buckhorn	Lespedeza	Sheep sorrel			
Burdock	Mallow Shepherdspurse				
Chickweed	Morningglory Speedwell				
Chicory	Oxalis (yellow woodsorrel) Spurge				
Clover	Peppergrass Thistle				
Dandelion	Pigweed	Wild carrot		Wild carrot	
Dock	Plantain	Wild garlic		Wild garlic	
Ground ivy	Poison ivy	Wild lettuce			
Healali	Poison oak	Wild onion	1 r		
Henbit	Purslane	Yarrow	•		

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



APPENDIX

I. Approved Fertilizer Grades: The following guaranteed analyses presentations have previously been submitted as notifications. Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅, and K₂O include the following:

12-3-5	15-5-7	16-4-8	21-2-4	23-3-5	26-0-7
12-4-8	15-7 - 7	20-2-4	22-2-4	25-3-3	28-3-3

- The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.
- For fertilizers containing iron, supplemental registrants may add one of the following statements:
 - 1) This product may stain concrete and stone, where spilling occurs, sweep off immediately, then flush with water.
 - 2) Sweep all residue from concrete surfaces immediately after application. The iron content in this product will stain sidewalks, patios, driveways, swimming pools and deck coatings if not removed before watering. Seller nor distributor assumes any responsibility for damage incurred to any surface other than product's intended use.
 - 3) Keep this product off sidewalks, patios, and driveways. This fertilizer contains iron which will stain concrete and painted surfaces. If it comes in contact with concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.

II. Container Packaging and Size:

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling.


Bag Size,	Desired Ap	Treated Area for This	
Pounds	Pounds/Area	Pounds/1000 Sq. Ft.	Bag Size, Sq. Ft.
	1/250	4.0	5,000
20	1/200	5.0	4,000
[1/166	6.0	3,333
	1/250	4.0	6,250
25	1/200	5.0	5,000
Γ	1/166	6.0	4,167
	1/250	4.0	7,500
30	1/200	5.0	6,000
ſ	1/166	6.0	5,000
	1/250	4.0	10,000
40	1/200	5.0	8,000
Г	1/166	6.0	6,667
	1/250	4.0	12,500
50	1/200	5.0	10,000
	1/166	6.0	8,333

III. Guarantee of customer satisfaction to be offered by supplemental registrants;

- SATISFACTION GUARANTEED OR YOUR MONEY BACK. If you apply (<u>Brand Name</u>) as
 directed and are not completely satisfied, send proof of purchase from this package and a cash
 register receipt to the address on the front of the bag. We will promptly refund your money.
- Guarantee of Satisfaction: If this (<u>Company Name</u>) product is not performing to your satisfaction, please send proof of purchase and a brief description of your problem to (<u>Company Name and address</u>), for a prompt response. Also enclose a daytime telephone number.

IV. Advertising claims that may be presented on the retail containers:

- pounds of product cover up to ____ square feet of turf.
- Controls (Kills) over (Number) weeds and builds a vigorous green lawn in one application.
- Provides lawns with a deep green color.
- ♦ Kills (Controls) dandelion, spurge and many other broadleaf weeds.
- Kills (Controls) the weeds and feeds the lawn in one easy application.
- Also for other grass lawns including fescue and bermudagrass.
- Contains Trimec[®] Herbicide.
- Longer lasting fertilizer formula.
- Banish weeds and enjoy a greener lawn that looks as good as it feels.
- Plus a quick greening lawn fertilizer.
- Information on Weed Control in Lawns.
 - ♦ Control existing broadleaf weeds with (Brand Name) containing Trimec® Herbicide during the growing season.
 - Control existing broadleaf weeds with Bandini Super Green Weed & Feed, Bandini St. Augustine Weed & Feed, & Bandini Super Plush Weed & Feed during the growing season.
 - ♦ Stop broadleaf weeds seeds before they sprout with (<u>Brand Name</u>), September through March/April.
 - ♦ Stop broadleaf weeds seeds before they sprout with Bandini Pre-Sprout 1, applications made September through April.
 - ♦ Stop annual weed grass seeds before they sprout with (<u>Brand Name</u>), August through March/April.
 - Stop annual weed grass seeds before they sprout with Bandini Pre-Sprout 2 applications made August through April.
- · Promotes thick, green lawns.
- Fertilizes & controls broadleaf weeds in one easy step.
- · Controls (Kills) most major broadleaf weeds.
- Kills (Controls) many broadleaf weeds:
- Also for other grass lawns
- Provides deep green color
- Covers [up to] sq.ft.
- A(X-X-X) tertilizer provides a balanced supply of plant food needed for a normal season's growth.
- [Alternate Spreader Listing and Graphics]; Bandini XX; Vigoro 4000 Rotary XX; Scotts Drop XX; Vigoro 4000 Drop XX
- Controls (Kills) (Number) weeds! (Listing of weeds may include the following.)



◆ (Listing of weeds may include the following.)

- WEEDS -				
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth	
Aster	Cocklebur	Mustard	Spiny cocklebur	
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle	
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear	
Beggarticks	Cudweed	Nettle	Spotted spurge	
Betony, Florida	Curly dock	Orange hawkweed	Spurweed	
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle	
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock	
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle	
Bittercress, hairy	Dandelion	Parsnip	Tall vervain	
Bitterweed	Dichondra	Pearlwort	Tansy ragwort	
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard	
Black medic	Dogfennel	Pennywort	Tanweed	
Black mustard	Dollarweed	Peppergrass	Thistle	
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch	
Blessed thistle	False dandelion	Pigweed	Tumble mustard	
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed	
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf	
Blue vervain	Fiddleneck	Plantain	Venice mallow	
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed	
Brassbuttons	Frenchweed	Poison oak	Virginia creeper	
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed	
Broadleaf dock	Goathead	Poorjoe	Water pennywort	
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf bullthistle	
Broomweed	Ground ivy	Prickly lettuce	Western clematis	
Buckhorn	Gumweed	Prickly sida	Western salsify	
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard	
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster	
Bull thistle	Healall	Prostrate spurge	Wild buckwheat	
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild carrot	
Burclover	Heathaster	Puncturevine	Wild four-o'clock	
Burdock	Hedge bindweed	Purslane, common	Wild garlic	
Burning nettle	Hedge mustard	Ragweed	Wild geranium	
Burweed	Hemp	Red sorrel	Wild lettuce	
Buttercup	Henbit	Redroot pigweed	Wild marigold	
Buttonweed	Hoary cress	Redstem filaree	Wild mustard	
Canada thistle	Hoary plantain	Rough cinquefoil	Wild onion	
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip	
Carpetweed	Horsenettle	Russian pigweed	Wild radish	
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape	
Catnip	Knawel	Scarlet pimpernel	Wild strawberry	
Catsear	Knotweed	Scotch thistle	Wild sweet potato	
Chickweed, common	Kochia	Sheep sorrel	Wild vetch	
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorrel	
Chicory	Lespedeza	Slender plantain	Woolly croton	
Cinquefoil	Mallow	Smallflower galinsoga	Weelly morningglory	
Clover, crimson	Matchweed	Smooth dock	Woolly plantain	
Clover, hop	Mexicanweed	Smooth pigweed	Wormseed	
Clover, red	Milk vetch	Sorrel	Yarrow	
Clover, strawberry	Morningglory	Sowthistle	Yellow rocket	
Clover, sweet	Mouseear hawkweed	Spanishneedles	Yellowflower pepperweed	
Clover, white	Mugwort	Speedwell	and other broadleaf weeds	