



1217 W. 12TH STREET
P.O. BOX 4090
KANSAS CITY, MO 64101

The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of Gordon's Trimec Weed and Feed 241(2217-581) produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

2/17/93

James A. Armbruster, Ph.D.
Mgr. Regulatory Services

Date

275

AFTER TEXT

GORDON'S TRIMEC^(R) Weed & Feed 24

18-4-8

Optional Container Claims: Twenty-five Pounds Covers up to 5,000 Square Feet.)
Fifty Pounds Covers Up To 10,000 Square Feet.)

CONTROLS Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge, and many other broadleaf weeds; some of which are listed on the back panel.

(Optional) Fertilizer Source Provides Controlled Release Nitrogen Feeding from Poly-S_{TM} Technology.

ACTIVE INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid.	0.547%
**2-(2-methyl-4-chlorophenoxy)propionic acid.	0.245%
***Dicamba (3,6-dichloro-o-anisic acid).	0.052%
INERT INGREDIENTS	99.156%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- 10.940 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton.
- **4.897 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
- ***1.033 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water.
For eyes, flush with water for 15 minutes and get medical attention.
See back panel for additional Precautionary Statements.

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPORATION.

NET WEIGHT (25 or 50) POUNDS

/193 AP010893
 EPA REG. NO. 2217-581
 EPA EST. NO. 2217-KS-1
 Mfg. by PBI/GORDON CORPORATION
 KANSAS CITY, MISSOURI 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS
AND FOLLOW DIRECTIONS CAREFULLY.

395

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Environmental Hazards

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: For Paper and Plastic Bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE PRECAUTIONS

Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass.

Do not use this product where desirable clovers are present or allow the material to "wind drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

INSTRUCTIONS

Gordon's Trimec Weed & Feed 24 controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 18-4-8 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

BEST AVAILABLE COPY

495

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

I. SPREADER SETTINGS

Scott..... 6
 Lawn Beauty..... 5
 Jackson..... 7 1/2
 Sears..... 4

These spreader settings are approximate. Calibrate your spreader on 200 square feet and adjust to apply 1 pound of product per 200 square feet of turf.

II. SUGGESTED SPREADER SETTINGS

These spreader settings are approximate. Calibrate your spreader on 1,000 square feet and adjust to apply at the rate of 5 pounds per 1,000 square feet.

Spreader	Ground or PTO Speed	width of Coverage	Recommended Rate
=====			
Scotts Rotaries*			
R-7*, R-7X*.	3mph	XXfeet	XX
R-8, R-8A (cone B)	3mph	XXfeet	XX
SR-1 (cone X)	3mph	XXfeet	XX
Lely Models (see below)	4.5mph	XXfeet**	XX
Vicon	4.5mph	XXfeet	XX
=====			

*For the RX-7 model, use with adjustable pattern slide 1/4 closed.

**Lely models WTR, WFR, HR and 1250. PTO at 450 rpm.

I. FERTILIZER GUARANTEE

Total Nitrogen(not less than)..... 18%
 Water Insoluble Nitrogen(not less than).... 5%
 Available Phosphoric Acid(not less than).. 4%
 Soluble Potash(not less than)..... 8%

BEST AVAILABLE COPY

595

II. OPTIONAL FERTILIZER GRADE GUARANTEED ANALYSIS

Total Nitrogen (N).....	18%
1.7% ammoniacal nitrogen	
16.3% urea nitrogen*	
Available Phosphoric Acid (P ₂ O ₅).....	4%
Soluble Potash (K ₂ O).....	8%
Sulfur (S) (free).....	1.9%

Derived from: ammoniated phosphate, polymer-encapsulated sulfur-coated urea, urea, and muriate of potash.

Chlorine, not more than..... 8%

*Contains 3.6% slowly available nitrogen from polymer-encapsulated sulfur-coated urea.

- WEEDS -

BEDSTRAW	GROUND IVY	PEPPERGRASS	SPURGE
BLACK MEDIC	HEALALL	PIGWEEED	THISTLE
BUCKHORN	HENBIT	PLANTAINS	WILD CARROT
BURDOCK	KNOTWEED	POISON IVY	WILD GARLIC
CHICORY	LAMBSQUARTER	POISON OAK	WILD LETTUCE
CHICKWEED	LESPEDEZA	PURSLANE	WILD ONION
CLOVER	MALLOW	RAGWEED	YARROW
DANDELION	MORNINGGLORY	SHEEP SORREL	
DOCK	OXALIS	SPEEDWELL	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

For Dealer's Use Only