


Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

PM 13 2217-581
Notification 1/5

(A)  EPA	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 185150
	Application for Pesticide:		

Section I

1. Company/Product Number 2217-581	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product Name Gordon's Trimec Weed and Feed 24	PMS (PM 23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO Box 14090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993. This is to certify that this notification meets every requirement of PR-Notice 88-6. Three copies of the revised labeling are enclosed.

BEST AVAILABLE COPY


NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 88-6

DATE 7/1/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted.	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other (_____)	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James A. Armbruster, Ph.D.	Title Mgr. Regulatory Services	Telephone No. (Include Area Code) (813)421-4070
2. Signature 		3. Title Mgr. Regulatory Services
4. Typed Name James A. Armbruster, Ph.D.		5. Date May 20, 1993
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)

GORDON'S TRIMEC® Weed & Feed 24

18-4-8

Optional Container Claims: Twenty-five Pounds Covers Up To 5,000 Square Feet.
Fifty Pounds Covers Up To 10,000 Square Feet.

Twenty-five Pounds Covers up to 5,000 Square Feet.

CONTROLS: Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge, and many other broadleaf weeds; some of which are listed on the back panel.

(Optional) Fertilizer Source Provides Controlled Release Nitrogen Feeding from Poly-S™ Technology.

ACTIVE INGREDIENTS:

* 2,4-Dichlorophenoxyacetic acid.....	0.547%
** 2-(2-methyl-4-chlorophenoxy) propionic acid.....	0.245%
*** Dicamba (3,6-dichloro-o-anisic acid).....	0.052%
INERT INGREDIENTS.....	<u>99.156%</u>
	TOTAL 100.000%

THIS PRODUCT CONTAINS:

- 10.940 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton.
 - **4.897 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
 - ***1.033 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.
- Isomer Specific by AOAC Methods
TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water.
For eyes, flush with water for 15 minutes and get medical attention.


See back panel for additional Precautionary Statements.

NET WEIGHT (25 or 50) POUNDS

AP052093
EPA REG. NO. 2217-581
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

**NOTIFICATION
LABEL NOT REVIEWED
PER FR NOTICE 88-8**
DATE 7/1/93



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Environmental Hazards

Drift or runoff may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: For Paper and Plastic Bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE PRECAUTIONS

Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass.

Do not use this product where desirable clovers are present or allow the material to "wind drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

INSTRUCTIONS

Gordon's TRIMEC® Weed & Feed 24 controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 18-4-8 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

I. SPREADER SETTINGS

- Scott..... 6
- Lawn Beauty.....5
- Jackson..... 7 1/2
- Sears.....4

These spreader settings are approximate. Calibrate your spreader on 200 square feet and adjust to apply at the rate of 1 pound of product per 200 square feet of turf.

II. SUGGESTED SPREADER SETTINGS

These spreader settings are approximate. Calibrate your spreader on 1,000 square feet and adjust to apply at the rate of 5 pounds of product per 1,000 square feet.

Spreader	Ground or PTO Speed	Width of Coverage	Recommended Rate
Scotts Rotaries*			
R-7*, R-7X*	3 mph	XX feet	XX
R-8, R-8A (cone B)	3 mph	XX feet	XX
SR-1 (cone X)	3 mph	XX feet	XX
Lely Models (see below)	4.5 mph	XX feet**	XX
Vicon	4.5 mph	XX feet	XX

*For the RX-7 model, use with adjustable pattern slide 1/4 closed.

**Lely models WTR, WFR, HR and 1250. PTO at 450 rpm.

I. FERTILIZER GUARANTEE

- Total Nitrogen(not less than).....18%
- Water Insoluble Nitrogen(not less than)..... 5%
- Available Phosphoric Acid(not less than)..... 4%
- Soluble Potash(not less than)..... 8%


II. OPTIONAL FERTILIZER GRADE GUARANTEED ANALYSIS

- Total Nitrogen (N)18%
 - 1.7% ammoniacal nitrogen
 - 16.3% urea nitrogen*
- Available Phosphoric Acid (P₂O₅) 4%
- Soluble Potash (K₂ O)..... 8%
- Sulfur (S) (free)..... 1.9%

Derived from: ammoniated phosphate, polymer-encapsulated sulfur-coated urea, urea, and muriate of potash.

- Chlorine, not more than..... 8%

*Contains 3.6% slowly available nitrogen from polymer-encapsulated sulfur-coated urea.



- WEEDS -

BEDSTRAW
BLACK MEDIC
BUCKHORN
BURDOCK
CHICORY
CHICKWEED
CLOVER
DANDELION
DOCK

GROUND IVY
HEALALL
HENBIT
KNOTWEED
LAMBSQUARTER
LESPEDEZA
MALLOW
MORNINGGLORY
OXALIS

PEPPERGRASS
PIGWEEED
PLANTAINS
POISON IVY
POISON OAK
PURSLANE
RAGWEED
SHEEP SORREL
SPEEDWELL

SPURGE
THISTLE
WILD CARROT
WILD GARLIC
WILD LETTUCE
WILD ONION
YARROW

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

