| 2217-585 Please read instructions on re | everse before completing form. | 67/6 | 26/2004 Porm App | proved. OM8 No | o. 2070-0060 |). Approval Expires 2-28-95 |
|---|--|--|--|----------------------------|---|--|
| \$ EPA | United Environmental Pr Washington | States otection Age | | Regist | ration dment | OPP Identifier Number |
| | Applica | ation for Pes | ticide - Sect | ion I | | |
| Company/Product Num Gordon's Broadle | ber eaf and Poison Ivy Spot-We | 1 | EPA Product Ma Joanne | nager I. Miller | 3. P | roposed Classification |
| 4. Company/Product (Nan | ne) 2217- <u>5</u> 85 | PN | и# _Produc <u>t M</u> ana | ger—Team 2 | 23 | None Restricted |
| PBI/Gordon Corporat Post Office Box 0140 Kansas City, Missour | 90 | (b) El |)(i), my product is PA Reg. No roduct Name | similar or ider | ntical in com | |
| | and and an analysis of the same of the sam | Section | | | | |
| Amendment - Explain | below. | Ţ | Final printed I | labels in respons dated | se to | NOTIFICATION |
| Resubmission in respo | onse to Agency letter dated | | "Mo Too" Application | | | JUL 2 6 2004 |
| Notification - Explain b | elow. | | Other - Explain below. | | | 30L 2 0 2004 |
| | I that if this notification is not conso enforcement action and penaltic | | and 14 of FIFRA. | | • | , |
| Material This Product Will I | | _ | | 2. Type of | Container | |
| Child-Resistant Packaging Yes* No * Certification must be submitted | Unit Packaging Yes No If "Yes" Unit Packaging wgt. Vo. per | Water Solul Yes No If "Yes" Package wo | ble Packaging No. per yt. container | Me Pla | tai istic iss | |
| 3. Location of Net Contents Inf | | Retail Container | | 5. Location of La | , , , , , , , , , , , , , , , , , , , | S |
| 6. Manner in Which Label is Af | Pap | ograph er glued ociled | Other | | | |
| 1. Carata Daint / Caratata ita | ma directly halou for identification | Section | | | thin annlinati | |
| Name | ms directly below for identification | Title | comacted, ir necess | ary, to process | 7 | No. (Include Area Code) |
| James L. K | unstman, Ph.D. | | r of Regulatory S | Services | · | 816 4€0-6292 |
| l acknowledge that any ki both under applicable law | ts I have made on this form and a nowingly false or misleading state | ment may be punis. | | | | 6. Date Application Recuived (Stampe ci) |
| 2. Signature | X-t- | | f Regulatory Se | rvices | | · |
| 4. Typed Name James L. Κι | ınstman, Ph.D. | 5. Date | luly 12, 2004 | | | |

GORDON'S BROADLEAF AND POISON IVY SPOT-WEEDER

READY TO USE

| ACTIVE INGREDIENTS: | ACTI | VE I | NGRI | EDIE | NTS: |
|---------------------|------|------|------|------|------|
|---------------------|------|------|------|------|------|

| 2,4-D, dimethylamine salt | 0.311% |
|--------------------------------|----------|
| Mecoprop-p, dimethylamine salt | 0.075% |
| Dicamba, dimethylamine salt | 0.034% |
| INERT INGREDIENTS: | 99.580% |
| TOTAL | 100 000% |

THIS PRODUCT CONTAINS:

0.258% 2,4-dichlorophenoxyacetic acid equivalent 0.062% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.028% 3.6-dichloro-o-anisic acid equivalent Isomer Specific by AOAC Methods.

CONTAINS SINGLE ISOMER FORM OF MECOPROP-p

CAS Registry Numbers:

2,4-D, dimethylamine salt CAS# 2008-39-1 Mecoprop-p, dimethylamine salt CAS# 66423-09-4 Dicamba, dimethylamine salt CAS#2300-66-5

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Precautionary Statements and First Aid.

NET CONTENTS: 24 Fluid Ounces, 32 Fluid Ounces (1 Quart), 64 Fluid Ounces (2 Quarts), 128 Fluid Ounces (1 Gallon)

864 AP071204
EPA REG. NO. 2217-585
EPA EST. NO. 2217-KS-1
MANUFACTURED BY

Bull Gondon
An Employer-Owned Company
1217 West 12th Street
Ranke City, Missouri 64101

Telephone: 1-800-821-7925



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

First Aid

| If in eyes: | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
|-------------------------|--|
| If on skin or clothing: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. |
| If swallowed | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| | ct container or label with you when calling a poison control center or doctor or going for may also contact 1-877-800-5556 for emergency medical treatment advice. |

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

SUBLABEL I. DIRECTIONS FOR USE PREVIOUSLY APPROVED ON OCTOBER 22, 1998.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

USE PRECAUTIONS:

Avoid spraying susceptible plants (flowers, shrubs, etc.). Clovers, bentgrass and St. Augustinegrass may be injured if contacted. Do not apply within dripline of desirable plants. Avoid accidental drift or application to nearby garden plants, flowers or shrubs. Do not use on dichondra lawns.

NO MIXING OR POURING - AIM AT WEED AND SPRAY

Use to kill poison ivy and any other troublesome broadleaf weeds. For best results use Gordon's Broadleaf and Poison Ivy Spot Weeder when weeds are actively growing. Rainfall or watering soon after application may reduce effectiveness.

Gordon's Broadleaf and Poison Ivy Spot Weeder is designed to permit easy treatment of small weed patches without mess or trouble and without bending or stooping. Wet poison ivy or other weeds thoroughly using short bursts of spray. Overspraying only wastes the spray. Effects begin to show in a few days and weeds slowly die and disappear.

ALSO KILLS:

| Bedstraw | Filaree | Pennywort |
|-----------------------------|--------------------|-----------------|
| Black medic (Yellow clover) | Fleabane | Pepperweed |
| Buckhorn | Florida pusley | Pigweed |
| Canada thistle | Ground ivy | Plantain |
| Chickweed | (Creeping Charlie) | Poison ivy |
| Clover | Healall | Prickly lettuce |
| Cudweed | Henbit | Purslane |
| Curled dock | Knotweed | Ragweed |
| Dandelion | Lambsquarters | Sheep sorrel |
| Dollarweed | Matchweed | Shepherdspurse |
| English daisy | Mustard | Yarrow |

SUBLABEL II. PROPOSED DIRECTIONS FOR USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRODUCT DESCRIPTION:

Gordon's Broadleaf and Poison Ivy Spot Weeder contains TRIMEC® turf herbicide, a combination of three proven weed killers - 2,4-D, mecoprop-p, and dicamba. Together they control a wide range of broadleaf weeds commonly found in home (residential) lawns. This ready-to-use herbicide is intended for spot treatments only. Weeds that have not emerged at the time of application will not be controlled.

WHERE TO USE:

Northern Grasses - Kentucky bluegrass, perennial ryegrass and fescues.

Southern Grasses - St. Augustinegrass, centipedegrass, bentgrass, bahiagrass, bermudagrass and zoysiagrass.

三元进步 扩

PROHIBITIONS:

- Do not apply to garden plants, flowers or shrubs.
- Do not use this product on carpetgrass, dichondra, nor on lawns with desirable clovers.

HOW TO USE:

Use to spot treat weeds in the lawn. Gordon's Broadleaf and Poison Ivy Spot Weeder is designed for easy treatment of small weed patches without mess or trouble and without bending or stooping.

NO MIXING OR POURING - AIM AT WEED AND SPRAY

For best results, use Gordon's Broadleaf and Poison Ivy Spot Weeder when weeds are actively growing. Rainfall or watering soon after application may reduce effectiveness.

FOR CONTAINERS WITH TRIGGER SPRAYERS:

Gordon's Broadleaf and Poison Ivy Spot Weeder is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. [OR: Wet the broadleaf weeds thoroughly using short bursts of spray.] Usually, two (2) pumps of this trigger sprayer will provide adequate coverage of individual weeds. Excessive spraying can injure some lawns. [OR: Overspraying may injure lawns including bentgrass, centipedegrass, and St. Augustinegrass.]

FOR REFILL CONTAINERS:

Gordon's Broadleaf and Poison Ivy Spot Weeder is ready-to-use and is applied directly from the container. Remove the cap from the container and attach the trigger sprayer. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. [OR: Wet the broadleaf weeds thoroughly using short bursts of spray.] Excessive spraying can injure some lawns. [OR: Overspraying may injure lawns including bentgrass, centipedegrass, and St. Augustinegrass.]

CARE AND INSTRUCTIONS FOR TRIGGER SPRAYERS

OPERATION:

- 1. Remove sprayer from bag.
- 2. Unscrew cap from bottle and remove the foil seal.
- 3. Making sure that tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.
- 4. Open spray nozzle approximately one full turn.
- 5. TO PRIME With sprayer directed at the target area, operate trigger until spray begins (approximately 10 to 15 times).
- 6. Adjust the sprayer nozzle for desired spray pattern.

STORAGE OF TRIGGER SPRAYER:

- 1. Close spray nozzle.
- 2. Hook the trigger on or under the bottle handle so that trigger is above the level of contents.
- 3. To prevent clogging of trigger, remove sprayer from bottle and pump clean water through the hose and trigger.

HOW TO PRIME AND CARE FOR YOUR SPRAYER:

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to coarse stream.
- 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage

Jan 1997

Use Gordon's Broadleaf and Poison Ivy Spot Weeder to kill poison ivy and any other troublesome broadleaf weeds.

| | _ | WEEDS - | |
|-----------------------------|------------------------------|-----------------------------|---------------------------|
| Annual yellow sweetclover | Cockle | Musk thistle | Spiny cocklebur |
| Aster | Cocklebur | Mustard | Spiny sowthistle |
| Austrian fieldcress | Common mullein | Narrowleaf plantain | Spotted catsear |
| Bedstraw | Creeping jenny | Narrowleaf vetch | Spotted spurge |
| Beggarticks | Cudweed | Nettle | Spurweed |
| Betony, Florida | Curly dock | Orange hawkweed | Stinging nettle |
| Bindweed, field | Daisy, English | Oriental cocklebur | Strawberry, India mock |
| Bird vetch | Daisy fleabane | Oxalis | Tall nettle |
| Bitter wintercress | Daisy, oxeye | Parsley-piert | Tall vervain |
| Bittercress, hairy | Dandelion | Parsnip | Tansy ragwort |
| Bitterweed | Dichondra | Pearlwort | Tansy mustard |
| Black-eyed Susan | Dogbane | Pennycress | Tanweed |
| Black medic | Dogfennel | Pennywort | Thistle |
| Black mustard | Dollarweed | Pepperweed | Trailing crownvetch |
| Blackseed plantain | Elderberry | Pigweed | Tumble mustard |
| Blessed thistle | False dandelion | Pineywoods bedstraw | Tumble pigweed |
| Bloodflower milkweed | Falseflax | Plains coreopsis (tickseed) | Velvetleaf |
| Blue lettuce | False sunflower | Plantain | Venice mallow |
| Blue vervain | Fiddleneck | Poison ivy | Virginia buttonweed |
| Bracted plantain | Florida pusley | Poison oak | Virginia creeper |
| Brassbuttons | Frenchweed | Pokeweed | Virginia pepperweed |
| Bristly oxtongue | Galinsoga | Poorjoe | Water pennywort |
| Broadleaf dock | Goathead | Prairie sunflower | Wavyleaf bullthistle |
| Broadleaf plantain | Goldenrod | Prickly lettuce | Western clematis |
| Broomweed | Ground ivy | Prickly sida | Western salsify |
| Buckhorn | Gumweed | Prostrate knotweed | White mustard |
| Buckhorn plantain | Hairy fleabane | Prostrate pigweed | Wild aster |
| Bulbous buttercup | Hawkweed | Prostrate spurge | Wild buckwheat |
| Bull thistle | Healall | Prostrate vervain | Wild carrot |
| Bullnettle | Heartleaf drymary | Puncturevine | Wild four-o'clock |
| Burclover | Heath aster | Purslane, common | Wild garlic |
| Burdock | Hedge bindweed | Rayweed | Wild geranium |
| Burning nettle | Hedge mustard | Rud sorrel | Wild lettuce |
| Burweed | Hemp | Redroot pigweed | Wild marigold |
| Buttercup | Henbit | Redstem filarce | Wild mustard |
| Buttonweed | Hoary cress | Rough cinquefoil | Wild onion |
| Canada thistle | Hoary plantain | Rough fleabane | Wild parsnip |
| Carolina geranium | Hoary vervain | Russian pigweed | Wild radish |
| Carpetweed | Horsenettle | Russian thistle | Wild rape |
| Catchweed bedstraw | Jimsonweed | Scarlet pimpernel | Wild strawberry |
| Catnip | Knawel | Scotch thistle | Wild sweet potato |
| Catsear | Knotweed | Sheep sorrel | Wild vetch |
| Chickweed, common | Kochia | Shepherdspurse | Woodsorrel |
| Chickweed, mouseear | Lambsquarters | Slender plantain | Woolly croton |
| Chicory | Lespedeza | Smallflower galinsoga | Woolly morningglory |
| Cinquefoil | Mallow | Smooth dock | Woolly plantain |
| Clover, crimson | Matchweed | Smooth pigweed | Wormseed |
| Clover, hop | Mexicanweed | Sorrel | Yarrow |
| Clover, red | Milk vetch | Sowthistle | Yellow rocket |
| Clover, strawberry | Morningglory | Spanishneedles | Yellowflower pepperweed |
| | | • | , , , |
| | | - | |
| Clover, sweet Clover, white | Mouscear hawkweed Mugwort | Speedwell Spiny amaranth | and other broadleaf weeds |

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

- I. Advertising claims that may be used by supplemental registrants and be presented on the container label.
 - No mixing No pouring
 - Ready-To-Use Aim at weed and spray.
 - ◆ Contains TRIMEC®
 - ◆ TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.
 - ◆ Kills (Controls) (Number) weed types, roots and all
 - Water-based or Water-based formulation
 - Kills the weeds, not the lawn
 - · Kills the root.
 - Kills the entire weed or plant roots and all.
 - Kills (Controls) a wide range of broadleaf weeds roots and all.
 - Controls (Kills) (<u>desired weed species from attached listing may be inserted here</u>,) and many other broadleaf lawn weeds.
 - ◆ Kills (Controls) (desired weed species from attached listing may be inserted here,) and over (Number) broadleaf weeds
 - ♦ Kills (Number) weeds
 - ♦ Kills weed roots



♦ Good Housekeeping Seal of Approval