ALSO AILLS DANDELIONS PLANTAINS CHICKWEED CLBVER. BEDSTRAW BLACK MEDIC (Yellow Clover) ENGLISH DAISY CURLED DOCK HEAL ALL GROUND IVY (Creeping Charle) KNOTWEED PAGWEED. SHEPHERD'S PURSE **EUCKHORN** CANADA THISTLE CUDWEED DOLLARWEED FLEABANE FILAREE HEMBÎT LAMBOQUARTERS MATCHWEED FLORIDA PUSLEY MUSTARD PENNYWORT PEPPERWEED PLEWEED PRICKLY LETTUCE POISON IVY PURSLANE SHEEP SORREL YARROW

DIRECTIONS

Control to the Poison toy and any other troublesonic broadleaf woods. For best results use Broadleaf and Poison by Spot Wender when weeds are activity growing. Rainfall or watering soon after application may reduce effectiveness.

Ready to use Broadleaf and Poison Ivy Spot Weeder is designed to permit easy treatment of small weed patches without mess or trouble and without bending or stooping. With Poison Ivy or other weeds thoroughly using short bursts of spray. Overspraying only wastes he spray. Effects begin to show in a few days and weed slowly die and disappear.

CAUTION Avoid contact with skin leyes ar liathing. In case of contact flush with plenty of water, for eyes get medical attention. Wash after each use

Avoid spraying susceptible plants flowers, shrubs, etc. Clivers Bentgrass and St. Augustine gras, may be in-ired transacted. Do not apply within drip line of desirable plants. Do not store near seeds, fertilizers, insecticides or tungicides.

As aid accidental drift or application to nearby garden plants flowers, or shrubs. Do not contaminate water used for irrigational or domestic purposes.

Dr. of use on Dichondra Lawns

En not reuse container. Destroy by burying in a safe place $\ensuremath{\mathsf{DD}}$ not burn

NOTICE Sciller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather compatibility with other chemicals, and condition of application equipment, will vary Selfer makes on claims other than those stated on this label.

6 F A Reg N 2217 585 864-572

NO MIXING OR POURING

> AIM AT WEED AND SPRAY

PROTECT FROM FREEZING