



1217 W. 12TH STREET  
P.O. BOX 4090  
KANSAS CITY, MO 64101


The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of Gordon's **St. Augustinegrass Lawn Weeder and Feeder (2217-594)** produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

2/17/93

James A. Armbruster, Ph.D.  
Mgr. Regulatory Services

Date



294

# GORDON'S ST. AUGUSTINEGRASS LAWN WEEDER & FEEDER

16-4-8

- TREATS UP TO 5,000 SQ.FT. -

For Use On St. Augustinegrass And Other Grasses  
For Control Of Broadleaf Weeds

**ACTIVE INGREDIENT:**

* 2,4-dichlorophenoxyacetic acid . . . . .	0.0820%
** 2-(2-methyl-4-chlorophenoxy) propionic acid . . . . .	0.2952%
*** Dicamba (3,6-dichloro-o-anisic acid) . . . . .	0.0295%
INERT INGREDIENTS . . . . .	<u>99.5933%</u>
TOTAL	100.0000%

**THIS PRODUCT CONTAINS:**

- \* 1.64 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.
- \*\* 5.90 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
- \*\*\* 0.59 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

KEEP OUT OF REACH OF CHILDREN

## CAUTION


See Back Panel for Precautionary Statements  
and Statement of Practical Treatment.

NET WEIGHT 35 POUNDS

515/1292 APxxxxxx

EPA REG. NO. 2217-594  
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, MISSOURI 64101



**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. Avoid inhalation or contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:** Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

**PRODUCT DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

**USE PRECAUTIONS:** Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Apply when the air is calm. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. During application, close spreader openings when turning. Do not use on newly seeded lawns.

16-4-8

**GUARANTEED ANALYSIS**

Total Nitrogen (N) .....	16.00%
Ammonical Nitrogen (N) .....	2.67%
Water Soluble Organic Nitrogen(N)...	8.67%
Water Insoluble Nitrogen (N) .....	4.67%
Available Phosphoric Acid(P <sub>2</sub> O <sub>5</sub> ) .....	4.00%
Soluble Potash(K <sub>2</sub> O).....	8.00%

**BEST AVAILABLE COPY**

**GORDON'S ST. AUGUSTINEGRASS LAWN WEEDER AND FEEDER** destroys growing broadleaf weeds as it feeds St. Augustinegrass, bermudagrass, centipedegrass, zoysiagrass and other turfgrasses.

**CONTROLS THESE WEEDS:** Florida Pusley, Black Medic, Chickweed, Clover, Cocklebur, Dandelinn, Dock, Henbit, Knotweed, Lambsquarter, Mustard, Oxalis, Peppergrass, Pigweed, Plantains, Poinc ivy, Purslane, Ragweed, Spurge, Wild Lettuce, and most other broadleaf weeds.

**TIME TO APPLY:** Apply at any time broadleaf weeds are present except avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control will be slow and more than one application may be needed. Moisture from dew or watering on weed foliage at time of application aids control. Do not water for 24 to 48 hours after application.

**HOW MUCH TO APPLY:** Use 35 pounds of product per 5,000 sq.ft. for St. Augustinegrass and bentgrass. Over-application may cause temporary discoloration. On other grasses such as bluegrass, bermudagrass, zoysiagrass, fescuegrass, and bahiagrass use 35 pounds of product per 3,500 sq.ft. of lawn.

The maximum application rate to turf is 0.4 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

**SUGGESTED SPREADER SETTINGS**

May vary with age, model and condition of spreader and walking speed. Calibrate your spreader on a known area.

Make of Spreader	SPREADER SETTINGS	
	Bentgrass & St. Augustinegrass	Other Grasses
K-Mart . . . . .	3 1/2	4 3/4
Lawn Beauty . . . . .	7 1/2	8 1/2
Scotts . . . . .	4 1/2	5
Sears . . . . .	5 3/4	6 1/2
Wards . . . . .	6	6 1/2

**LIMITED WARRANTY AND DISCLAIMER**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

