


109 of 2217-504

111-23

Notification 13

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 195705
	Application for Pesticide:		

Section I

1. Company/Product Number 2217-594	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gordon's St. Augustinegrass Lawn Weeder and Feeder	PM# (PM 23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO Box 14090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


NOTIFICATION: Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993. This notification meets every requirement of PR-Notice 88-6. Three copies of the revised labeling are enclosed.

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 88-6
DATE: 7/12/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container If "Yes," Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James A. Armbruster, Ph.D.	Title Mgr. Regulatory Services	Telephone No. (Include Area Code) (616)421-4070
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped)
2. Signature 		
3. Title Mgr. Regulatory Services		
4. Typed Name James A. Armbruster, Ph.D.		5. Date May 20, 1993

2284

GORDON'S ST. AUGUSTINEGRASS LAWN WEEDER & FEEDER

16-4-8

TREATS UP TO 5,000 SQ.FT.

For Use On St. Augustinegrass And Other Grasses
For Control Of Broadleaf Weeds

ACTIVE INGREDIENTS:

* 2,4-dichlorophenoxyacetic acid.....	0.0820%
** 2-(2-methyl-4-chlorophenoxy) propionic acid.....	0.2952%
*** Dicamba (3,6-dichloro-o-anisic acid).....	0.0295%
INERT INGREDIENTS.....	99.5933%
TOTAL	100.0000%

THIS PRODUCT CONTAINS:

- 1.64 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.
- 5.90 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
- 0.59 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

**NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-6
DATE. 7/12/93**

KEEP OUT OF REACH OF CHILDREN

CAUTION


See Back Panel for Precautionary Statements
and Statement of Practical Treatment.

NET WEIGHT 35 POUNDS

515/ AP052093

EPA REG. NO. 2217-534
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS: Drift or runoff may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS: Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Apply when the air is calm. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. During application, close spreader openings when turning. Do not use on newly seeded lawns.

16-4-8

GUARANTEED ANALYSIS

Total Nitrogen (N)	16.00%
Ammonical Nitrogen (N)	2.67%
Water Soluble Organic Nitrogen(N).	8.67%
Water Insoluble Nitrogen (N)	4.67%
Available Phosphoric Acid(P ₂ O ₅).	4.00%
Soluble Potash(K ₂ O).	8.00%

GORDON'S ST. AUGUSTINEGRASS LAWN WEEDER AND FEEDER destroys growing broadleaf weeds as it feeds St. Augustinegrass, bermudagrass, centipedegrass, zoysiagrass and other turfgrasses.

CONTROLS THESE WEEDS: Florida Pusley, Black Medic, Chickweed, Clover, Cocklebur, Dandelion, Dock, Henbit, Knotweed, Lambsquarter, Mustard, Oxalis, Peppergrass, Pigweed, Plantains, Poison Ivy, Purslane, Ragweed, Spurge, Wild Lettuce, and most other broadleaf weeds.

34

TIME TO APPLY: Apply at any time broadleaf weeds are present except avoid treating St. Augustine grass in summer months (June through September) when it is growing rapidly, because temporary foliage discoloration may occur. Best results are obtained when weeds are young and growing vigorously. If weeds are growing slowly, control will be slow and more than one application may be needed. Moisture from dew or watering on weed foliage at time of application aids control. Do not water for 24 to 48 hours after application.

HOW MUCH TO APPLY: Use 35 pounds of product per 5,000 sq.ft. for St. Augustinegrass and bentgrass. Over-application may cause temporary discoloration. On other grasses such as bluegrass, bermudagrass, zoysiagrass, fescuegrass, and bahiagrass use 35 pounds of product per 3,500 sq.ft. of lawn.

The maximum application rate to turf is 0.4 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

SUGGESTED SPREADER SETTINGS

May vary with age, model and condition of spreader and walking speed. Calibrate your spreader on a known area.

SPREADER SETTINGS

Make of Spreader	Bentgrass & St. Augustinegrass	Other Grasses
K-Mart	3 1/4	4 3/4
Lawn Beauty	7 1/2	8 1/4
Scotts	4 1/4	5
Sears	5 3/4	6 1/2
Wards	6	6 1/2

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.