


BEF
BROAI

General information:
Bermuda & Bentgrass
Broadleaf Lawn
Herbicide kills 33
troublesome common
lawn weeds, including
poison ivy, in both
northern and southern
grasses. This concen-
trated formulation
covers up to 16,000
sq. ft. per quart.

WEEDS KILLED

- Bedstraw
 - Black Medic
 - Buckhorn
 - Burdock
 - Chicory
 - Chickweed
 - Clover
 - Dandelion
 - Dock
 - Ground Ivy
 - Heal-All
 - Henbit
 - Knotweed
 - Lambsquarters
 - Lespedeza
 - Mallow
 - Morningglory
 - Pepperweed
 - Pigweed
 - Plantains
 - Poison Ivy
 - Poison Oak
 - Purslane
 - Ragweed
 - Sheep Sorrel
 - Shepherdspurse
 - Speedwell
 - Spurge
 - Wild Carrot
 - Wild Garlic
 - Wild Lettuce
 - Wild Onion
 - Yarrow
- and many other
similar broadleaf
weeds



BERMUDA & BENTGRASS BROADLEAF LAWN HERBICIDE

**Kills 33 Troublesome
Weeds in Lawns**



Active Ingredients	
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	1.45
1,1-dimethyl-3,4-dichlorobenzene	1.45
4-chloro-2-methyl-1,3-dioxane-5-carboxylic acid	1.45
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	1.45
3,6-dichloro-2-anisic acid	1.45
Inert Ingredients	
	81.72
Total	100.00

This product contains:
*0.45 lb. of 2,4-dichlorophenoxyacetic acid per gallon or 5.20%
**0.78 lbs. of (2-methyl-4-chlorophenoxy) propionic acid per gallon or 8.95%
***0.067 lbs. of 3,6-dichloro-2-anisic acid per gallon or 1.00%

**KEEP OUT OF REACH
OF CHILDREN
DANGER**

Keep from Freezing

See side panel for additional
precautionary statements and
notes on first aid treatment.

One quart covers 8,000 to 16,000 sq. ft.

Net contents
ONE QUART

**PRECAUTIONARY
STATEMENTS**

**Hazards to Humans &
Domestic Animals**

HAZARD - Can cause
acute eye damage. Do not
get in eyes. Do not get on
clothing. Wear goggles or
face shield when handling.
Harmful if swallowed or in-
haled. Avoid exposure to
spray. Wash thoroughly
after handling.

**Statement of Prac-
tical Treatment:**


First Aid: In case of eye
contact, immediately flush
eyes with plenty of water for
15 minutes. Consult a physi-
cian immediately.

**Environmental
Hazards**

Keep out of lakes, streams,
and ponds. Do not apply
when weather conditions
favor drift from target area.

DISPOSAL:
Do not reuse empty con-
tainer. Wrap container and
put in trash collection.

EPA Reg. No. 2217-597
EPA Est. No. 2217-KS-1
U.S. Patent No. 3,284,186
849-380



Directions for use:
It is a violation of label
labeling.

When to Use:
Spray at any time when
weeds are small and in
weeds.

How to Use:
Hose-end sprayer: Add
when fill sprayer with
Bermuda grass, bentgrass,
and fill with water to fill.

Pressure sprayer: Add
Then add 1 gal. of water
to 1,000 sq. ft. of bermuda
and fill with water to fill.
Spray uniformly.

Hardy evergreen species
1. Seasonal product

Rate Chart for Amount

Area to Treat	Amount
1,000 sq. ft.	1.00
2,000 sq. ft.	2.00
5,000 sq. ft.	5.00
8,000 sq. ft.	8.00

Use Precautions: Use
drift. Avoid spray drift
trees, and other desir-
desirable trees and shrubs
where desirable clover
from dormancy. Do not
established. Do not seed
safely sown 3 to 4 weeks.
Do not contaminate or
clean sprayer with soil
applying other pesticide
in injury.

ACCEPTED
 26 MAR 1980
 U.S. Environmental Protection Agency
 Registration Division
 401 M Street, N.W.
 Washington, D.C. 20460

DA & BENTGRASS OF LAWN HERBICIDE

Kills 33 Troublesome Weeds in Lawns

Active ingredients:	
1,1-dimethyl-3-(4-chlorophenyl)urea	5.00%
1,1-dimethyl-3-(4-methylphenyl)urea	5.00%
1,1-dimethyl-3-(4-propylphenyl)urea	5.00%
1,1-dimethyl-3-(4-tert-butylphenyl)urea	5.00%
3,6-dichloro-o-anisic acid	1.20%
Inert ingredients	81.72%
Total	100.00%

This product contains:
 10.45 lbs. 2,4-dichlorophenoxyacetic acid per gallon or 5.20%
 10.78 lbs. 2,1,2-methyl-4-chlorophenoxypropionic acid per gallon or 8.95%
 10.087 lbs. 3,6-dichloro-o-anisic acid per gallon or 1.00%


Keep from Freezing

Ironical
 nts and
 atment.
 100 to 16,000 sq. ft. **Net contents ONE QUART**

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
 Irritant. Avoid contact with eyes, nose, mouth, and skin. Wash thoroughly after handling. Do not get in eyes, on clothing, or on hands. If contact occurs, flush with plenty of water for 15 minutes. Consult a physician immediately.
Statement of Practical Treatment
 FIRST AID: In case of contact with eyes, flush with plenty of water for 15 minutes. Consult a physician immediately.
Environmental Hazards
 Runoff into lakes, streams, and ponds. Do not apply when weather conditions favor drift to water bodies.

DISPOSAL:
 Do not reuse empty container. Wrap container and put in trash can.

EPA Reg. No. 2217-597
 EPA Est. No. 2217-KS-1
 U.S. Patent No. 3,284,186
 849-380



BERMUDA & BENTGRASS BROADLEAF LAWN HERBICIDE

Directions for Use
 This spray is for use on lawns. Use this product in a manner consistent with its labeling.

When to Use
 Spray at any time when weeds are growing. For best results, apply in spring when weeds are small and growing rapidly. Apply in fall to remove late germinating weeds.

How to Use
Hand Sprayer: Adjust amount of product shown in Rate Chart to sprayer. Then fill sprayer with water to proper level. For example, to treat 1,000 sq. ft. of bermudagrass, use 2.5 quarts (spray mixture) (2.5 fluid oz. pour into sprayer and fill with water to 1-gal. mark). Spray uniformly.

Pressure Sprayer: Adjust amount of product shown in Rate Chart to sprayer. Then add spray of water to every 100 sq. ft. to be sprayed. For example, to treat 1,000 sq. ft. of bermudagrass at the high rate listed, measure 4 oz. pour into sprayer and fill with water to 1-gal. level. Adjust spray nozzle to deliver coarse spray. Spray uniformly.

If hardy weeds persist, re-spruce grasses. Spot treat individual weeds using 1/2 teaspoon of product to 1/2 gal. of water. Minimize contact on grass.

Rate Chart for Amount to Use (Use Convenient Measuring Cap)


Area to Treat	Lawn Grass		
	St. Augustine-grass Centipede-grass	Bermudagrass Bentgrass	Bluegrass Fescue, Zoysia-grass
1,000 sq. ft.	2.5 oz.	2.5 oz.	2.5 - 4 oz.
2,000 sq. ft.	4 oz.	5.0 oz.	5.0 - 8 oz.
5,000 sq. ft.	10 oz.	13.0 oz.	13.0 - 20 oz.
8,000 sq. ft.	16 oz.	20.0 oz.	20.0 - 32 oz.

Use Precautions: Use only lawn sprayer that delivers coarse spray to reduce drift. Avoid spray drift to vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not spray carpetgrass, dichondra, or lawns where desirable clovers are present. Do not spray while grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established. Do not spray when air temperature exceeds 85°F. Seed can be safely sown 3 to 4 weeks after application. Do not contaminate domestic or irrigation waters. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to follow the above precautions may result in injury.

General information
 Use of this herbicide
 is restricted to
 maintenance of
 lawns in the
 United States
 and Canada. Do not
 use on golf courses
 or on lawns where
 children play. Do not
 use on lawns where
 pets are kept. Do not
 use on lawns where
 edible plants are
 grown.

WEEDS KILLED

- Birdstraw
- Black Medic
- Buckhorn
- Burdock
- Chicory
- Chickweed
- Clover
- Dandelion
- Dock
- Ground Ivy
- Heal-All
- Henbit
- Knotweed
- Lambsquarters
- Lespedeza
- Mallow
- Morningglory
- Pepperweed
- Pigweed
- Plantains
- Poison Ivy
- Poison Oak
- Purslane
- Ragweed
- Sheep Sorrel
- Shepherdspurse
- Speedwell
- Spurge
- Wild Carrot
- Wild Garlic
- Wild Lettuce
- Wild Onion
- Yarrow
- and many other
similar broadleaf
weeds



BERMUDA & BENTGRASS BROADLEAF LAWN HERBICIDE

**Kills 33 Troublesome
 Weeds in Lawns**



**KEEP OUT OF REACH
 OF CHILDREN
 DANGER**

See side panel for a list of all
 precautionary statements and
 directions on first aid treatment.

One quart covers 8,000 to 16,000 sq. ft.

Keep from Freezing

Net contents
ONE QUART

**PRECAUTIONARY
 STATEMENTS**

**Hazards to Humans &
 Domestic Animals**

... ..

**Statement of Prac-
 tical Treatment**

... ..

**Environmental
 Hazards**

... ..

DISPOSAL

... ..

FRANKLIN, MASS. 01901
 P.O. Box 1000
 Telephone 3284 186
 649 380

**G pbi/gordon
 CORPORATION**

**Directions for
 Use**

When to Use
 Spray at any time
 weeds are in the
 weeds.

How to Use
 Prepare the lawn
 then fill spray
 tank with grass
 and fill with water.

Pressure spray
 then add 1 gal
 1,000 sq. ft.
 or fill with water
 Spray uniformly.

Apply to weeds
 from a distance of
 10-15 feet.

**Rate Chart for
 Use**

**Area to
 Treat**

2,000 sq. ft.
 5,000 sq. ft.
 10,000 sq. ft.

Use Precautions
 drift. Avoid spr
 trees, and other
 desirable trees
 where desirable
 from dormancy
 established. Do
 safety sown 3 ft.
 Do not contam
 clean sprayer w
 applying other p
 injury.

ACCEPTED

20

DA & BENTGRASS BROADLEAF LAWN HERBICIDE

Kills 33 Troublesome Weeds in Lawns

Active Ingredients:
Diflufenican 10.0%
Quinclorac 10.0%
Total 20.0%
Inert Ingredients 80.0%
Total 100.0%

Net contents: 1.45 lb (0.66 kg) of herbicide concentrate
Net weight: 1.45 lb (0.66 kg)
Net volume: 1.45 lb (0.66 kg) of herbicide concentrate
acid per gallon of water

Keep from Freezing

Net contents
ONE QUART

000 to 16,000 sq. ft.

PRECAUTIONARY STATEMENTS

Hazards to Human and Domestic Animals

Caution: Harmful if swallowed. Causes irritation. Avoid contact with eyes, nose, mouth, and skin. Wash thoroughly with soap and water after use. Do not eat, drink, or smoke while using this product.

Statement of Prac- tical Treatment

Apply to lawns containing Bermuda grass, Bentgrass, and Bluegrass. Do not apply to other lawn grasses.

Environmental Hazards

Do not apply to water bodies. Do not apply to areas adjacent to water bodies.

DISPOSAL

Do not reuse containers. Dispose of containers in accordance with local regulations.

EPA Reg. No. 100-100000-01
EPA Reg. No. 100-100000-02

Manufactured by G. P. Gordon Corporation
849 2-

G pby Gordon
Corporation

BERMUDA & BENTGRASS BROADLEAF LAWN HERBICIDE

Directions for Use

Apply to lawns containing Bermuda grass, Bentgrass, and Bluegrass. Do not apply to other lawn grasses.

When to Use

Apply to lawns containing Bermuda grass, Bentgrass, and Bluegrass. Do not apply to other lawn grasses.

How to Use

Apply to lawns containing Bermuda grass, Bentgrass, and Bluegrass. Do not apply to other lawn grasses.

Apply to lawns containing Bermuda grass, Bentgrass, and Bluegrass. Do not apply to other lawn grasses.

Apply to lawns containing Bermuda grass, Bentgrass, and Bluegrass. Do not apply to other lawn grasses.

Rate Chart for Amount to Use (Use Correct Measuring Cup)

Area Treat	Lawn Grass		
	St. Augustine grass (except palm)	Bermudagrass (except palm)	Bluegrass Fescue Zoysia grass
1000 sq. ft.	1.0	1.0	1.0
2000 sq. ft.	2.0	2.0	2.0
3000 sq. ft.	3.0	3.0	3.0
4000 sq. ft.	4.0	4.0	4.0
5000 sq. ft.	5.0	5.0	5.0
6000 sq. ft.	6.0	6.0	6.0
7000 sq. ft.	7.0	7.0	7.0
8000 sq. ft.	8.0	8.0	8.0
9000 sq. ft.	9.0	9.0	9.0
10000 sq. ft.	10.0	10.0	10.0

Precaution: Use only the sprayer that delivers coarse spray to reduce drift. Avoid spray drift to vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not spray carpetgrass, dichondra, or lawns where desirable covers are present. Do not spray when grass is emerging from dormancy. Do not apply to newly seeded lawn grasses. Do not apply to lawns. Do not spray when air temperature exceeds 85°F. Seed can be safely sown 2-4 weeks after application. Do not use in domestic or irrigation waters. After using this product, wash thoroughly with soap or detergent and water, and rinse thoroughly before eating or drinking. This label and following instructions may refer to other products.