

LIQUID SEVIN® SPRAY

An insecticide for the control of certain pests
of shade trees, turf, and ornamentals.

PROTECT FROM FREEZING

ACTIVE INGREDIENT:

Carbaryl(1-naphthyl N-methylcarbamate).....	23.4%
INERT INGREDIENTS.....	76.6%
TOTAL	100.0%

This product contains 2 lbs. carbaryl insecticide per gallon.
SEVIN® is the registered trademark of Rhone-Poulenc for carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN


CAUTION

ACCEPTED
MAR 25 1997
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 2217-600

See Side Panels for Additional Precautionary Statements.

NET CONTENTS ONE U.S. GALLON (3.785 LITERS)

838 APXXXXXX
 EPA REG NO 2217-600
 EPA EST NO 2217-KS-1
 MFD. BY PBI/GORDON CORPORATION
 KANSAS CITY, MISSOURI 64101



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May be Harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

- User Safety Requirements:**
- ◆ Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when mixing and applying this product.
 - ◆ Wear a hat and eye protection when making overhead applications.
 - ◆ Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use.
 - ◆ Wash the outside of gloves before removing. As with any pesticide product wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
 - ◆ Do not allow children or pets to contact treated area until sprays have dried.

Statement of Practical Treatment

IF SWALLOWED: Induce vomiting and seek medical attention immediately.

IF IN EYES OR ON SKIN: Flush eyes thoroughly with water; wash skin thoroughly with soap and water.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or ornamental gardens or parks, or on golf courses or lawns and grounds.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children or animals. Do not store in areas where temperatures frequently exceed 100°F. **PROTECT FROM FREEZING** as bottle may break.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: *For Plastic Containers* - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke. *For Metal Containers* - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

- ◆ Apply when air is calm to avoid drift and contact with eyes and skin.
- ◆ Start applying at the farthest corner of the treatment area and work backward to avoid contact with wet surfaces. Allow spray to dry in treated areas before reentering.
- ◆ For trees taller than 10 feet, consider hiring a licensed professional.
- ◆ Spray thoroughly to wet upper and lower leaf surfaces, stems and branches.
- ◆ Do not repeat applications more than once a week.
- ◆ Do not apply this product through any type of irrigation system.
- ◆ Shake well before measuring. Keep container closed to prevent caking of contents. Best results are obtained by thinning the measured dosage with water in a separate container before adding to the sprayer. Spray all plant surfaces thoroughly.

ROSES, FLOWERS, ORNAMENTALS, SHRUBS & SHADE TREES: Mix 4 teaspoonfuls of Liquid Sevin Spray per finished gallon of spray, 1 1/4 pints per each 30 gallons, or 2 1/2 pints per each 60 gallons of spray. Treat at first sign of insect damage. Repeat at 7 to 10 day intervals. ~~or as necessary to maintain control. Wet all leaf surfaces thoroughly.~~ Do not use on Boston Ivy as injury may result.

Roses: Thrips (exposed), rose slug, Japanese beetle, rose aphid, and leafrollers.

Flowers & Shrubs: Japanese beetle, boxelder bug, tent caterpillar, lace bug, leafrollers, and leafhoppers.

Shade Trees: Bagworm, Elm leaf beetle, birchleaf miner, boxelder bug, tent caterpillar, periodical cicadas, and leafhoppers.

Shrubbery, Hedges & Flowerbeds: Mosquitoes (Adult). Spray where mosquitoes may rest during the day.

TURF: Mow grass and water before spraying. Use one pint of Liquid Sevin Spray in 15 gallons of water. Apply to 1,250 square feet of turf to control chinch bugs, sod webworms (lawn moth), fall armyworm, cutworm, earwigs, fleas, and ants. Repeat in 2 to 3 weeks if necessary.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.