Please read instructions on reverse	ープレーー e before completing form.	- 60	Form Appr	7/27/76 oved, OMB No. 2	070-0060	Approval Expires 05-31-98	}
≎ EPA	United State Environmental Prote Washington, DC	ection Agend	[[Registra Amendm Other	tion	OPP Identifier Number	
	Application	on for Pestic	ide - Secti	on I		<u> </u>	_
1. Company/Product Number			A Product Man		3, Pro	oposed Classification	
	217-603		Joanne I	. Miller		•	
4. Company/Product (Name) Gordon's Trimec® Weed & Feed for Sensitive Gra		PM#	PM# (PM 23)		X	None Restrict	ed
5. Name and Address of Appl		6. Expedited Review. In accordance with FIFRA Section 3(c)(FRA Section 3(c)(3)		
PBI/Gordon Corporation		(b)(i), my product is similar or identical in composition and labeling					
PO Box 014090 Kansas City, Missouri 64	1101	1	to: EPA Reg. No				
<u> </u>			110g. 110.				
Check if this is	a new address		uct Name				
		Section -	·				
Amendment - Explain below	٧.		Final printed labels in response to Agency letter dated			NOTIFICATION	
Resubmission in response			"Me Too" Appli		J	JUL 2 9 1998	
Notification - Explain below	•		Other - Explain	i below.			
copy of the label is enclosed for your review. This notification is consistent with the provisions of PRN 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C.Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PRN 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.						la I	
Material This Product Will Be P	Packaged In:	Section -	111				
	nit Packaging	Water Soluble Packaging 2. Type of Conf		ontainer			
Yes*	Yes	Yes		ď			
No I	No	I∏ _{No}		Plast	tic		
			101-	Glas			
	"Yes" No. per nit Packaging wgt. container	If "Yes" Package wgt.	'No. per container	Pape	r r (Specify)_		
3. Location of Net Contents Information	ation 4. Size(s) Re	tail Container	5	Location of Labe	l Directions		
Label Container •		•	<u> </u> <u> </u>	On Label On Labeing ac	companyin	g product	
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled							
		Section -					
Contact Point (Complete items c	lirectly below for identification of in	T TT	xted, if necessary,	, to process this a		<u> </u>	
Name Craig Martens		Manager of Regulatory Services		i elepnone	elephone No. (lisclude Area Code) 816/463-6287		
		nents thereto are true, accurate and complete. I be punishable by fine or imprisonment or			6. Date Application Received (Stamped)		
Craig Mantins		Manager of Regulatory Services 5. Date			1		
4. Typed Name () Craig Martens		July 21, 1998				_	

GORDON'S TRIMEC® NOTIFICATION WEED & FEED FOR SENSITIVE GRASSES 20-10-5

ACTIVE INGREDIENTS:

Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	0.576%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.165%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)	0.071%
INERT INGREDIENTS:	99.188%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

9.531 lbs. or 0.476% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton. 2.750 lbs. or 0.137% 2,4-dichlorophenoxyacetic acid equivalent per ton. 1.171 lbs. or 0.059% 3,6-dichloro-o-anisic acid equivalent per ton. Isomer Specific by AOAC Methods

 $\mathsf{TRIMEC}^{\mathfrak{D}}$ is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN CAUTION

Statement of Practical Treatment

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention. See back panel for additional Precautionary Statements.

NET WEIGHT 20 POUNDS

583/ AP072198
EPA REG. NO. 2217-603
EPA EST. NO. 2217-KS-1
MANUFACTURED BY:

pbi/gordon
corporation

KANSAS CITY, MO 64101



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE & DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS:

Do not use this product where desirable clovers are present or allow the material to wind drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not contaminate domestic or irrigation waters.

INSTRUCTIONS:

Gordon's Trimec® Weed & Feed For Sensitive Grasses controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 20-10-5 fertilizer provides a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may made in approximately 30 days. Do not use on dichondra. Do not overapply. Under conditions of adequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on St. Augustinegrass.

The maximum application rate to turf is 0.3 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew, is, on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

Spreader Settings	
Scott	6
Lawn Beauty	5
iJackson	71/2
Sears	4

The above spreader settings are approximate. Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet.

20-10-5 GUARANTEED ANALYSIS	
Total Nitrogen (N)	20%
Water Insoluble Nitrogen	5%
Available Phosphate (P ₂ O ₅)	10%
Soluble Potash (K ₂ O)	5%

Dedotrou	-WEEDS -	Deswood
Bedstraw	Knotweed	Ragweed
Black medic	Lambsquarters	Sheep sorrel
Buckhorn	Lespedeza	Shepherdspurse
Burdock	Mallow	Speedwell
Chicory	Morningglory	Spurge
Chickweed	Oxalis	Thistle
Clover	Peppergrass	Wild carrot
Dandelion	Pigweed	Wild garlic
Dock	Plantain	Wild lettuce
Ground ivy	Poison ivy	Wild onion
Healall	Poison oak	Yarrow
Henbit	Purslane	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

- Advertising claims that may be used: These claims may be presented on the retail container label or on the labeling accompanying the product.
 - ◆ Twenty pounds covers up to 5,000 square feet.
 - Controls dandelion, chickweed, knotweed, plantain, henbit, spurge and many other broadleaf weeds in St. Augustinegrass, centipedegrass, bahiagrass, bermudagrass, zoysiagrass, bluegrass, perennial ryegrass, fescue spp. and bentgrass lawns.
 - Controls (Number) weeds! (Listing of weeds may include the following.)

• Controls (Number) weeds! (Listing of weeds may include the following.)

	- W	EEDS -	
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth
Aster	Cocklebur	Mustard	Spiny cocklebur
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear
Beggarticks	Cudweed	Nettle	Spotted spurge
Betony, Florida	Curly dock	Orange hawkweed	Spurweed
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle
Bird yetch	Daisy fleabane	Oxalis	
1 2000000000000000000000000000000000000	254/90240000000000000000000000000000000000	100000000000000000000000000000000000000	Strawberry, India mock
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tail nettle
Bittercress, hairy	Dandelion	Parsnip	Tall vervain
Bitterweed	Dichondra	Pearlwort	Tansy ragwort
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard
Black medic	Dogfennel	Pennywort	Tanweed
Black mustard	Dollarweed	Peppergrass	Thistle
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch
Blessed thistle	False dandelion	Pigweed	Tumble mustard
Bloodflower milkweed	False flax	Pineywoods bedstraw	Tumble pigweed
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf
Blue vervain	Fiddleneck	Plantain	Venice mallow
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed
Brassbuttons	Prenchweed	Poison oak	Virginia creeper
Bristly extongue	Galinsoga	Pokeweed	Virginia pepperweed
Broadleaf dock	Goathead	Poorjoe	Water pennywort
Broadleaf plantain	Goldenrod	Praine sunflower	Wavyleaf builthistle
Broomweed	Ground ivy	Prickly lettuce	Western clematis
Buckhorn	Gumweed	Prickly sida	Western salsify
- 1000000000000000000000000000000000000	040000000000000000000000000000000000000		White mustard
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster
Bull thistle	Healall	Prostrate spurge	Wild buckwheat
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild carrot
Burclover	Heathaster	Puncturevine	Wild four-o'elock
Burdock	Hedge bindweed	Purslane, common	Wild garlic
Burning nettle	Hedge mustard	Ragweed	Wild geranium
Burweed	Hemp	Red sorrel	Wild lettuce
Buttercup	Henbit	Redroot pigweed	Wild marigold
Buttonweed	Hoary cress	Redstem filaree	Wild mustard
Canada thistle	Hoary plantain	Rough cinquefoil	Wild onion
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip
Carpetweed	Horsenettle	Russian pigweed	Wild radish
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape
Catrup	Knawel	Scarlet pimpernel	Wild strawberry
Catsear	Knotweed	Scotch thistle	Wild sweet potato
Chickweed, common	Kochia	Sheep sorrel	Wild vetch
Chickweed, mousecar	Lambsquarters	Shepherdspurse	Woodsorrel
Chicory	Lespedeza	Stender plantain	Woolly croton
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory
	Matchweed	Smooth dock	Woolly plantain
Clover, crimson	20000000000000000000000000000000000000	99986999444444444444444444	
Clover, hop	Mexicanweed	Smooth pigweed	Wormseed , , , ,
Clover, red	Milk vetch	Sorrel	Yarrow
Clover, strawberry	Morningglory	Sowthistle	Yellow rocket
Clover, sweet	Mouseear hawkweed	Spanishneedles	Yellowflower pepperweed
Clover, white	Mugwort	Speedwell	and other broadleaf weeds ;
			, F., ,