Please read Instructions on reverse before comple	ting form.			Notification 0-0060. Approval expires 11-30-93
(A) CEPA United States En Office of Pes Wash	vironmental Protection ticide Programs (H750 ington, DC 20460 ation for Pesti	Agency 5C)	Registrat Amenum Other	ION OPP Identifier Number
	Section I			
. Company/Product Number	. 2. (	EPA Product Mai	hager ,	3. Proposed Classification
2217-613		Cynthia Gile	s-Parker	
I. Company/Product (Name)	PM	<b>\$</b>		None Restricted
Gordon's Bordeaux Mixture		(PM 22)		1
5. Name and Address of Applicant (Include ZIP Code)		•		ce with FIFRA Section 3(c)(3) al in composition and labeling
PBI/Gordon Corporation	to			
PO Box 4090				
1217 West 12th Street Kansas, City, MO 64101	EP	A Reg. No		
Check if this is a new address	Dr	oduct Name		
	Section I I	<u> </u>		
Amendment - Explain below		Final printed	labels in response to r dated	•
Resubmission in response to Agency letter dated	· . –	-1		
	· [	"Me Too" App	blication.	NOTIFICATION LABEL NOT REVIEWED
Notification - Explain below.		Other - expla	in below.	PER PRINOTICE 88-6
are enclosed.	Section III		·	
1. Material This Product Will Be Packaged In:	Section II		<u> </u>	
Child-Resistant Packaging Unit Packaging	Water Solu	ible Packaging	2. Type of Co	ontainer
Yes* Yes	Yes			Aetal
				Plastic
No No	No		┝───  <b>╒</b>	Blass Paper
	o.per It "Yes," ontainer Package w	No. rat. coni	ainer	Other (Specify)
submitted.	ľ	<u> </u>		
	ize(s) of Retail Contai	ner	5. Location of Labe	el Directions
Label Container			On Label	accompanying product
6. Manner In Which Label Is Affixed To Product	Lithograph Paper glued	Cth	er (	)
	<u>Stenciled</u>		<u> </u>	
1. Contact Point (Complete items directly below for id		l to be contacted	, if necessary, to pro	cess this application.)
Name	Title		Τ.	elephone No. ,(Include Area Code)
James A. Armbruster, Ph.D.	Mgr	. Regulator	y Services	··· (ð16)421-4070
Cer	tification		<u>دا</u>	
I certify that the statements I have made on this fom I acknowledge that any knowingly false or misleadi both under applicable law.				e Received (Stamped)
2. Signature J. A. Remeluet	3. Title Mgr	. Regulator	y Services	
4 Typed Name	5. Date		- <u></u>	
James A. Armbruster, Ph.D.	( ···	/ 20, 1993		
PA Form 8570-1 (Rev. 12-90) Previous editions	are obsolete.	White EP	A File Copy (origina	N) Yellow - Applicant copy

# **GORDON'S BORDEAUX MIXTURE**

NOTI	FICATION
LADEL N	OT REVIEWED NOTICE 88-6
	112/93
DATE.	<u> </u>

## **BROAD-SPECTRUM FUNGICIDE**

## For Disease Control on EVERGREENS, SHRUBS, SHADE TREES, PEONIES, FLOWERS AND FRUIT TREES.

## **KEEP OUT OF REACH OF CHILDREN**

## DANGER

## STATEMENT OF PRACTICAL TREATMENT:

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate use of gastric lavage.


See back panel for additional precautionary statements.

## **NET WEIGHT 4 POUNDS**

531 AP052093

EPA REG NO 2217-613 EPA EST NO:2217-KS-1

Distributed by: ACME DIVISION PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



#### **STOPI READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS** • AND FOLLOW DIRECTIONS CAREFULLY.

#### **PRECAUTIONARY STATEMENTS**

#### Hazards to Humans and Domestic Animals:

**DANGER:** Corrosive, causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. May cause skin sensitization in certain individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

273

**ENVIRONMENTAL HAZARDS:** For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### STORAGE & DISPOSAL

**STORAGE:** Store in original container in a locked storage area inaccessible to children and pets. Keep bag tightly closed by rolling from top and taping or clipping.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard in trash.

#### DIRECTIONS

#### (8-8-100 IS SAME AS 4-4-50)

Disease controls a matter of prevention. Application should be made beforehand or as soon as first signs of disease appear.

JUNIPER, CEDAR, CYPRESS, ARBORVITAE, SPRUCE, PINE, YEW: For needle case, sphaeropsis blight, twig blight, coryneum blight, apply fall and spring using 8 tablespoons/gallon. Spray cedar and junipers July-August for cedar apple rust.

SYCAMORES, LINDEN, MAPLE, OAK, TULIP TREE, ELM: Control of anthracnose, leaf spot and elm leaf curl, use 8 tablespoons/gallon as leaves uncurl in spring. Repeat in 2 to 3 weeks.

IVY: Leaf spot, use 6 tablespoons/gallon in spring. Repeat in 14 days or at first sign of disease.

LAUREL, LILAC, RHODODENDRON: Leaf spots and blight, use 4 tablespoons/gallon in early spring. Again after blooms.

**DOGWOOD, BOXWOOD, CAMELLIAS:** Dieback, leaf spot and nectria canker, use 8 tablespoons/gallon as growth starts in early spring.

DAHLIAS, TULIPS, GLADIOLUS, LILIES AND IRIS: For Leaf spot and botrytis blight (gray mold), use 6 tablespoons/gallon in early spring. Repeat in 7 to 10 days.

**PEONY:** Leaf blotch, botrytis blight (gray mold), use 6 tablespoons/gallon. Spray before shoots are one foot tall, repeat in two weeks. If any sign of bud blast, spray again. Remove any wilted shoots by cutting below ground. Place in paper bag and burn. Remove old stalks and leaves in fall and burn, a do not compost.

#### - FOOD CROPS -

Page 2

APPLES: To control late scab, black rot, bitter rot and blotch, use 8 tablespoons/gallon plus 8 tablespoons of hydrated lime. May russet certain varieties.

PEARS: Fire blight, use 4 tablespoons/gallon in full bloom. Do not add insecticides.

APRICOTS, PLUMS, SOUR CHERRIES: Brown rot and leaf spot, use 4 tablespoons per gallon plus equal amount of lime. Do not use on Japanese plums. Use at shuck split stage and in first and second cover sprays.

PEACH: Leaf curl, use 12 tablespoons/gallon in early spring. Repeat in late fall after leaf drop.

**PECAN:** Scab, use 6 tablespoons/gallon when catkins show. Repeat 3 or 4 times at 3-week intervals. Spanish moss, use 12 tablespoons/gallon. Spray during winter.

**GRAPES:** Black rot and mildew, use 6 tablespoons/gallon when shoots are 18 inches long. Repeat after bloom and 10 days later, again in mid-August.

**POTATOES:** Early and late blight, use 8 tablespoons/gallon. Apply when plants are 3 to 4 inches high, maintain a 10 to 14 day schedule for entire season.

**STRAWBERRY:** Leaf spot, use 6 tablespoons/gallon at 10 to 14 day intervals, except during harvest. Final spray in late summer.

**CITRUS:** Lemon brown rot, grapefruit scab, melonose, use 6 tablespoons/gallon. Spray just before spring flush. Repeat 1 to 3 weeks after bloom.

TOMATO: Early and late blight. Septoria leaf spot, use 6 tablespoons/gallon. Repeat at 7 to 10 day intervals.

#### - MIXING TABLE -

Use level spoonfuls in measuring, 3 teaspoonfuls equal 1 tablespoon. Use higher dosage if can has been shaken to fluff the powder.

Amount of Spray Desired	AMOUNT OF BORDEAUX MIXTURE REQUIRED			
	4-4-50	8-8-100		
1 Pint	3/4 to 1 tablespoon	1 to 1-1/2 tablespoons		
1 Quart	1-1/2 to 1-3/4 tablespoons	2 to 3 tablespoons		
1 Gallon	6 to 7 tablespoons	8 to 12 tablespoons		
3 Gallons	1-1/8 to 1-1/4 cupfuls	1-1/2 to 2-1/4 cupfuls		

Licensed by International Copper Research Association Patent Vol. R.A.N. 854229

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labelod use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not

extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurrica::es, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



5