


PLEASE SEE 2011-2012 Notification 1976

	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 192039
	Application for Pesticide:		

Section I

1. Company/Product Number 2217-617	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gordon's Garden Weeder	PM# (PM 23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO Box 4090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION:
 Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993. This is to certify that this notification meets every requirement of PR-Notice 88-6.
 Three copies of the revised labeling are enclosed.

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 88-6

Section III


DATE: 7/12/93

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name James A. Armbruster, Ph.D.	Title Mgr. Regulatory Services	Telephone No. (Include Area Code) (816)421-4370
---	--	---

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Mgr. Regulatory Services		
4. Typed Name James A. Armbruster, Ph.D.	5. Date May 20, 1993		

2076

GORDON'S GARDEN WEEDER

Contains 2 1/2% DACTHAL® Herbicide

For use as pre-emergent herbicide

Stops New Weed Growth in Flower Beds, around Trees, Shrubs, Evergreens, Vegetable transplants and Strawberries.

ACTIVE INGREDIENT:		
DCPA (Dimethyl tetrachloroterephthalate).....	2.5%	
INERT INGREDIENTS.....	97.5%	
	TOTAL	100.0%

DACTHAL® is a registered trademark of Fermenta ASC Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

IF IN EYES: Flush with plenty of water.
Call a physician if irritation persists.


See Side Panels for Precautionary Statements

NET WEIGHT ONE POUND

540/ AP052093

EPA REG NO 2217-617
EPA EST NO 32802-XX-X

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

Environmental Hazards Collect and incorporate granules spilled on the soil surface. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Groundwater Advisory: Tetrachloroterephthalic acid, a breakdown product of Dacthal, is known to leach through soil as a result of agricultural and turf uses and has been found in groundwater which may be used for drinking water. Users are advised not to apply Dacthal to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater used for drinking water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING: Wear long-sleeved shirt and long-legged pants and chemical resistant gloves.

IMPORTANT! If the pesticides comes in contact with skin wash off with soap and water. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER USE: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Do not reuse contaminated clothing. Clothing worn during use must be laundered separately from household articles.

IMPORTANT NOTES and PRECAUTIONS ABOUT APPLICATIONS WITH GARDEN WEEDER: A second late summer or fall application gives year around weed free plantings. See cautions for plants that should not be treated.

Controls crabgrass, purslane, lambsquarters, redroot pigweed, common chickweed, spotted spurge, as well as other annual grasses and broadleaf weeds. Does not control ragweed or smartweed.

May be used around and under shade trees, evergreens, flowering shrubs, and hedge rows. Also, may be used in ground covers such as ivy and pachysandra. Do not use on dichondra. Does not prevent growth into treated areas by turf grasses.

May be used very effectively in rose beds and in iris and gladiolus plantings. Treat annual flowers after transplanting from flats or after thinning and initial weeding. Do not treat immediately after seeding petunias, snapdragons, and similar flowers.

4040

Do not use on or near the following plants:

Bugleweed
Button Pink
Camation
Dianthus
Geum

Germander
Mesembryanthemum
(Ice Plants)
Pansy
Phlox


Portulaca
Sweet William
Telanthera
Violets

Use around tulips, amaryllis, and hosta is questionable.

HOW TO USE TO BE EFFECTIVE:

1. Existing weeds must be removed in early spring or treatment made on freshly cultivated ground.
2. Carefully measure area to be treated and determine the number of square feet. If area to be treated is large, it should be divided into smaller sections of 10 square feet each.
3. Apply 1 pound per 100 square feet. Sift over ground as uniformly as possible.
4. Do not treat dry, hard ground, and do not cultivate after application.
5. Water lightly after application.

A second late summer or fall application gives year around weed-free plantings.




204

The following species of ornamentals, shrubs, and flowers can be treated. Apply at the rate of 1 2/3 ounces (5 level tablespoons) per 10 square feet. 1 pound treats 100 square feet.

- | | | |
|-----------------|--------------------|---------------------|
| Abelia | Euonymus | Pachysandra |
| Ageratum | Evening primrose | Pachistima |
| Alyssum | Feverfew | Peonies |
| Arborvitae | Fernleaf yarrow | Petunia |
| Ash | Fir | Pink Heath |
| Aster | Forget-me-not | Pittosporum |
| Azalea | Forsythia | Podocarpus |
| Babysbreath | Four-O'Clock | Poker plant |
| Baltic Ivy | Foxglove | Poplar |
| Barberry | Gaillardia | Privet |
| Bellflower | Geranium | Purple coneflower |
| Birch | Gladiolus | Redbud |
| Bleedingheart | Golddust | Rhododendron |
| Bloodleaf | Golden marguerite | Rose |
| Boston Ivy | Goldentuft | Russian olive |
| Boxwood | Gum | Salvia |
| Bugloss | Hawthorn | Scarlet sage |
| Camellia | Holly | Snapdragon |
| Candle Larkspur | Honeysuckle | Spirea |
| Candytuft | Hydrangea | Spruce |
| Chestnut | Iris | Stonecrop |
| Chrysanthemum | Japanese andromeda | Strawflower |
| Cinquefoil | Juniper | Sundrops |
| Coleus | Lantana | Sunflower |
| Columbine | Lavendercotton | Sweet Pea |
| Coralbells | Lilac | Sycamore |
| Coreopsis | Lily | Tree Peony |
| Cosmos | Locust | Tulip tree |
| Cottoneaster | Lupine | Vanegated privet |
| Cottonwood | Magnolia | Verbena |
| Crabapple | Maple | Viburnum |
| Cuphea | Marigold | Virginia Spiderwort |
| Cypress | Mockorange | Walnut |
| Dahlia | Momingglory | Weigela |
| Delphinium | Mother-of-Thyme | Willow |
| Deutzia | Mountain Laurel | Wilson Ivy |
| Dogwood | Mourning bride | Wormwood |
| Elaeagnus | Nasturtium | Yew |
| Elm | Oak | Zinnia |
| English Ivy | Orpine | |

STRAWBERRIES: New planting – apply overall immediately after transplanting. Established Planting -- apply in the fall and early spring before weeds emerge. Do not apply after first bloom. Apply at the rate of 1 1/3 ounces (4 level tablespoons) per 10 square feet. This 1 pound container treats 120 square feet.

VEGETABLES: Treat snap beans as soon as planted. Use around onion sets and after transplanting cabbage, cauliflower, broccoli, sweet potato slips, and tomatoes. On tomatoes, defer treatment 4 to 6 weeks after transplanting. Clean cultivate before making application. Apply at the rate of 1 1/3 ounces (4 level tablespoons) per 10 square feet. This 1 pound container treats 120 square feet.



2016

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

