PM-23

185



1217 W. 12TH STREET P.O. BOX 4090 KANSAS CITY, MO 64101

The Certification of Compliance for the 2.4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of Gordon's Trimec 450 Herbicide (2277-624) produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

James A. Armbruster, Ph.D. Mgr. Regulatory Services

A. Simbustes

Date

GORDON'S TRIMEC(R) 450 HERBICIDE

CONTROLS: DANDELIONS, CHICKWEED, KNOTWEED, PLANTAINS, HENBIT, SPURGE and many other broadleaf weeds.

Contains 2.4-D, MCPP, and Dicamba

-KEEP FROM FREEZING-

| ACTIVE INGREDIENTS: | | |
|-----------------------|---|---------|
| "Dimethylamine Salt | of 2,4-dichlorophenoxyacetic acid | 23.12% |
| **Dimethylamine Salt | of 2,4-dichlorophenoxyacetic acid of 2-(2-methyl-4-chlorophenoxy) | |
| propionic acid. | | 24.70% |
| ***Dimethylamine Salt | of Dicamba (3,6-dichloro-o-anisic | |
| | | |
| INERT INGREDIENTS | | 46.00% |
| | | 100.00% |

THIS PRODUCT CONTAINS:

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: In case of contact with eyes, flush with water for 15 minutes. Call a physician at

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

See side panels for additional Precautionary Statements.

NET CONTENTS ONE U.S. GALLON

823/1292 APXXXXXX

EPA REG NO. 2217-624 EPA EST NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

^{1.88} lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 19.18%. 2.00 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 20.40%. 0.50 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 5.13%.

Isomer Specific by AOAC Methods.
*TRIMEC^(R) is a registered trademark of PBI/GCRDON CORPORATION.

GORDON'S TRIMEC(R) 450 HERBICIDE

CONTROLS: DANDELIONS, CHICKWEED, KNOTWEED, PLANTAINS, HENBIT, SPURGE and many other broadleaf weeds.

Contains 2,4-D, MCPP, and Dicamba

-KEEP FROM FREEZING-

| ACTIVE INGREDIENTS: | | |
|--|---|---------|
| *Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) | • | .23.12% |
| **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) | | |
| propionic acid | | .24.70% |
| propionic acid | | |
| acid) | | |
| INERT INGREDIENTS | | |
| TOTAL | | |


THIS PRODUCT CONTAINS:

**1.88 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 19.18%.

2.00 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 20.40%. 0.50 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 5,13%.

Isomer Specific by AOAC Methods. ${}^{\star}\text{TRIMEC}^{(R)}$ is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN



DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: In case of contact with eyes, flush with water for 15 minutes. Call a physician at once.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.


See side panels for additional Precautionary Statements.

NET CONTENTS ONE U.S. GALLON

823/1292 APXXXXXX

EPA REG NO. 2217-624 EPA EST NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.



PRECAUTIONARY STATEMENTS

HAZAROS TO HUMANS & DOMESTIC ANIMALS

DANGER-Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing loading or applying this product. When handling this product, wear chemical resistant gloves.

Harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation of spray mist.

in case of contact, immediately flush eyes or skin with plenty of water. If in eyes see a physician. If irritation develops, get medical attention. Wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning of equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit workers to reenter treated areas until sprays have dried or dusts have settled.

STORAGE & DISPOSAL

STORAGE: KEEP FROM FREEZING. Store in original container in a locked storage area away from children and pets. Do not store near other pesticides or seeds.

PRODUCT DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law, and may contaminate groundwater. If these wastes cannot be disposed of by use according to label; instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or sunctive and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE PRECAUTIONS: Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solution near these plants. Do not spray on carpetgress, dichondra or lawns or turf where desirable clovers are present. Use only lawn-type sprayers. NOTE:



Coarse sprays are less likely to wind-drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 85 degrees F. Seed can be sown 3 to 4 weeks after application. Do not spray while grass is emerging from dormancy. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species.

Do not contaminate domestic or irrigation waters. Some injury can be expected to turf when used on centipedegrass or St. Augustinegrass lawns; "spot spray" weeds only on these types of grasses. Clover present will be damaged if sprayed. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury to desirable plants. Do not apply this product through any type of irrigation system.

ORNAMENTAL LAWNS AND TURF: Apply at the rate of 2 to 3 pints per acre in sufficient water for adequate coverage. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra.

WEEDS CONTROLLED: TRIMEC^(R) 450 Herbicide is especially effective against weeds such as sheep sorrel, knotweed, spotted spurge, chickweed, oxalis, and henbit.

BEDSTRAW HENBIT BLACK MEDIC KNOTWEED **LAMBSQUARTER** BUCKHORN BURDOCK **LESPEDEZA CHICORY MALLOW** CHICKWEED MORNINGGLORY **CLOVER PEPPERGRASS DANDELION PIGWEED** DOCK **PLANTAINS GROUND IVY** POISON IVY HC-AL-ALL **POISON OAK**

PURSLANE
RAGWEED
SHEEP SORREL
SHEPHERDSPURSE
SPEEDWELL
SPURGE
WILD CARROT
WILD GARLIC
WILD LETTUCE
WILD ONION
YARROW

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors; are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.