



READ THE ENTIRE LABEL FIRST. OBSERVE ALL USE PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:
CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing of spray mist. Wash hands after using. Wear protective clothing when handling or applying this product, including long pants, long-sleeved shirt, and impermeable gloves and boots. Avoid contamination of food and feedstuffs. Do not allow children or pets on treated area until after sprinkling and grass is dry. Keep livestock off treated areas.

Statement of Practical Treatment:

If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once.
If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.
If On Skin: Wash promptly with soap and water. Rinse thoroughly if irritation develops, get medical attention.
If Inhaled: Remove victim to fresh air and apply respiration if indicated.

Environmental Hazards:

Do not apply directly to water. Do not contaminate waters used for domestic consumption, or by wildlife or aquatic life, or for irrigation purposes. Do not apply when weather conditions favor drift from area treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.


DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in original container in a locked storage area inaccessible to children and pets. Do not store near food or feedstuffs. Keep tightly closed when not using.

PRODUCT DISPOSAL: Securely wrap original container with unused product in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not use empty bottle. Rinse thoroughly before discarding in trash.



NET CONTENTS ONE PINT

CONTROLS CRABGRASS, NUTGRASS, DALLISGRASS, and SANDBAR in BLUEGRASS or ZOYIA LAWNS.

USE PRECAUTIONS:

DO NOT USE ON NEWLY SEEDED LAWNS UNTIL AFTER THE THIRD MOWING. DO NOT USE ON ST. AUGUSTINE, CENTIPEDE, or BAHIA GRASSES. DO NOT ALLOW CHILDREN OR PETS ON TREATED AREAS UNTIL AFTER SPRINKLING AND GRASS IS DRY. DO NOT USE A HOSE-END SPRAYER. DO NOT USE HIGH SPRAYER PRESSURE SINCE FINE DROPLETS COULD BE FORMED WHICH MIGHT DRIFT TO NEARBY SENSITIVE PLANTS.

ABOUT NUTGRASS: Nutgrass grows from seed and small nut-like tubers on the roots. Unless controlled, nutgrass will spread rapidly. Look for grass-like but triangular yellowish-green leaves growing upright above the normal lawn grass. Make application promptly to prevent seed and tuber formation. Treat only infested areas since some temporary yellowing of the lawn grass may occur. Where only a few nutgrass plants are found, place 2 or 3 drops of undiluted chemical directly in the crown of the plant (an eye dropper or small spoon may be used) and retreat in 10 to 14 days.

SEE NECK TAG FOR COMPLETE DIRECTIONS



647/884
 EPA REG NO 2217-630-33865
 EPA EST NO 2217-KS 1



ACME CHEMICALS CO. KANSAS CITY, MO. 64108
 MADE IN U.S.A.

2007
 P. 12

Chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even where label directions are followed. Except where such disclaimers and exclusions are specifically prohibited by applicable law, MANUFACTURER MAKES NO WARRANTY OF MERCHANTABILITY. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HERE OF AND IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR ANY CONSEQUENTIAL DAMAGE OR LOSS.

16-14

ACME® Crabgrass & nutgrass killer



847-884
EPA REG. NO. 2217-630-33855
EPA EST. NO. 2217-KS-1

DISTRIBUTED BY ACME DIVISION
pbi / Gordon
CORPORATION
KANSAS CITY, KANSAS 64118

BEST AVAILABLE COPY

WHEN & HOW TO APPLY: Apply anytime when temperatures are above 75°F. Apply early because young plants require less chemical and are easier to kill than older plants. Determine average size of patch of plants to be treated and make dilutions as given in the table. Use coarse spray droplets. On new lawns, wait until after the third mowing before treating. Be sure soil is moist and lawn healthy before treating. During droughts, water grass well several days in advance and restore turf to healthy green color with fertilizer before treating. Treat only infested areas since some temporary yellowing of the lawn grass may occur. If directions are followed, turf grasses will quickly return to normal. Repeat applications may be necessary if new growth appears. Use a compressed air sprayer.

1. KEEP LAWN MOWED ABOUT 1½ TO 2 INCHES DURING TREATMENT.
2. WATER LAWN WELL BEFORE TREATMENT.
3. IN A COMPRESSED AIR SPRAYER, MIX ACCORDING TO THE DILUTION TABLE.
4. SET SPRAYER WAND AT LOW PRESSURE FOR A COARSE DROPLET SPRAY.
5. APPLY UNIFORMLY OVER THE AREA TO BE TREATED. FOR EXAMPLE: 2 tsp. (for young seedlings) in 1 gal. water over 250 sq. ft.
6. SPRINKLE LAWN AFTER TREATMENT AND ALLOW GRASS TO DRY BEFORE PERMITTING CHILDREN OR PETS ACCESS.
7. FLUSH OUT SPRAYER WITH CLEAN WATER.
8. REPEAT TREATMENTS AS NEEDED.

DILUTION TABLE FOR COMPRESSED AIR SPRAYER
(Do not use a hose-end sprayer.)

AMOUNTS TO USE:		Older Plants in 75° Weather		Amount of Water to Sprayer	Area To Be Treated
1/2 oz.	1 oz.	Tsp.	Fl. Oz.		
2	1	2½	1¼	1	250
4	2	5	2½	2	500
6	3	7½	3¾	3	750