| | everse before completing | g form. | Form | Annroved ON | (\ 4B No: 2070-1 | DOGO Approval experi | es 11 30 9 |
|---|---|---|--|---|-------------------------------|---|------------------|
| | United States Enviro Office of Pestor Washing | onmental Prote | iction Agency H7505C) i0 | Re | gistratio nendmei her | OPP Identifier | Number |
| | | Section | 1 | | | I | |
| Company/Product Number | | | 2 EPA Product | - | 3 | Proposed Classifie | cation |
| 2217-638 | | | George L | aRocca | - | | Restricted |
| Company/Product (Name) Gordon's Diazinon 25 | (% Emulcifiable | | (PM 13) | | | | |
| | | | | Deview In | | with FIFRA Sectio | n 2(c)(2) |
| Name and Address of Applica PBI/Gordon Corporat | | | | | | in composition and | - |
| PO Box 4090 1217 West 12th Stree | | | EPA Reg. No. | | | | |
| Kansas City, MO 641 | | | Product Name | | | | |
| | | Section I I | | | | | |
| Amendment - Explain below | w . | | Final print | ed labels in re | | | <u> </u> |
| Resubmission in response | | | <u> </u> | Application | ··· •·· | | |
| Notification Explain below | 1 | | Other ex | plain below | | | |
| | <u> </u> | Section III | <u>. </u> | | LADEL I PER PR | TICATION NOT NEVIEWED NOTICE 01-0 Z//Z/93 | - <u>-</u> |
| . Material This Product Will I | | Section in | <u></u> | | | mer to | |
| hild Resistant Packaging Ur | nit Packaging | Wate | r Soluble Packagin | 9 2 | Type of Cont | lainer | |
| T Yes* | Yes | | Yes | | Me | | |
| | No | | No | | Gla | stic Iss | |
| | - | per If 'Ye tainer Packa | | No per container | | per her (Specify) | |
| submitted. | | e(s) of Retail C | | <u> </u> | tion of Label 1 | Directions | |
| I contrar of Not Contrate Inf. | ormation j≉ orze | s(s) of neuror C | VOURINES | 1 | On Label | 0000 | |
| Label Cont | | | | | | iccompanying produc | <u>.t</u> |
| Label Cont | | Fithograph Paper glued Stenciled | | | | iccompanying produk) | :1 |
| Label Cont Manner In Which Label Is Af | fixed To Product | Paper glued Stengted Section IV | <u>v </u> | Other (| Dn Labeling a |) | <u>.</u> |
| Label Contact Point (Complete iter | fixed To Product | Paper glued Stengled Section I tification of ind | <u>v </u> | Other (| On Labeling a ary to proce |) | Area Cod |
| Label Cont Manner In Which Label Is Af Contact Point (Complete iter | fixed To Product | Paper glued Stengled Section I tification of ind | V Indual to be contac | Other (| On Labeling a ary to proce | ss this application (| Area Cros |
| Label Cont Manner In Which Label Is Af Contact Point <i>(Complete ite</i>) | fixed To Product ms directly below for ident ister, Ph D Certifi have made on this form a | Paper glued Stengled Section II trifcation of indi Title lication ind all attachm | V Indual to be contac Mgr. Regula | Other (cled, if necess lory Servi | any to proce | ss this application) phone No (Include (816)421-40 | Area Crick 70 |
| 5 Manner In Which Label Is Af 1 Contact Point (Complete iter Name James A. Armbru I certify that the statements I 1 acknowledge that any know both under applicable law | fixed To Product ms directly below for ident ister, Ph D Certifi have made on this form a | Paper glued Stengled Section II trifcation of indi Title lication ind all attachment ma | V Indual to be contac Mgr. Regula | Other (Cled, if necess lory Servi ie, accurate ar | any to proce iCes ices | ss this application) phone No (Include (816)421-40 5 Date Appli Received | Area Crick 70 |

GORDON'S DIAZINON 25% EMULSIFIABLE LAWN & GARDEN INSECT CONTROL

This product must not be used on golf courses and sod farms.

For outdoor use on the home lawn and the home garden only.

PROTECTS: Lawns, Trees, Shrubs, Roses, and Flowers. CONTROLS: Ants, Aphids, Chinch bugs, Cutworms, Fire Ants, Flea Beetles, Grubs, Mites, Sod Webworms, and many others as listed.

* Aids in control.


ACTIVE INGREDIENT:

| Diazinon: 0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothic | ate25.0% |
|--|--------------|
| "INERT INGREDIENTS | <u>75.0%</u> |
| TOTAL: | 100.0% |

"Contains aromatic petroleum distillates

Spray concentrate. Contains diazinon insecticide.

KEEP OUT OF REACH OF CHILDREN



CAUTION

See side panels for additional Precautionary Statements and Statement of Practical Treatment.

NET CONTENTS ONE U.S. GALLON

895/ AP052093

EPA REG NO 2217-638 EPA EST NO 2217-KS-1

Mfd by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

STOPI READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye injury. Avoid breathing spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not use inside the home. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not allow children or pets to go onto a treated area until the treated area, such as grass or soil, has dried. Do not contaminate ormamental fish ponds. Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides.

Statement of Practical Treatment

IF SWALLOWED: Call a physician immediately. DO NOT INDUCE VOMITING UNLESS NO OTHER TREATMENT IS AVAILABLE. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.

IF INHALED: Remove victim to fresh air and apply respiration if indicated. Get medical attention.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. Get medical attention.

IF IN EYES: Rinse eyes with plenty of water and call a physician immediately.

NOTE TO PHYSICIAN: This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. This product contains aromatic petroleum distillates which may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

Environmental Hazards: This pesticide is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. For lawns, where irrigation (watering) is recommended in the directions or if waterfowl, i.e., ducks or geese, can be expected in the treated area after treatment (except spot treatment), water lawn with at least 1/4 inch of water immediately after spraying this product; however, stop watering before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

STORAGE & DISPOSAL

1/

STORAGE: Do not store near heat or open flame. Store in original container in a locked storage area inaccessible to children or pets. <u>USE CONTENTS WITHIN 6 MONTHS AFTER OPENING</u>,

DISPOSAL: Do not reuse empty container. Thoroughly rinse container, securely wrap it in several layers of newspaper and discard in trash. If disposal of a partially full container is necessary, make sure cap is tightly closed, securely wrap the container in several layers of newspaper and discard in trash.

General Information

GORDON'S DIAZINON 25% EMULSIFIABLE is an emulsifiable concentrate product which must be diluted with water before application. Refer to the section How to Mix and Apply. GORDON'S DIAZINON 25% EMULSIFIABLE kills many outdoor insects which destroy lawns, roses, flowers, trees, and shrubs or annoy pets and people. Contains diazinon insecticide which provides positive control of many "hard-to- kill" sucking and chewing insects. GORDON'S DIAZINON 25% EMULSIFIABLE works fast and application should be repeated only as directed to maintain control.

Notes: (1) USE CONTENTS WITHIN 6 MONTHS AFTER OPENING. SEE "STORAGE AND DISPOSAL" DIRECTIONS. (2) Do not use in the home. (3) Do not use on ferms, poinsettia, hibiscus, papaya, pilea, gardenia or orchids since injury may occur.

Precautions: (1) Wear a long sleeved shirt and long legged pants when spraying. (2) Spray with the wind to your back. (3) Do not spray on windy days. (4) If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas with soap and water, and launder clothing before wearing again.

HOW TO MIX AND APPLY

- Step #1. Determine size of spraying job. For lawns measure the area to be sprayed. For all other applications, apply as a thorough cover spray. Make applications when insects first appear. Applications should be repeated only as directed to maintain control.
- Step #2. Use clean sprayer. Carefully measure and mix the amount of GORDON'S DIAZINON 25% EMULSIFIABLE and water as suggested in the rate chart.
- Step #3. Spray as directed in rate chart. Thorough coverage is important. Flush sprayer with clean water after each use.

See chart for complete list of use sites, crops, and insects controlled. Use the rate given in the chart tor the type of insect you want to control on the site or crop you are spraying.

Measurement Conversions

1 tablespoon = 3 teaspoons

1 fluid ounce = 6 teaspoons or

2 tablespoons

6 fluid ounces = 3/4 cup

1 1/2 tablepoons in 3 gallons of water = 1 1/2 teaspoons in 1 gallon of water

2 tablespoons in 3 gallons of water = 2 teaspoons in 1 gallon of water

- Lawn Pest Control -

Precautions: Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Apply this product only as specified on this label. Because of the migratory habits of certain waterfowl, do not apply in Nassau County, New York, between November 1 and May 20. Do not exceed maximum permitted label rates, since rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. Where irrigation (watering) is recommended in the directions or if waterfowl, i.e., ducks or geese, oan be expected in the treated area after treatment (except spot treatments), water lawn with at least 1/4 inch water immediately after spraying this product; however, stop watering hefore puddling occurs. For use on Bentgrass, Bermudagrass, Bluegrass, Dichondra, Fescue, Merion and St. Augustinegrass.

| Тос | ontrol pests listed l | below, apply | the recommended rates. |
|---|---|---------------------------------------|--|
| <u>,</u> | RATE | | |
| PESTS | DIAZINON 25% EMULSIFIABLE | WATER | REMARKS |
| Lawn Chinch Bugs | 1 1/2 tablespoons per 125 square feet or 6 fluid ounces per 1,000 square feet. | 3 galione 24 galions | Thoroughly wet down grass a few hours before applying. In the North, if chinch bugs are the only problem, a lower Irate of application can be used: 3 teaspoons in 3 gallons of water covers 125 square feet or 4 fluid ounces in 24 gallons of water per 1,000 square feet |
| Ants, Armyworms, Bernudagrass Mites, Clover Mites, Springtails (<u>Collembola</u>), Crickets, Cutworms, Digger Wasps, Earwigs, Frit Flies, Lawn Bilbugs, Leafhoppers, Sod Webworms (Lawn Moths), Sowbugs(Pillbugs) | 1 1/2 tablespoons per 125 square feet or 6 fluid ounces per 1,000 square feet | 3 gallons 24 gallons | Thoroughly wet down grass a few hours before applying. For ants and digger wasps, spot spray ant hills and wasp ground nest openings. For digger wasps, apply at dusk when wasps are not active. For frit flies, mow grass and water thoroughly before treatment, but delay application juntil grass is dry. Billbug control: Apply when activity is [first observed or when chewed or brown grass is present indicating damage from the insect |
| Brown Dog Ticks, Chiggers, Fleas | 1 1/2 tablespoons per 125 square feet or 6 fluid ounces per 1,000 square feet | 3 gailons 24 gailons | [Note: Do not apply this product to animals. For brown [dog ticks, spray grass and under shrubbery, particularly [near house.] |
| Hyperodes Weevil | 1 1/2 tablespoons per 125 square feet or 6 fluid ounces per 1,000 square feet | 3 gailons 24 gailons | Treat problem areas in mid-April and again in mid-May Water grass thoroughly after application |
| Millipedes | 1 1/2 tablespoons per 125 square feet or 6 fluid ounces per 1,000 square feet | 3 gallons 24 gallons | Thoroughly wet grass a few hours before applying |
| Rhodesgrass Scales | 1 1/2 tablespoons per 125 square feet or 6 fluid ounces per 1,000 square feet | 3 gallons 24 gallons | Apply when crawlers first emerge |
| White Grubs of Japanese Beetle, European Chafer, Southern Chafer | 1 1.2 tablespoons per 125 square feet or 6 fluid ounces per 1,000 square feet | i 3 gallons 1 1 24 gallons 1 | Apply any time between late July and early October (Water grass thoroughly after application |

To control pests listed below, apply the recommended rates.

•

- Nuisance Pests Outside The Home -

Ants, Boxelder Bugs, Brown Dog Ticks, Chiggers, Clover mites, Cockroaches, Crickets, Earwigs, Fleas, Flies, Millipedes, Sowbugs (Pillbugs), Spiders, Springtails (<u>Collembola</u>): Mix 6 fluid ounces in 3 gallons of water and thoroughly spray window and door screens, sills, foundations, porch and patio walls and ceilings, entranceways, walks, garbage cans, tree trunks, and into cracks and other places where insects can hide.

To prevent entry into houses, spray a five-foot band of s il around the house next to the foundation and spray the foundation of the house to a height of 2 to 3 feet. Repeat application as necessary.

Do not treat animals with this product. Do not treat plants (other than tree trunks) at this nuisance pest rate.

Fire Ants: To aid in the control of fire ants in home lawns and other outdoor home recreation areas, apply 1 fluid ounce (2 tablespoons) in a minimum of 1 gallon of water as a drench. Apply over and 6 inches around each mound. Apply gently to avoid disturbing ants. Real ply as necessary. Larger quantities of solution can be prepared for multiple mound. Teatments. Use equipment capable of delivering the diluted product as a gentle rain at the rate of 1 gallon per mound. High pressure sprays may disturb the ants and cause migration, reducing product effectiveness.

NOTE: For best results, apply in cool weather 65 to 80°F, or in early morning or late evening hours. Treat new mounds as they appear.

| | 1 | Ratc per 3 | 1 |
|---|---|--|---|
| Species | Insects | gallons of Water | Timing/Special Directions |
| **************** | | | |
| Azaleas, Birch, Shoot Mo Boxwood, Dipterous Camellias, Douglas Azalea, E Fir, Elm, Leafhopp Hawthorn, Holly, I(Clover, G Juniper, Lilac, Privet, Ta Locust, Maple, Obscure Mimosa, Oak, Leaftiers Pine, Ornamental Joustion, Plum, Poplar, Needle, I Rhododendron, I Spruce, Willow I I====== Webwon Withefhe I I I I Spruce, Study, Tables, T | Aphids, Bagworms, European Pine Shoot Moths, Holly Bud Moths, Dipterour: Leafminers (Antorvitae, Azalea, Birch, Boxwood, Holly, Oak), (Leafhoppers, Mealybugs, Mites (Clover, Cyclamen, European Red, Privet, Two-spotted Spider), Obscure Root Weevils, Ornivorous (Leaftiers, Scale Crawlers, (Cottony- cushion, Euonymus, Lecanium, Pine (Needle, Pit, San Jose, Soft) | 2 tablespoons | Apply as a thorough foliar spray Wet leaves and branches to the dripping point Try to penetrate dense foliage with spray |
| | Webworms (Juniper, Mirnosa), Whitefilies | 2 tablespoons | I Apply as a thorough foliar spray Mimosa webworms. Apply as a thorough Ifoliar spray when adults first appear Make two additional applications at to 5 week intervals |
| | Apple and Thorn Skeletonizers, Hemlock Chermes, Oak Loopers, Obliquebanded Leafrollers, Pear Skigs, Tent Caterpillars, Webworms (Cotoneaster, Fall) | 2 tablespoons | Apply as a thorough foliar spray |
| Roses & Flowers Azaleas, Camellias, Chrysanthemums, Carnations, Gladioli, Lilac, Rhododendron, Roses | Aphids, Euonymus Scale Crawlers, Flea Beetles, C pterous Leafminers, Leafhoppers, Mealybugs, Mites (Carnation Bud, Carnation Shoot, Cyclamen, European Red, Two- spotted Spider), Thrips, Whiteflies | 2 tablespoons | Apply as a thorough foliar spray Try to spray underside of haves and penetrate dense foliage |

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the .nanufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



1217 W 121H STREET PO BOX 4090 KANSAS CITY, MO 64101

June 29, 1993

Document Processing Desk (LIP) Office of Pesticide Programs (H7504C) US Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460

Attention George LaRossa Product Management Team 13

Subject Notifications for Revised Labeling according to Pesticide Regulation (PR) Notice 93-3

Dear Mr. LaRocca

We are submitting notifications for revised labeling to comply with Pesticide Regulation (PR) Notice 93-3. Labeling Statement Protoctiong Application to Water - Seven product registrations have been revised.

| EPA Reg. No | Produçt Name | |
|-------------|--|--|
| 2217-638 | Gordon's Diazinon 25% Emulsifiable | |
| 13955-159 | Acme Dormant Oil Spray | |
| 33955-489 | Systemic Insecticide Contains Di-System | |
| 33955-490 | Acme 2% Systemic Granular | |
| 23955-544 | Acme Diazinon Granules | |
| 33955-556 | Acme Diazinori Emulsifiable Concentrate | |
| 33955-557 | Acme Diazinon 5G Lawn and Garden Insect Contro | |

Enclosed for each of the products shown above are the following

- a). Three copies of revised labeling
- b) Application for Pesticide Amendment (EPA Form 8570-1)

If you have any questions, please call me at 816/421-4070

Sincerely,

J.H. Hemleus ter

James A. Armtiruster, Ph.D. Manager, Regulatory Services