

Reg # 2217-639

PM-23

196



1217 W. 12TH STREET
P.O. BOX 4090
KANSAS CITY, MO 64101

The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of Trimec® 875 Herbicide (EPA No. 2217-639) produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all container of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

J. A. Armbruster

2/25/93

James A. Armbruster, Ph.D.
Mgr. Regulatory Services

Date

276

TRIMEC®875 HERBICIDE

A BRUSH & BROADLEAF WEED KILLER

CONTROLS: Ash, Birches, Brambles, Kudzu, Multiflora Rose, Willows, Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and other species of brush and broadleaf weeds

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	25.09%
** Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid	23.45%
*** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	4.24%
INERT INGREDIENTS	<u>47.22%</u>
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- *2.00 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 20.73%
- **1.8 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 19.49%
- ***0.34 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 3.52%
- **Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

DANGER


See side panels for additional Precautionary Statements and Statement of Practical Treatment.

-KEEP FROM FREEZING-

NET CONTENTS ONE QUART

870/1292 AP0XXXXXX
EPA REG. NO. 2217-639
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101



3 y 6

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid exposure to spray mist. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing, loading or applying this product.

When mixing, loading, or applying this product, wear long sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

Containers of 5 gallons or more: A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift away from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and domestic animals.

PRODUCT DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR INDUSTRIAL SITES

Clothing Requirements: When mixing, loading, or applying this product, wear long sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection.

Hygiene Requirements: Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. Wash hands, face and arms with soap and water before eating, smoking or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous days mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

USE PRECAUTIONS—BRUSH & BROADLEAF WEEDS ALONG ROADSIDES, DRAINAGE DITCHBANKS, FENCEROWS, RIGHTS-OF-WAYS, FARM BUILDINGS & OTHER SIMILAR NON-CROP AREAS:

Do not apply this product through any type of irrigation system. Avoid spray drift to cotton, soybeans, tomatoes, tobacco, grapes, fruit trees, flowers or garden crops and all other hormone herbicide-sensitive desirable plants. Do not apply near sensitive plants since small quantities of wind-drifted herbicides may cause severe injury. Do not apply in areas underlaid by roots of desirable trees and shrubs. Do not apply herbicide when wind speed is sufficient to cause drift. Do not apply herbicide when an air temperature inversion exists. An air inversion may be detected by creating a smoke column and observing a layering effect. Do not apply when temperature exceeds 85 degrees and humidity is high.

To aid in avoiding spray drift, use coarse sprays and low pressure. Do not use nozzles which produce fine spray droplets under high pressure. The use of thickening agents or anti-drift additives and drift-reducing equipment is of value in preventing spray drift. Care should be taken not to make applications where runoff could carry the chemical to food crops or grazing lands where cattle, sheep, goats, swine or poultry would be exposed.

BEST AVAILABLE COPY

ROADSIDES, DRAINAGE DITCH BANKS, FENCEROWS, RIGHTS-OF-WAYS, FARM BUILDINGS AND OTHER SIMILAR NON-CROP AREAS:

To effectively control brush, all leaves, stems and suckers should be thoroughly wet to the ground. Apply when plants come into full leaf (spring) to the time plants begin to go dormant. Best results are obtained when brush and weeds are young and actively growing. Do not cut brush or weeds until the herbicide has translocated throughout the plant causing root death.

HIGH VOLUME Mix at the rate of 1/2 to 1 gallon of product per 100 gallons of water and spray at the rate of 100 to 300 gallons of spray per acre. Rate per acre depends on the density of brush and/or weeds. For small broadleaf weeds use the lower rate. Heavy dense stands of brush require the high rate with high water volume. For small applications with small tank sprayers use at the rate of 1 to 1 1/2 fluid ounces per gallon of water.

LOW VOLUME GROUND or AERIAL FOLIAGE SPRAY Use at the rate of 1/2 to 2 gallons of product in water to make 15 to 25 gallons of spray per acre. Use enough water to ensure uniform wetting of plants.

BRUSH CONTROLLED:

Ash	Cottonwood	Multiflora Rose
Aspen	Dogwood	Oak
Birch	Elm	Poplar
Blackberry	Gooseberry	Pine
Black Cherry	Honey Locust	Spruce
Black Locust	Honeysuckle	Sycamore
Brambles	Kudzu	Wild Plum
Buckbrush	Maple	Willow
Cedar		

FOR USE ON RESIDENTIAL AND OTHER TURF SITES EXCLUDING SOD FARMS

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

USE PRECAUTIONS/ BROADLEAF WEEDS IN ORNAMENTAL LAWNS & TURF: Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solution near desirable plants. Do not use on carpetgrass, dichondra, St. Augustinegrass, bentgrass, nor on lawns or turf where desirable clovers are present. Use only lawn-type sprayers. Avoid fine sprays; coarse sprays are less likely to wind-drift. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 85 degrees. Seed can be sown 3 to 5 weeks after herbicide application.

BROADLEAF WEEDS/ORNAMENTAL LAWNS & TURF (Cool season grasses other than bentgrass):

One Gallon Covers up to 4 Acres—Maximum kill of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid spraying during long excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours after application.

GENERAL APPLICATION: Apply at the rate of 2 1/2 to 3 1/2 pints of product in 20 to 260 gallons of water per acre (1 to 1 1/4 fluid ounces in 0.5 to 6 gallons of water per 1,000 square feet). Use higher rates when using the higher volume of water per acre.

The maximum application rate to turf is 0.9 pounds 2,4D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

BEST AVAILABLE COPY

WEEDS CONTROLLED:

Bedstraw
 Bindweed
 Black Medic
 Buckhorn
 Burdock
 Chicory
 Chickweed
 Clover
 Cocklebur
 Dandelion
 Dock
 Ground Ivy
 Heal-All
 Henbit
 Jimsonweed

Kochia
 Knotweed
 Lambsquarter
 Lespedeza
 Mallow
 Morningglory
 Mustard
 Nettle
 Peppergrass
 Pigweed
 Plantains
 Poison Ivy
 Poison Oak
 Purslane

Ragweed
 Sheep sorrel
 Shepherdspurse
 Smartweed
 Speedwell
 Spurge
 Sunflower
 Thistles
 Velvetleaf
 Wild Carrot
 Wild Garlic
 Wild Lettuce
 Wild Onion
 Yarrow

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.