



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 23, 2018

Eric D. Smith
Director, Regulatory Affairs
PBI/Gordon Corporation
Post Office Box 014090
Kansas City, MO 64101

Subject: Label Amendment – Updates including state mandated fertilizer statements
Product Name: Gordon’s Trimec Weeder Grandules
EPA Registration Number: 2217-640
Application Date: 8/11/2017
Decision Number: 533621

Dear Mr. Smith:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 2217-640
Decision No. 533621

with FIFRA section 6. If you have any questions, please contact Emily Schmid at 703-347-0189 or by email at schmid.emily@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague". The signature is written in a cursive style with a long, sweeping horizontal line extending from the end of the name.

Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

GORDON'S TRIMEC® WEEDER GRANULES

EPA Reg. No. 2217-640

ACTIVE INGREDIENTS:


2,4-dichlorophenoxyacetic acid	1.37%
(+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid	0.31%
Dicamba: 3,6-dichloro-o-anisic acid	0.13%
OTHER INGREDIENTS:	98.19%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- 27.4 lb 2,4-dichlorophenoxyacetic acid equivalent per ton.
- 6.2 lb (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid equivalent per ton.
- 2.6 lb 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/Gordon Corporation.



KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

See attached booklet [inside pages] for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

OR

See back panel for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

Guaranteed Analysis: See appendix for example.

Net Contents: _____

EPA Est. No. _____

Company Name and Address:

PBI/Gordon Corporation
1217 West 12th Street
Kansas City, Missouri 64101



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Causes moderate eye irritation. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

First Aid	
If on skin or on clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.	

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

[Environmental Hazards (alternate per PRN 2008-1)

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.]

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

- For residential use only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- Apply when the air is calm. Do not apply to newly seeded lawns. Do not exceed specified dosages for any area. During application, close spreader openings when turning.
- Do not use this product on or near desirable plants, including within the drip line of the roots of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

INSTRUCTIONS:

Gordon's Trimec® Weeder Granules controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others as listed which are commonly found in home lawns. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in 30 days.

For use on established turf of warm season grasses including bermudagrass, centipedegrass, and zoysiagrass. Established turf of cool season grasses including Kentucky bluegrass, perennial ryegrass, tall fescue, and turf-type tall fescues. Do not apply this product on carpetgrass, dichondra, St. Augustinegrass, or established turf containing desirable clovers.

The maximum broadcast application rate is 2.0 pounds of product per 1,000 sq.ft. per application [1.2 lb 2,4-D ae, 0.27 lb MCP-p ae and 0.12 lb dicamba ae per acre per application]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 4.0 pounds of product per 1,000 sq.ft. [2.4 lb 2,4-D ae, 0.54 lb MCP-p ae and 0.24 lb dicamba ae per acre].

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

[Option 1: Coverage and Spreader Settings]

Spreader Settings	
Scotts	5.5
Sears	6

The above spreader settings are approximate. Calibrate your spreader on 100 square feet and adjust to apply at the rate of 1 pound of product per 500 square feet.

[Option 2: Alternate Coverage and Spreader Settings]

COVERAGE: To determine how much product you need to apply, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, garden, etc.). One bag covers 5,000 sq.ft. [Length x Width = Total Sq.Ft. - Non-Lawn Areas = Total Sq.Ft. Coverage You Need]

SPREADER SETTINGS:

IMPORTANT: It is important to follow the directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Be sure to check spreader before beginning, adjusting if necessary. Consult Owner's Manual. Never apply by hand.

Spreading Hints: These granular settings are approximate. Calibrate your spreader on 100 sq.ft. and adjust to apply at the rate of 1 lb of product per 500 sq.ft.. This bag covers ____ sq.ft. of lawn area.


To avoid gaps and streaks, first spread border of lawn and then fill in center with uniform, parallel passes. Walk at a steady pace so as to apply evenly throughout the lawn. [Graphics and/or diagrams may be presented on the container label].

Rotary Spreaders	Setting	Drop Spreaders	Setting
Ames	see spreader instructions	Ames	see spreader instructions
EV-N-Spread	13	Bandini	2
Ortho	3	Ortho	6.25
Precision	5	Precision	6.5
Quaker	4	Republic EZ	6.25
Republic EzSPRAY(TM)	7.25	Scotts AccuGreen	8.75
Republic EZ Grow	3	Scotts Drop	6.5
Scotts Easy Green	27.25	Scotts Even Green	6.5
Scotts Speedy Green	5	Vigoro	2.5
Scotts Speedy Green 1000	6		
Scotts Speedy Green 2000	7		
Scotts Speedy Green 3000	6		
True Temper	4		
Vigoro	7.25		

[Option 3: Alternate Coverage and Spreader Settings]


Spreader Settings

The spreader settings below are approximate. Calibrate your spreader on 100 sq. ft. and adjust to apply at the rate of 1 pound of product per 500 sq. ft. (2 lbs. of material per 1,000 sq. ft.). Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.



Apply in a single pass at a rate of 2 lbs. per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

Broadcast Spreaders	Setting
Agri-Fab® Rotary	5
Cyclone® Rotary	4
Earthway® Rotary	16
Greenview® Jet-Spreader® SS1	16
Lesco® Rotary (dial A-S)(number dial)	G/15
Red Devil® Rotary (1-20)	5
Republic® Rotary	2
Scotts® EasyGreen®	26
Scotts® EdgeGuard®	5
Scotts® SpeedyGreen® 2000, 3000	5
Sears® Craftsman Rotary	5
Sta-Green® Rotary (1-10)	3
True Temper® Rotary	4
Vigoro® Rotary (1-10)	3



Apply in a single pass at a rate of 2 lbs. per 1,000 sq. ft. Start on the outside border and apply in a rectangular path working back and forth across the length of the lawn. Overlap the coverage slightly, and shut off spreader before making hard turns.

Drop Spreaders	Setting
Agri-Fab® Drop	4
Greenview® Drop-Spreader® XP1	16
Red Devil® Drop (1-5)	4
Republic® Drop	5 1/2
Scotts® Drop AccuGreen (2-18)	5 1/2
Scotts® Drop PF1 (2-18)	7 1/2
Sta-Green® Drop (1-5)	4



If your spreader model does not appear above, go to our website at www.preen.com, or call toll-free (800) 233-1067, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

[Note: Additional spreader models and settings may be added or substituted by the supplemental registrant provided they deliver the labeled rate of product.]

[Note: Spreader settings may be varied by the supplemental registrant as different grades of fertilizer are used, provided they deliver the labeled rate of pesticide.]

WEEDS			
Annual yellow sweetclover	Clover, white	Musk thistle	Spiny cocklebur
Aster	Cockle	Mustard	Spiny sowthistle
Austrian fieldcress	Cocklebur	Narrowleaf plantain	Spotted catsear
Bedstraw	Common mullein	Narrowleaf vetch	Spotted spurge
Beggarticks	Creeping jenny	Nettle	Spurweed
Betony, Florida	Cudweed	Orange hawkweed	Stinging nettle
Bindweed, field	Curly dock	Oriental cocklebur	Strawberry, India mock
Bird vetch	Daisy, English	Oxalis	Tall nettle
Bitter wintercress	Daisy fleabane	Parsley-piert	Tall vervain
Bittercress, hairy	Daisy, oxeye	Parsnip	Tansy ragwort
Bitterweed	Dandelion	Pearlwort	Tansy mustard
Black-eyed Susan	Dichondra	Pennycress	Tanweed
Black medic	Dogbane	Pepperweed	Thistle
Black mustard	Dogfennel	Pigweed	Trailing crownvetch
Blackseed plantain	Dollarweed	Pineywoods bedstraw	Tumble mustard
Blessed thistle	False dandelion	Plains coreopsis	Tumble pigweed
Bloodflower milkweed	Falseflax	Plantain	Velvetleaf
Blue lettuce	False sunflower	Poison ivy	Venice mallow
Blue vervain	Fiddleneck	Poison oak	Virginia buttonweed
Bracted plantain	Florida pusley	Pokeweed	Virginia creeper
Brassbuttons	Frenchweed	Poorjoe	Virginia pepperweed
Bristly oxtongue	Galinsoga	Prairie sunflower	Wavyleaf bullthistle
Broadleaf dock	Goldenrod	Prickly lettuce	Western clematis
Broadleaf plantain	Ground ivy	Prickly sida	Western salsify
Broomweed	Gumweed	Prostrate knotweed	White mustard
Buckhorn	Hairy fleabane	Prostrate pigweed	Wild aster
Buckhorn plantain	Hawkweed	Prostrate spurge	Wild buckwheat
Bulbous buttercup	Healall	Prostrate vervain	Wild carrot
Bull thistle	Heartleaf drymary	Puncturevine	Wild four-o'clock
Bullnettle	Heath aster	Purslane, common	Wild garlic

WEEDS			
Burclover	Hedge bindweed	Ragweed	Wild geranium
Burdock	Hedge mustard	Red sorrel	Wild lettuce
Burning nettle	Hemp	Redroot pigweed	Wild marigold
Burweed	Henbit	Redstem filaree	Wild mustard
Buttercup	Hoary cress	Rough cinquefoil	Wild onion
Buttonweed	Hoary plantain	Rough fleabane	Wild parsnip
Canada thistle	Hoary vervain	Russian pigweed	Wild radish
Carolina geranium	Horsenettle	Russian thistle	Wild rape
Carpetweed	Jimsonweed	Scarlet pimpernel	Wild strawberry
Catchweed bedstraw	Knawel	Scotch thistle	Wild sweet potato
Catnip	Knotweed	Sheep sorrel	Wild vetch
Catsear	Kochia	Shepherd's purse	Woodsorrel
Chickweed, common	Lambsquarters	Slender plantain	Woolly croton
Chickweed, mouseear	Lespedeza	Smallflower galinsoga	Woolly morningglory
Chicory	Mallow	Smooth dock	Woolly plantain
Cinquefoil	Matchweed	Smooth pigweed	Wormseed
Clover, crimson	Mexicanweed	Sorrel	Yarrow
Clover, hop	Milk vetch	Sowthistle	Yellow rocket
Clover, red	Morningglory	Spanish needles	Yellowflower pepperweed
Clover, strawberry	Mouseear hawkweed	Speedwell	
Clover, sweet	Mugwort	Spiny amaranth	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

Herbicide Benefit Claims:

- Controls dandelion, and over 200 listed broadleaf weeds
- Controls dandelion, chickweed, knotweed, plantain, henbit, spurge and many other broadleaf weeds as listed on the back panel.

- Controls dandelion, chickweed, spurge, knotweed, plantain, henbit, and many other listed broadleaf weeds
- Kills [Controls] these weeds & 150 others
- Controls dandelions and 200 other broadleaf weeds.
- Proven Trimec® Lawn Weed Control.
- Apply once in Spring when weeds are growing
- Apply in Spring and Fall
- Enjoy a Beautiful Weed-Free Lawn
- Special guidelines may apply to the specific timing of fall fertilizer applications to Centipedegrass and St. Augustinegrass lawns. Contact your local Extension Service for information specific to your geographic region.
- Kills listed lawn weeds
- Controls over XXX [listed] weeds [as listed] [including dandelion, chickweed, knotweed]
- Broadleaf weed control
- [For] Use on turf
- Ideal for fall weeding
- Contains Trimec Herbicide

General Marketing Claims:

- Guarantee of customer satisfaction to be offered by supplemental registrants:
 - **The [BRAND NAME] Promise.**
YOUR SATISFACTION [100%] GUARANTEED OR YOUR MONEY BACK. If you apply Brand Name as directed and are not completely satisfied, just send a proof of purchase from this package and a cash register receipt to the address below. We will promptly send your money back [refund your money].
 - **LOOK**
For other quality [BRAND NAME] Lawn and Garden products. For more information about Sta-Green® products, visit us on the Internet at www.fertilizer.com or give our customer service a call at 1-800-874-8892.
- Ten pounds covers up to 5,000 square feet.
- [Twenty] pounds covers up to [10,000] square feet.
- Covers 5,000 square feet.
- Treats [Covers] up to XXXX sq.ft.
- America's Best Value For All Your Lawn & Garden Needs, [BRAND NAME] Lawn Weed Control.
- Try Brand Name Garden Products
- Visit us on the internet at www.XXXXXXX or call our customer service Hotline at (phone number).
- Will not burn your lawn.
- Apply spring – summer – fall
- Jonathan Green – for the best lawn in town
- Jonathan Green: My pledge of satisfaction – We have made every effort in the formulation of this product to insure that you will be satisfied with the results. If, for any reason, you are not satisfied, please with and describe the problem. Our lawn and turf specialists will make every effort to assure your success.
- Ask for a FREE copy of my New American Lawn guide or go to my website.
- Sign up to receive timely lawn tips www.jonathangreen.com

2. State mandated fertilizer labeling requirements:

[Note to Supplemental Registrants: Please select the statements relevant to the areas of the country in which your specific product is registered and sold; if any of these statements are relevant to your labeling, please place in the Directions for Use under the heading “State Restrictions”]

GUARANTEED ANALYSIS XX-X-X	
----------------------------	--

Total Nitrogen (N)	XX%
x.x% ammoniacal nitrogen	
x.x% urea nitrogen*	
Available Phosphate (P2O5)	X%
Soluble Potash (K2O)	X%
Sulfur (S)	X%
x.x% free sulfur (S)	
Iron (Fe).....	X%
Derived from: polymer-coated sulfur-coated urea, urea, ammonium phosphate, potassium chloride. *A portion of the urea has been coated to provide x.x% coated slow-release nitrogen. This product and/or its manufacture is covered by one or more of the following U.S. patents and international counterparts thereof: US Patent Numbers: xxxxxx	

[Note: Fertilizer grades with nutrient contents expressed as the percentages of N, P2O5 and K2O may include the following: 23-3-7 or x-x-x. The fertilizer grade analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.]

- California, Oregon, Washington: “Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>”
- Florida: “Apply only to actively growing turf.”
- Florida: “Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.
- Idaho: “Apply only as directed”
- Maryland: “This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under § 8-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application; 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or 3) Reestablishing or repairing a turf area.”
- New Jersey: “In the state of New Jersey, this product may be used only when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary pursuant to a soil test conducted by a laboratory identified pursuant to subsection b. of section 6 of P.L.2010, c.112 (C.58:10A-66) and performed no more than three years before the application, and pursuant to the associated annual fertilizer recommendation issued by the New Jersey Agricultural Experiment Station at Rutgers, the State University; 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is in accordance with the standards and requirements established under the “Soil Erosion and Sediment Control Act,” P.L.1975, c.251 (C.4:24-39 et seq.) and the rules and regulations adopted pursuant thereto; 3) Reestablishing or repairing a turf area; or 4) Delivering liquid or granular fertilizer under the soil surface, directly to the feeder roots.”
- New Hampshire: In the state of New Hampshire, this product may only be used on 1) Establishing new lawns, for repairing a lawn, for seeding, or for use when a soil test indicates a phosphorus deficiency.
- Virginia: “In the state of Virginia, this product may be used only on 1) Newly established turf areas from sod or seed during the first growing season; 2) Turf areas being repaired or renovated, and; 3) Turf areas where soil tests performed within the past three years indicate nutrient deficiency.”
- [Virginia, Florida, Maryland, others] DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN. [AND SWEEP ANY PRODUCT THAT LANDS ON THE DRIVEWAY, SIDEWALK, OR STREET, BACK INTO YOUR LAWN/GARDEN.] [Note to Supplemental Registrant: The bracketed part of this statement is not required for liquid products.]
- [For products containing Iron:] Keep this product off sidewalks, patios, driveways, etc. This fertilizer contains iron which will stain concrete and painted surfaces. If it comes in contact with concrete

surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.

- [Note to Supplemental Distributor: In Kentucky if the product supplies less than 1lb of Nitrogen per application, include the following:] A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing XX pounds of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program."

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00640.20180713.amend-proposed-clean

2. Reason for Issue: EPA Comments #1

Internal Usage Notes
Associated Container Label: Supplemental Distributors