2217-643

NoTIFICATION

Volv

Please read instructions on reverse before com	pleting form.	Form Approv	ed. OMB No. 2070-0	2060, Approval expires 05-31-98
<b>SEPA</b> Environment	United States tal Protection Age	ency	Registration Amendmen	
The Wall	shington, DC 20460		<b>⊠</b> Other	" 247770
Control of the State of the Sta	Application for	Pesticide - Secti	on I ( a la l	
1: Company/Product Number 2217-643		2. EPA Product Manag	er Viller	3. Proposed Classification
4. Company/Product (Name) Gordon's Trimec® Weed and Feed 2	4B	PM# (PM 23)		None
5. Name and Address of Applicant (Include ZIP PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101  Check if this is a new address	Codel.		similar or identical NOTIFI	with FIFRA Section 3(c)(3) CATION SITION and labeling CATION 200
THE STANGER COUNTY OF THE STANGES	Sec	tion - II 🔧 🖂 🤼	A ROTTON	
Amendment - Explain below:  Resubmission in response to Agency let	ter dated	Final printed   Agency letter	and the second of the second o	
Notification - Explain below.		Other - Explai		
may be subject to enforcement action and penality  1. Material This Product Will Be Packaged In:  Child-Resistant Packaging Unit Packaging	Sec	tion - III	2. Type of Cont	Biner
Yes No No		Yes No	Me Plo	stel stic ass
*Certification must Unit Packaging w	No. per rgt. container Packa	s" No. per ge wgt container	· · · · · · · · · · · · · · · · · · ·	per her (Specify)
3. Location of Net Contents Information  Container	4. Size(s) Retail Conta	iner. 5	Location of Label Di On Label On Labeling a	rections ccompanying product
6. Manner in Which Lebel is Affixed to Product	Lithograph Paper glued Stenciled	Other		LATER STATE OF STATE
	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	tion - IV	Fried Bart 18	
1. Contact Point (Complete items directly below	المراجع المحادث والمحادث والمحادث		(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	
Nagames A. Armbruster, Ph.D	Vice P	resident of Regulato	ry Services	phone No dinclude Area Code) (816) 421-4070
I certify that the statements I have made I acknowledge that any knowingly false o both under applicable law.				6. Date Application. Received.  (Stamped)
2. Signature  Afindustes		resident of Regulator	y Services	
4. Typed Name James A. Armbruster, Ph.D	5. Date April 2,	1998		

## GORDON'S TRIMEC® WEED & FEED 24B

20-10-5

NOTIFICATION APR 2 0 1996

#### **ACTIVE INGREDIENTS:**

* 2,4-Dichlorophenoxyacetic acid	0.5471%
** 2-(2-methyl-4-chlorophenoxy) propionic acid	0.2448%
*** Dicamba (3,6-dichloro-o-anisic acid)	0.0516%
INERT INGREDIENTS	99,1565%
TOTAL	100 00000/

#### THIS PRODUCT CONTAINS:

- \*10.942 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton.
- \*\*4.896 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
- \*\*\*1.032 lbs. 3,6-dichloro-o-anisic acid equivalent per ton. Isomer Specific by AOAC Methods

## KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention. See back panel for additional Precautionary Statements.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

NET WEIGHT (16, 18, 20, or 25) POUNDS

560/ AP040296 EPA REG. NO. 2217-643 EPA EST. NO. 2217-KS-X Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



# STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**Environmental Hazards**: Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

#### - USE PRECAUTIONS -

Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.

Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.

INSTRUCTIONS: Gordon's Trimec® Weed & Feed 24B controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 20-10-5 fertilizer provides a balanced supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.0 pounds/2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

#### SPREADER SETTINGS

The above spreader settings are approximate. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.) (18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet)

#### - WEEDS -

BEDSTRAW	GROUND IVY	PEPPERGRASS	SPURGE
BLACK MEDIC	HEALALL	PIGWEED	THISTLE
BUCKHORN	HENBIT	PLANTAINS	WILD CARROT
BURDOCK	KNOTWEED	POISON IVY	WILD GARLIC
CHICORY	LAMBSQUARTERS	POISON OAK	WILD LETTUCE
CHICKWEED	LESPEDEZA	PURSLANE	WILD ONION
CLOVER	MALLOW	RAGWEED	YARROW
DANDELION	MORNINGGLORY	SHEEP SORREL	
DOCK	OXALIS	SPEEDWELL	

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

:.	,
•	
•••••	••••
•	•••••
••	
•::::	



#### - Appendix To EPA Reg. No. 2217-643, Gordon's Trimec Weed and Feed 24B -

#### I. Container Packaging and Size:

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling.

Bag Size,	Desired Application Rates		Treated Area for This Bag Size, Square Feet	
Pounds	Pounds/Area	Pounds/1000 Sq. Ft.	Cool Season Grass	St. Augustinegrass
16	1/310	3.23	5000	5000
18	1/275	3.64	5000	5000
20	1/250	4.00	5000	
25	1/200	5.00	5000	+

#### II. Previously Approved Fertilizer Grades:

a. Fertilizer grades with nutrient contents expressed as the percentages of N, P<sub>2</sub>O<sub>5</sub>, and K<sub>2</sub>O include the following:

15-5-7	22-3-16	26-5-3
15-5-8	22-4-4	28-2-14
16-3-5	23-3-3	28-3-3
16-6-8	23-4-5	29-3-4
18-4-6	25-3-3	30-2-4
20-4-4	25-3-5	31-4-4
20-4-10	25-6-4	
20-10-5	26-3-3	

b. The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

#### III. Advertising claims appropriate for the bag size:

a. For fertilizers containing iron, supplemental registrants may add this statement:

"This product may stain concrete and stone, where spilling occurs, sweep off immediately, then flush with water."

L.	and the second s	4	and and the state of the state of
b.	pounds of produc	t cover up to	square feet of turf

c. Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; including those listed on the back panel.

d. Contains Polyon Controlled-Release Nitrogen.

- e. Greens 3X Longer.
- f. Premium Quality

g. What makes Pursell's POLYON controlled-release nitrogen so unique?

Each granule of POLYON controlled-release nitrogen is encapsulated by our exclusive ultra-thin polymer coating which steadily releases nitrogen into your lawn as your grass needs it. This means your lawn receives a gradual and precise amount of nitrogen. POLYON controlled-release nitrogen releases in response to temperature rather than moisture so when

toofto

used as directed, there is virtually no risk of burning or surge growth following heavy rainfall. Your lawn steadily becomes thicker, sturdier and greener.

- h. Feeds and greens lawns quickly.
- i. Three types of nitrogen for long-lasting results.
- i: Satisfaction Guaranteed!
- k. Greens Quick, Stays Green.
- Promotes Longer-Lasting Winter Hardiness & Early Spring Green-Up.
- m. This product contains a highly effective weed killer and a winter lawn conditioner.
- n. Controls a wide spectrum of broadleaf weeds.
- Provides controlled-release feeding and promotes longer-lasting winter hardiness and drought tolerance.
- p. A \_\_\_\_\_ (Grade ex. 22-3-16) fertilizer helps condition lawns to prevent winter injury.
- q. A lawn typically utilizes 1 to 4 lbs. of Nitrogen per 1,000 sq.ft. per growing season. When applied as directed, this product will supplement your lawn maintenance program by providing \_\_\_\_ lbs. of nitrogen per 1,000 sq.ft.
- r. Kills Over 30 Varieties of Weeds While Feeding Your Lawn!

