PHUSSO TOSA TINESTRUCTIONS ON TO	Verse before completi	ey # 22	17-66	(3 Form Approve	i. OMB No. 20	70-0060.	Approval expires 05-31-98
\$EPA	Environmental	Protection A	Agency		Registrat Amendm Other	ion	OPP Identifier Number 243540
	Į.	Application t	or Pesticio	ie - Sectio	n I		1
1. Company/Product Number 22	17-643		2. EPA Product Manager Joanne I Miller		3. Pro	3. Proposed Classification	
4. Company/Product (Name) Gordon's Trimec® We	ed and Feed 24B		PM#	(PM 23)	·		None Restricted
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101 Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
•			Section - I]	***	<u> </u>	
Amendment - Explain Resubmission in respo	onse to Agency letter	MOTIFICATI		Final printed la Agency letter of "Me Too" App Other - Explain	ication.	to	
Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION: Due to computer programing, 7 weed species were inadvertedly omitted from the proposed labeling submitted with our 10/1/96 Notification to revise one sentence in the Directions for Use describing the fertilizer grades and turfgrass management and to add a 22 lb. retail package size. One copy of the proposed labeling is enclosed with the missing weed species reestablished on page 3. This notification is consistent with the provisions of PRN 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.							
			Section - I				
1. Material This Product Will	Be Packaged In:						
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	Yes No "Yes" ackage wgt	No. per container	2. Type of 0	Metal Plastic Glass Paper Other (S	
3. Location of Net Contents I	nformation ontainer	4. Size(s) Retail (ontainer	5.	Location of Label On Label On Label		ons opanying product
6. Manner in Which Label is Affixed to Product Lithograph Other Stenciled							
			ection - I	V			·
1. Contact Point (Complete)	tems directly below fo	or identification of	individual to b	e contacted, if n			
Name James A. Armbruster, Ph.D			ce President	, Regulatory	Services	Telephon (8	e No. (Include Area Code) 16) 3421,-3070
I certify that the staten I acknowledge that any both under applicable i	y knowingly false or m		ttachments th			•	6. Date Application Received (Stamped)
2. Signature A. Almil	huster	3. T		, Regulatory :	Services		
4. Typed Name James A. Armbruster,	Ph.D	5. D	ate ovember 5, 1	996			, , , ,
EPA Form 8570-1 (Bev. 8-94)					FPA File Conv		Yellow - Annicant Conv

GORDON'S TRIMEC® WEED & FEED 24B

20-10-5

ACTIVE INGREDIENTS:		;
* 2,4-Dichlorophenoxyacetic acid		0.5471%
** 2-(2-methyl-4-chlorophenoxy) propionic acid		0.2448%
*** Dicamba (3,6-dichloro-o-anisic acid)		0.0516%
INERT INGREDIENTS	erat ni binden artikularan eraken ni akan ni a	<u>99.1565%</u>
	TOTAL	100.0000%
THIS PRODUCT CONTAINS:	-	
*10.942 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton.		
**4.896 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.	Non.	
***1.032 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.	NOTIFICAT	ทีกพ
Isomer Specific by AOAC Methods		
TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.		

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention. See back panel for additional Precautionary Statements.

NET WEIGHT (16, 18, 20, 22, or 25) POUNDS

560/ AP110596 EPA REG. NO. 2217-643 EPA EST. NO. 2217-KS-X Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Environmental Hazards: Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

- USE PRECAUTIONS -

Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.

Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.

INSTRUCTIONS: Gordon's Trimec® Weed & Feed 24B controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 20-10-5 fertilizer provides a balanced generous supply of plant food. needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.0 pounds/2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is create grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Spreader Settings	
Scott	6
Lawn Beauty	5
Jackson	71/2
Sears	4

The above spreader settings are approximate. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.) (18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet)

	_	WEEDS -	
Bedstraw	Ground Ivy	Peppergrass	- Spurge
Black Medic	Healall	Pigweed	Thistle
Buckhorn	⁻ Henbit	Plantains	Wild Carrot
Burdock	Knotweed	Poison Ivy	. Wild Garlic
Chicory	Lambsquarters *	Poison Oak	Wild Lettuce
Chickweed	Lespedeza	Purslane	- Wild Onion
Clover	Mallow	Ragweed	Yапоw
Dandelion	Morningglory	Sheep Sorrel	20112009911110
Dock	Oxalis	Speedwell	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

i. Container Packaging and Size:

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling.

Bag Size, Desired Application Rates Treated Area for This Bag Size, Sq.Ft.					
Pounds	Pounds/Area	Pounds/1000 Sq.Ft.	Cool Season Grass	St. Augustinegrass	
16	1/310	3.23	5000	5000	
18	1/275	3.64	5000	5000	
20	1/250	4.00	5000	b	
22	1/250	4.00	5000		
25	1/200	5.00	5000		

II. Previously Approved Fertilizer Grades:

Fertilizer grades with nutrient contents expressed as the percentages of N, P_2O_5 , and K_2O include the following:

25-6-4	18-4-6	22-3-16	25-3-3	26-5-3	30-2-4
26-3-3	20-4-4	22-4-4	25-3-5	28-2-14	31-4-4
26-5-3	20-4-10	23-3-3	25-6-4	28-3-3	
28-2-14	20-10-5	23-4-5	26-3-3	29-3-4	

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

III. Advertising claims appropriate for the bag size:

For fertilizers containing iron, supplemental registrants may add this statement:

- "This product may stain concrete and stone, where spilling occurs, sweep off immediately, then flush with water."
- ___ pounds of product cover up to ___ square feet of turf
- Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; including those listed on the back panel.
- Contains Polyon[®] Controlled-Release Nitrogen.
- Greens 3X Longer.
- · Premium Quality
- What makes Pursell's Polyon® controlled-release nitrogen so unique? Each granule of Polyon® controlled-release nitrogen is encapsulated by our exclusive ultra-thin polymer coating which steadily releases nitrogen into your lawn as your grass needs it. This means your lawn receives a gradual and precise amount of nitrogen. Polyon® controlled-release nitrogen releases in response to temperature rather than moisture so when used as directed, there is virtually no risk of burning or surge growth following heavy rainfall. Your lawn steadily becomes thicker, sturdier and greener.
- · Feeds and greens lawns quickly.
- Three types of nitrogen for long-lasting results.
- Satisfaction Guaranteed!
- · Greens Quick, Stays Green.
- Promotes Longer-Lasting Winter Hardiness & Early Spring Green-Up.
- · This product contains a highly effective weed killer and a winter lawn conditioner.
- Controls a wide spectrum of broadleaf weeds.
- Provides controlled-release feeding and promotes longer-lasting winter hardiness and drought tolerance.
- A _____ (Grade ex. 22-3-16) fertilizer helps condition lawns to prevent winter injury.
- A lawn typically utilizes 1 to 4 lbs. of Nitrogen per 1,000 sq.ft. per growing season. When applied as directed, this product will supplement your lawn maintenance program by providing __ lbs. of nitrogen per 1,000 sq.ft.
- Kills Over 30 Varieties of Weeds While Feeding Your Lawn!