	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number  243567
		<input type="checkbox"/> Amendment	
		<input checked="" type="checkbox"/> Other	

Application for Pesticide - Section I

1. Company/Product Number 2217-643	2. EPA Product Manager Joanne I Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gordon's Trimec® Weed and Feed 24B	PM# (PM 23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of Minor Labeling Revisions per PRN 95-2: This request is to add an advertising claim for fertilizers containing iron. One (1) copy of the proposed labeling is enclosed. This notification is consistent with the provisions of PRN95-2 & EPA regulations at 40 CFR 152.46, & no other changes have been made to the labeling or the CSF of this product. I understand it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN95-2 and 40 CFR 152.46 this product may be in violation of FIFRA & I may be subject to enforcement action & penalties under Sec.12 & 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Craig Martens	Title Manager, Regulatory Services	Telephone No. (Include Area Code) (816) 421-4070
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  (Stamped)
2. Signature 	3. Title Manager, Regulatory Services	
4. Typed Name Craig Martens	5. Date February 10, 1997	

# GORDON'S TRIMEC® WEED & FEED 24B

20-10-5

**ACTIVE INGREDIENTS:**

* 2,4-Dichlorophenoxyacetic acid.....	0.5471%
** 2-(2-methyl-4-chlorophenoxy)propionic acid .....	0.2448%
*** Dicamba: 3,6-dichloro-o-anisic acid.....	0.0516%
INERT INGREDIENTS.....	<u>99.1565%</u>
TOTAL	100.0000%

**THIS PRODUCT CONTAINS:**

- \*10.942 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton.  
 \*\*4.896 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.  
 \*\*\*1.032 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.

### Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

NOTIFICATION  
MAR 5 1945

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

### Statement of Practical Treatment

**In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention. See back panel for additional Precautionary Statements.**

NET WEIGHT (16, 18, 20, 22, or 25) POUNDS

560/ AP021097  
EPA REG. NO. 2217-643  
EPA EST. NO. 2217-KS-X  
Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, MISSOURI 64101

Figure 1 shows a 10x10 grid of small squares. Each square contains a number from 1 to 10, representing the frequency of a specific letter in a 10-letter word. The numbers are arranged in a pattern that suggests a specific word, though the exact word is not explicitly named in the caption.

3/6

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS  
AND FOLLOW DIRECTIONS CAREFULLY.**

### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:** Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**PESTICIDE DISPOSAL:** Securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

### **USE PRECAUTIONS:**

Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floritam' St. Augustinegrass in Florida.

Do not use this product where desirable clovers are present or allow the material to wind drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.

**INSTRUCTIONS:** Gordon's Trimec® Weed & Feed 24B controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 20-10-5 fertilizer provides a generous supply of plant food ~~plant nutrients~~. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.0 pounds/2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Spreader Settings	
Scott.....	6
Lawn Beauty.....	5
Jackson.....	7½
Sears.....	4

The above spreader settings are approximate. (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet.) (18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet) (20 pound bag: Calibrate your spreader on 250 square feet and adjust to apply at the rate of 1 pound of product per 250 square feet)


- WEEDS -			
Bedstraw	Ground Ivy	Peppergrass	Spurge
Black Medic	Healall	Pigweed	Thistle
Buckhorn	Henbit	Plantains	Wild Carrot
Burdock	Knotweed	Poison Ivy	Wild Garlic
Chicory	Lambsquarters	Poison Oak	Wild Lettuce
Chickweed	Lespedeza	Purslane	Wild Onion
Clover	Mallow	Ragweed	Yarrow
Dandelion	Morningglory	Sheep Sorrel	
Dock	Oxalis	Speedwell	

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



## APPENDIX

### I. Container Packaging and Size:

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling.

Bag Size, Pounds	Desired Application Rates		Treated Area for This Bag Size, Sq.Ft.	
	Pounds/Area	Pounds/1000 Sq.Ft.	Cool Season Grass	St. Augustinegrass
16	1/310	3.23	5000	5000
18	1/275	3.64	5000	5000
20	1/250	4.00	5000	-----
22	1/250	4.00	5000	-----
25	1/200	5.00	5000	-----

### II. Previously Approved Fertilizer Grades:

Fertilizer grades with nutrient contents expressed as the percentages of N, P<sub>2</sub>O<sub>5</sub>, and K<sub>2</sub>O include the following:

25-6-4	18-4-6	22-3-16	25-3-3	26-5-3	30-2-4
26-3-3	20-4-4	22-4-4	25-3-5	28-2-14	31-4-4
26-5-3	20-4-10	23-3-3	25-6-4	28-3-3	
28-2-14	20-10-5	23-4-5	26-3-3	29-3-4	

The fertilizer grade guaranteed analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.

### III. Advertising claims appropriate for the bag size:

- ◆ For fertilizers containing iron, supplemental registrants may add one of the following two statements:
  - a) "This product may stain concrete and stone, where spilling occurs, sweep off immediately, then flush with water."
  - b) Sweep all residue from concrete surfaces immediately after application. The iron content in this product will stain sidewalks, patios, driveways, swimming pools and deck coatings if not removed before watering. Seller nor distributor assumes any responsibility for damage incurred to any surface other than product's intended use.
- ◆ \_\_\_ pounds of product cover up to \_\_\_ square feet of turf
- ◆ Controls Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge and many other broadleaf weeds; including those listed on the back panel.
- ◆ Contains Polyon® Controlled-Release Nitrogen.
- ◆ Greens 3X Longer.
- ◆ Premium Quality
- ◆ What makes Pursell's Polyon® controlled-release nitrogen so unique? Each granule of Polyon® controlled-release nitrogen is encapsulated by our exclusive ultra-thin polymer coating which steadily releases nitrogen into your lawn as your grass needs it. This means your lawn receives a gradual and precise amount of nitrogen. Polyon® controlled-release nitrogen releases in response to temperature rather than moisture so when used as directed, there is virtually no risk of burning or surge growth following heavy rainfall. Your lawn steadily becomes thicker, sturdier and greener.
- ◆ Feeds and greens lawns quickly.
- ◆ Three types of nitrogen for long-lasting results.
- ◆ Satisfaction Guaranteed!
- ◆ Greens Quick, Stays Green.
- ◆ Promotes Longer-Lasting Winter Hardiness & Early Spring Green-Up.
- ◆ This product contains a highly effective weed killer and a winter lawn conditioner.
- ◆ Controls a wide spectrum of broadleaf weeds.
- ◆ Provides controlled-release feeding and promotes longer-lasting winter hardiness and drought tolerance.
- ◆ A \_\_\_\_\_ (Grade ex. 22-3-16) fertilizer helps condition lawns to prevent winter injury.

- 9/6
- ♦ A lawn typically utilizes 1 to 4 lbs. of Nitrogen per 1,000 sq.ft. per growing season. When applied as directed, this product will supplement your lawn maintenance program by providing \_\_\_ lbs. of nitrogen per 1,000 sq.ft.
  - ♦ Kills Over 30 Varieties of Weeds While Feeding Your Lawn!
  - ♦ Premier formula for weed and feed.
  - ♦ A balanced formula for overall lawn health.
  - ♦ Long lasting with 2% iron.
  - ♦ Controls (kills) dandelions, plantains, and other weeds.
  - ♦ Feeds the lawn with two types of nitrogen.
  - ♦ Easy application with any type of spreader.