



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

NOTIFIÇATION APR 1:5 2014

James L. Kunstman PBI/Gordon Corporation P.O. Box 014090 Kansas City, Missouri 64101

Subject:

Notification per PR Notice 98-10: Minor Label Revision

Gordon's Trimec Weed & Feed 24B Application Dated: February 24, 2014

EPA Reg. No.: 2217-643 Decision No.: 489235

Dear Dr. Kunstman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of both PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please feel free to contact Shanta Adeeb at (703) 347-0502 or adeeb.shanta@epa.gov.

Sincerely,

Kathryn Montague

Product Manager 23 Herbicide Branch

Herbicide Branch

Registration Division (7505P)

Please read instructions on re	verse before completin	g form.		Form Ap	proved	I. UMB No.	2070-0060	0. Approval Expires 2-28-95
	•	14-3-104-4-				Registr	ation	OPP Identifier Number
\$ EPA	Environmo	United States	n Agono		州			
WEFA		ntal Protection Shington, DC 2046		У		Amend	lment	
	·	simgton, DO 20 10			\boxtimes	Other		
/	Α	pplication fo	r Pestici	de - Sect	ion	I		
1. Company/Product Numl	ber •		Ž. EPA	Product Ma	nage	r	3. F	Proposed Classification
	2217-643			Kathryn V	. Mo	ntague		•
4. Company/Product (Nam	ne),		PM#				[]	None Restricted
Gordon's T	rimec Weed & Fo	eed 24B	Pr	oduct Mana	ger-	-Team 23	3	None Restricted
5. Name and Address of A		Code)	6. Exp	edited Revi	ew. I	n accordai	nce with F	FIFRA Section 3(c)(3)
PBI/Gordon Corporat			1				ical in con	nposition and labeling to:
Post Office Box 0140			EPA F	leg. No				
Kansas City, Missour	•		Produ	ct Name				
Check if thi	s is a new address							
		Se	ection –					
Amendment - Explain	below.			Final printed Agency lette		•	e to	
Resubmission in respo	onse to Agency letter da	ated		"Me Too" Ap				
	,			Other - Expla	•			
Notification - Explain				·				
Explanation: Use addition			Section II.)	e-ma	ail to j	kunstman@	pbigordon	.com FAX: 816-421-2731
	ation per PRN 98-1		with massi			مستواه ا	There	and he silvered as
			willi previ	ousiy appi	rovec	i ciaims.	These	can be viewed on
pages 5 and 7 of the e			s of PR Notic	e 98-10 and F	PA ro	oulations a	t 40 CFR 1	152 46 and no other change
have been made to the labeli	ng or the confidential s	tatement of formula	of this produ	ct. I understar	nd that	t it is a viol	ation of 18	U.S.C. Sec. 1001 to willfully
make any false statement to t								
this product may be in violat	ion of FIFRA and I maj		ection — I		s unae	r Section 1	2 ana 14 o	J FIFRA
Material This Product Will	Be Packaged In:		otion i	11				
Child-Resistant Packaging	Unit Packaging	W	ater Soluble F	ackaging		2. Type of	Container	
Yes*	Yes		Yes		İ	Met	tal	
No.	I⊠ №		No		ļ	Pla:	stic	
	If "Yes"	No non 16"	Yes"	No		∐ Gla	SS	•
* Certification must be submitted	Unit Packaging wgt.	· · · I —	ckage wgt.	No. per Container		Par Par		
		<u> </u>		т		·	er (Specify	
3. Location of Net Contents In	formation	4. Size(s) Retail Con				cation of Lal	bel Directio	ons cccc
Label Conta	ainer		, 20, 22, 25, 4 d 54 Pounds	, io,	=	On Label		6 CC
0.14	ffixed to Dead ust	Lithograph		Other			c caecouchau	ying product cc c
6. Manner in Which Label is A	ilixed to Product	Paper glued		Other _			ccccc	<u> </u>
		Stenciled					((((, (, (, (, (, (, (, (, (, (, (, (, (,
			ction – I	V			((()	<u> </u>
1. Contact Point (Complete ite	ms directly below for id				sary,		his applica	tion.) c
Name	<u> </u>	Title						e No. (Include Area Code)
James L. K	(unstman, Ph.D.		Director of	Regulatory	Serv	rices		816-460-6292
I certify that the statemer	ate I have made on this	Certification	ents thereto s	re true accur	ata an	d complete		6. Date Application
I acknowledge that any k	nowingly false or mislea	ading statement may	be punishabi	e by fine or im	prison	ment or		Received (Stampard)
both under applicable lav	<u>V</u>	3. Title						(Stamped)
2. Signature	~	Į.		egulatory S	ania			
(Jan 7)			COLOI OI R	egulatory S	CI VIC	ರಾ	İ	
4. Typed Name		. 5. Dat	e					
	unstman, Ph.D.	5. 34		ıary 24, 201	14			
504.5	CDd					F11 5		<u> </u>
EPA Form 8570-1 (Rev. 3-94)) Previous editions are (odsolete.		White	- EPA	а гие Сору	(original)	Yellow - Applicant Copy



An Employee-Owned Company

1217 W. 12th STREET · P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 · 1-800-821-7925 FAX: 816-474-0462

February 24, 2014

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 Attn: Kathryn V. Montague, PM-23

Dear Ms. Montague:

Subject: Notification per Pesticide Registration Notice (PRN) 98-10: Notifications, Non-notifications and Minor Formulation Amendments. Sections II (N): Gordon's Trimec® Weed & Feed 24B (EPA Reg. No. 2217-643)

- I. Labeling notification per PRN 98-10: We ask to add the following ad claims.
 - [Trimec logo] Your guarantee of professional quality
 - Just right for the Northwest
 - Phosphate free [Note: to be used only on formulations without phosphorus]
 - Cover XXX sq. ft. of lawn
 - Bi-Mart Unconditional Money Back Guarantee: If you are not completely satisfied with your Bi-Mart Quality Product, regardless of the reason, your entire purchase price will be cheerfully refunded.

These ad claims can be found on page(s) 5 and 7 of the enclosed draft label.

- II. Certification statement: This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR_Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.
- III. Enclosures:
 - 1. Application
 - 2. One (1) copy of draft labeling without annotations
 - 3. One (1) copy of draft labeling with annotations
 - 4. One (1) CD containing copies of the draft labeling

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com. c of

Sincerely,

James L. Kunstman, Ph.D.

Director of Regulatory Services

GORDON'S TRIMEC® WEED & FEED 24B

EPA Reg. No. 2217-643

ACTIVE INGREDIENT:	
2,4-dichlorophenoxyacetic acid	0.55%
(+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid	0.12%
Dicamba: 3,6-dichloro-o-anisic acid	0.05%
OTHER INGREDIENTS:	99.28%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

11.0 lb 2,4-dichlorophenoxyacetic acid equivalent per ton.

2.4 lb (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid equivalent per ton.

1.0 lb 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material.

First Aid	
If on skin or on clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 inituites. Remove contact lenses, if present, after the first 5 minutes, then centinue rinsing eye. Call a poison control center or doctor for treatment advice.



If swallowed:	Call a poison control center or doctor immediately for treatment advice.
Ì	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

[Environmental Hazards (alternate per PRN 2008-1)

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
 Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.
- Do not use this product where desirable clovers are present. Do not exceed specified dosages for any area. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.
- Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do to over water the treated area(s) to the point of runoff or apply when raining or

INSTRUCTIONS:

Gordon's Trimec® Weed & Feed 24B controls a wide range of lawn weeds including dandelion, calcable chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, a [XX-XX-XX] fertilizer provides plant nutrients or a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prévail and weeds are in a state of poor growth. A second application may be made in 30 days.

[For state registrations in Kentucky, add the following paragraph:

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing (*Number of pounds) of nitrogen per 1,000 square feet. Please consult your local extension diffice for questions regarding a regular fertilizer program suitable for your geographic region.]

Fertilizer Labeling Requirements:

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.htm.

The maximum broadcast application rate is 5.0 pounds of product per 1,000 sq.ft. per application (1.2 lb 2,4-D ae, 0.27 lb MCPP-p ae and 0.11 lb dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 10.0 pounds of product per 1,000 sq.ft. (2.4 lb 2,4-D ae, 0.54 lb MCPP-p ae and 0.22 lb dicamba ae per acre).

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

SUGGESTED SPREADER SETTINGS

Spreader Settings	
Scotts	6
Lawn Beauty	5
Jackson	7.5
Sears	4

As a guide, set spreader at the setting indicated by the above chart before applying. Remember the settings provided are only a guide and depend on the age, condition and speed of operation of your spreader. Check spreader calibration often and make adjustments as needed. Keep this product off sidewalks, patios, driveways, etc. This product contains materials which will stain concrete and painted surfaces. If it comes in contact with a concrete surface, sweep off immediately before finishing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter product beyond lawn edge and onto concrete.

Calibration Instructions: To provide proper distribution, calibrate spreader before application.

The above spreader settings are approximate.

- 16 lb. bag: Calibrate your spreader on 310 sq.ft. and adjust to apply 1.0 lb. of product per 310 sq.ft.
- 17 lb. bag: Calibrate your spreader on 300 sq.ft. and adjust to apply 1.0 lb. of product per 300 sq.ft.
- 18 lb. bag: Calibrate your spreader on 275 sq.ft. and adjust to apply 1.0 lb. of product per 275 sq.ft.
- 20 lb. bag: Calibrate your spreader on 250 sq.ft. and adjust to apply 1.0 lb. of product per 250 sq.ft.
- 22 lb. bag: Calibrate your spreader on 227 sq.ft. and adjust to apply 1.0 lb. of product per 227 sq.ft.
- 25 lb. bag: Calibrate your spreader on 227 sq.ft. and adjust to apply 1.0 lb. of product per 227 sq.ft.
- 40 lb. bag: Calibrate your spreader on 250 sq.ft. and adjust to apply 1.0 lb. of product oer 250 sq.ft.
- 50 lb. bag: Calibrate your spreader on 300 sq.ft. and adjust to apply 1.0 lb. of product per 300 sq.ft
- 54 lb. bag: Calibrate your spreader on 275 sq.ft. and adjust to apply 1.0 lb. of product per 275 sq.ft.

For [16] Ib bag: Apply [3.2] lbs of product per 1,000 sq ft of lawn area. Check your spreader owner serious manual for calibration settings and set spreader to apply at the rate of 1 pound of product per

approximately [310] sq ft. A uniform distribution of product on the treated area is essential. One bag covers [5,000] sq ft.

[Optional

Choose One Of These Spreader Patterns

- 1. **Single Pass** Operate the equipment at intervals corresponding to the width or swath of the spreader. For drop spreaders, overlap the wheel tracks to ensure complete coverage. Close the spreader openings when turning to change directions.
- 2. **Double Pass** Reduce the application rate by one-half of the recommended rate, calibrate the spreader, and adjust the settings for the desired application rate. Operate the spreader over the lawn two (2) times. Close the spreader openings when turning to change directions.
- 3. **Cress Hatching** Reduce the application rate by one-half of the recommended rate, calibrate the spreader, and adjust the settings for the desired application rate. Operate the spreader over the lawn two (2) times. For the second trip, operate the spreader perpendicular to the wheel tracks of the spreader pattern of the first trip. Close the spreader opening when turning to change directions.]

Weed and Feed effectively controls the following weeds when used as directed.

WEEDS		,	
Bedstraw	Ground ivy	Peppergrass	Spurge
Black medic	Healall	Pigweed	Thistle
Buckhorn	Henbit	Plantain	Wild carrot
Burdock	Knotweed	Poison ivy	Wild garlic
Chicory	Lambsquarters	Poison oak	Wild lettuce
Chickweed	Lespedeza	Purslane	Wild onion
Clover	Mallow	Ragweed .	Yarrow
Dandelion	Morningglory	Sheep sorrel	
Dock	Oxalis	Speedwell	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDERING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND CONSCILLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

ALI LIDIA		
1. Statements which may appear on different label compo		
See next panel for additional Precautionary Statements	and First Aid	
Net Weight: FDA Fet No.	•	
• EPA Est. No	9	
2. Advertising claims that may be presented on container and other marketing/sales promotional materials:	r labeling, advertisements, broch	ures,
[Trimec logo] Your guarantee of professional quality		ı
Prepares your lawn for winter dormancy. The property of the property of	•	•
The key to a beautiful lawn next spring.	·	
 Promotes deeper green lawns and early rapid growth. For long lasting results. 		
For long lasting results. Features:		
 Controls (Kills) dandelion and other [tough] broadleaf wee 	ade	
 Advisories for fertilizers containing iron: 	,40.	
a) "This product may stain concrete and stone, where s flush with water."	pilling occurs, sweep off immediate	ly, then
 b) Sweep all residues from concrete surfaces immediat product will stain sidewalks, patios, driveways, swimmir before watering. Neither seller nor distributor assumes 	ng pools and deck coatings if not rer	moved
any surface other than product's intended use.		
 pounds of product cover up to square feet of tur 		
Controls (Kills) (desired weed species from attached listing this layer and species from attached listing the species from attached listi	g may be inserted here e.g. dandeli	ion,
chickweed, knotweed, plantain, henbit, spurge) and many	other proadleat weeds; including the	iose
listed on the back panel. Contains Polyon® controlled-release nitrogen.		
Greens 3X longer.	•	
Premium quality		
What makes Pursell's Polyon® controlled-release nitroger	n so unique? Each granule of Polyc	วท®
controlled-release nitrogen is encapsulated by our exclusive releases nitrogen into your lawn as your grass needs it. It and precise amount of nitrogen. Polyon® controlled-release temperature rather than moisture so when used as directed surge growth following heavy rainfall. Your lawn steadily. • Feeds and greens lawns quickly.	ive ultra-thin polymer coating which This means your lawn receives a gra ase nitrogen releases in response to ed, there is virtually no risk of burnin	steadily adual o g or
 Three types of nitrogen for long-lasting results. 		
Satisfaction guaranteed!		
Greens quick, stays green.		
Promotes longer-lasting winter hardiness & early spring g		, , ,
This product contains a highly effective weed killer and a	winter lawn conditioner.	c
 Controls (Kills) a wide spectrum of broadleaf weeds. Provides controlled-release feeding and promotes longer- 		
tolerance.	((
 A (Grade ex. 22-3-16) fertilizer helps condition lawns to present the condition of the condition lawns to present the condition of the condition lawns to present the condition of the condition lawns to present the condition of the condition lawns to present the condition of the condition lawns to present the condition of the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns to present the condition lawns the conditio		(((
Kills (Controls) over (Number) varieties of weeds while fee	eding your lawn! ڍڍڙڍڍ'	Ć
Premier formula for weed and feed.		((
A balanced formula for overall lawn health. Language Transport of the Control of the Contr		(
Long lasting with 2% iron. Contacts (Wills) dendation plants in and otherwoods.		((((
 Controls (kills) dandelion, plantain, and other weeds. 		(((

- Feeds the lawn with two types of nitrogen.
- Easy application with any type of spreader.
- Combines a highly effective lawn weed killer and winter lawn conditioner.
- Always apply with a properly calibrated rotary or drop type fertilizer spreader to distribute the granules evenly. Never apply by hand.
- Place your spreader on the driveway or other paved surface when filling. This guards against spilling fertilizer on grass. For even coverage, begin walking before you turn spreader to the open position to avoid dropping fertilizer in one spot when the spreader is opened. Be sure the spreader is closed when filling it, when turning to backtrack, or when stopping on the lawn.
- To avoid gaps and streaks, first spread the border and fill in center with uniform, parallel passes.
 - Greens up to 3 months.
- Greens rapidly.
- 10% slow release nitrogen.
 - 2% iron for dark green turf.
 - 1% iron for greener lawns
 - 12% sulfur
 - 1% iron
 - 1% zinc
 - · Homogeneous pellets
 - Non-burning formula
 - Pelletized for easy application.
 - Contains Trimec® herbicide to control (kill) the toughest weeds.
 - · Controls broadleaf weeds
 - · Slow-release formula builds healthier, thicker lawns
 - Controls weeds-Late Spring and/or Early Fall Feeds turf growth
 - For a beautiful lawn all year long, choose a GroundWork Fertilizer for every season.
 - Controls (Number) weeds! (Listing of weeds may include the following.)
 - Lawn Care Program, Step 4, Apply Around Labor Day
 - Round 2
 - Round 4
 - · Southwest Kansas Blend
 - · Formulated for alkaline soil
 - Feeds XXXX Square Feet [of Lawn]
 - · Controls [Kills] Dandelion and other [Tough] Broadleaf Weeds
 - · Store In A Dry Place
 - When applied as directed, this product meets the minimum standards for non-nutritive metals established by the Association of American Plant Food Control Officials.
 - Coverage [up to] XXXX square feet
 - [This Baq] Covers [Treats] [up to] [XXXX] sq.ft.
 - Step 2
 - Locally Made
 - Kills [Controls] [over] [200] [+] [broadleaf] weeds while feeding your lawn
 - Promotes deep green lawns and early rapid growth
 - · Formulated with slow release nitrogen for long lasting performance
 - · 3% iron for rich green turf
 - Effective on St. Augustine lawns
 - Lasts up to 3 months
 - Kills a wide spectrum of [listed] broadleaf weeds, including dandelion, oxalis, spurge and clover
 - Armstrong Garden Centers is committed to providing the highest quality products for your gardering success. Weed & Feed Lawn Food is formulated to promote a weed free, deep green lawn.
 - · Controls plantain
 - · Controls knotweed

- · Controls dandelion
- · Controls chickweed
- · Controls spurge
- · Controls Weeds Feeds the Lawn
- Great for Fescue, Kentucky Bluegrass, Centipedel Zoysia, Bermuda, Perennial Ryegrass, St. Augustine and Bahia Lawns
- Phosphorus Free
- Contains essential micro-nutrients for complete nutrition
- Up to [x] month feeding
- Just right for the Northwest
- Phosphate free [Note: to be used only on formulations without phosphorus)
- Cover XXX sq. ft. of lawn
- Bi-Mart Unconditional Money Back Guarantee: If you are not completely satisfied with your Bi-Mart Quality Product, regardless of the reason, your entire purchase price will be cheerfully refunded.

Fertilizer Analysis				
Nitrogen	XXX			
Phosphorus				
Potassium	ZZZ			

Container Packaging and Size:

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings of drop spreaders, rotary spreaders, and other granular applicators (pictures or drawings) may be presented on the container labels.

Bag Size,	Calibration Rate,	Application Rate,	Treated Area for Th	nis Bag Size, Sq.Ft.
Pounds	Pounds/Sq.Ft.	Pounds/1000 Sq.Ft.	Cool Season Grass	St. Augustinegrass
16	1/310	3.23	5,000	5,000
17	1/300	3.33	5,100	5,100
18	1/275	3.64	5,000	5,000
20	1/250	4.00	5,000	
22	1/227	4.40	5,000	
25	1/200	5.00	5,000	
40	1/250	4.00	10,000	
50	1/300	3.33	15,000	
54	1/275	3.64	15,000	

[Spreader Listing and Graphics]

Rotary Spreaders	Drop Spreaders
Rotary Spreaders	Drop Spieaders
Republic EZ	Ortho Drop
Ev N Spread	Scotts Drop (PF)
Scotts Easy Green	Scotts Even Green
Precision	Garden Plus
Quaker	Scotts AccuGreen
Ortho Rotary	·
True Temper	
Scotts Speedy Green	
Republic EZ Grow	
Garden Plus	

	(
(((((.
(((
000000	
6.6	4
(((((
	(
	1 (((((((((((((((((((

WEEDS			(((
Annual yellow sweetclover	Clover, white	Mustard	Spiny cocklebur

WEEDS			
Aster	Cockle	Narrowleaf plantain	Spiny sowthistle
Austrian fieldcress	Cocklebur	Narrowleaf vetch	Spotted catsear
Bedstraw	Common mullein	Neftle	Spotted spurge
Beggarticks	Creeping jenny	Orange hawkweed	Spurweed
Betony, Florida	Cudweed	Oriental cocklebur	Stinging nettle
Bindweed, field	Curly dock	Oxalis	Strawberry, India mock
Bird vetch	Daisy, English	Parsley-piert	Tall nettle
Bitter wintercress	Daisy fleabane	Parsnip	Tall vervain
Bittercress, hairy	Daisy, oxeye	Pearlwort	Tansy ragwort
Bitterweed	Dandelion	Pennycress	Tansy mustard
Black-eyed Susan	Dichondra	Pepperweed	Tanweed
Black medic	Dogfennel	Pigweed	Thistle
Black mustard	Dollarweed	Pineywoods bedstraw	Trailing crownvetch
Blackseed plantain	False dandelion	Plains coreopsis	Tumble mustard
Blessed thistle	Falseflax	Plantain	Tumble pigweed
Bloodflower milkweed	False sunflower	Poison ivy	Velvetleaf
Blue lettuce	Fiddleneck	Poison oak	Venice mallow
Blue vervain	Florida pusley	Pokeweed	Virginia buttonweed
Bracted plantain	Frenchweed	Poorjoe	Virginia creeper
Bristly oxtongue	Galinsoga	Prairie sunflower	Virginia pepperweed
Broadleaf dock	Goldenrod	Prickly lettuce	Wavyleaf bullthistle
Broadleaf plantain	Ground ivy	Prickly sida	Western clematis
Broomweed	Gumweed	Prostrate knotweed	Western salsify
Buckhorn	Hairy fleabane	Prostrate pigweed	White mustard
Buckhorn plantain	Hawkweed	Prostrate spurge	Wild aster
Bulbous buttercup	Healall	Prostrate vervain	Wild buckwheat
Bull thistle	Heartleaf drymary	Puncturevine	Wild carrot
Bullnettle	Heath aster	Purslane, common	Wild four-o'clock
Burclover	Hedge bindweed	Ragweed	Wild garlic
Burdock	Hedge mustard	Red sorrel	Wild geranium
Burning nettle	Henbit	Redroot pigweed	Wild lettuce
Burweed	Hoary cress	Redstem filaree	Wild marigold
Buttercup	Hoary plantain	Rough cinquefoil	Wild mustard
Buttonweed	Hoary vervain	Rough fleabane	Wild onion
Canada thistle	Horsenettle	Russian pigweed	Wild parsnip
Carolina geranium	Jimsonweed	Russian thistle	Wild radish
Carpetweed	Knawel	Scarlet pimpernel	Wild rape
Catchweed bedstraw	Knotweed	Scotch thistle	Wild strawberry
Catnip	Kochia	Sheep sorrel	Wild sweet potato
Catsear	Lambsquarters	Shepherdspurse	Wild vetch
Chickweed, common	Lespedeza	Slender plantain	Woodsorrel
Chickweed, mouseear	Mallow	Smallflower galinsoga	Woolly croton
Chicory	Matchweed	Smooth dock	Woolly morningglory
Cinquefoil	Mexicanweed	Smooth pigweed	Woolly plantain
Clover, crimson	Milk vetch	Sorrel	Wormseed
Clover, hop	Morningglory	Sowthistle	Yarrow
Clover, red	Mouseear hawkweed	Spanishneedles	Yellow rocket
Clover, strawberry	Mugwort	Speedwell	Yellowflower pepperweed
Clover, sweet	Musk thistle	Spiny amaranth	and other broadleaf weeds

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00643.20140224.notif-proposed-clean.doc

2. Reason for Issue: ad claims

