



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

February 17, 2017

Eric D. Smith  
Federal Registration Manager  
PBI/Gordon Corporation  
P.O. Box 014090

Subject: Notification per PRN 98-10 – Minor label changes  
Product Name: Gordon’s Trimec Weed & Feed 24B  
EPA Registration Number: 2217-643  
Application Date: November 11, 2016  
Decision Number: 523679

Dear Mr. Smith:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Grant Rowland at 703-347-0254 or via email at [rowland.grant@epa.gov](mailto:rowland.grant@epa.gov)

Page 2 of 2  
EPA Reg. No. 2217-643  
Decision No. 523679

Sincerely,

A handwritten signature in cursive script, appearing to read "Kathryn V. Montague for".

Kathryn V. Montague, Product Manager 23  
Herbicide Branch  
Registration Division (7505P)  
Office of Pesticide Programs

# GORDON'S TRIMEC® WEED & FEED 24B

## EPA Reg. No. 2217-643

### ACTIVE INGREDIENTS:

2,4-dichlorophenoxyacetic acid .....	0.55%
(+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid .....	0.12%
Dicamba: 3,6-dichloro-o-anisic acid .....	0.05%
OTHER INGREDIENTS: .....	99.28%
TOTAL .....	100.00%

### THIS PRODUCT CONTAINS:

- 11.0 lb 2,4-dichlorophenoxyacetic acid equivalent per ton.
- 2.4 lb (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid equivalent per ton.
- 1.0 lb 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

### NOTIFICATION

2217-643

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/17/2017

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

See attached booklet for complete [Precautionary Statements and] Directions for Use, including Storage and Disposal, and back panel for [complete Precautionary Statements, including] First Aid. OR See back panel for complete Precautionary Statements, including First Aid, and Directions for Use, including Storage and Disposal.

**Guaranteed Analysis:** See appendix for example.

**Net Contents:** \_\_\_\_\_

**EPA Est. No.** \_\_\_\_\_

**Company Name and Address:**

PBI/Gordon Corporation

1217 West 12<sup>th</sup> Street

Kansas City, Missouri 64101



# **PRECAUTIONARY STATEMENTS**

## **Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material.

<b>First Aid</b>	
<b>If on skin or on clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15 - 20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.	

## **Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

## **[Environmental Hazards (alternate per PRN 2008-1)**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.]

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## **GENERAL PRECAUTIONS AND RESTRICTIONS:**

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

- Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floritam' St. Augustinegrass in Florida.
- Do not use this product where desirable clovers are present. Do not exceed specified dosages for any area. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.
- Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

**INSTRUCTIONS:**

Gordon's Trimec® Weed & Feed 24B controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns as listed. In addition, a [XX-XX-XX] fertilizer provides plant nutrients or a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in 30 days.

**[Note to Reviewer: the language below was moved into the appendix]**

**[For state registrations in Kentucky, add the following paragraph:**

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing (\*Number of pounds) of nitrogen per 1,000 square feet. Please consult your local extension office for questions regarding a regular fertilizer program suitable for your geographic region.]

**Fertilizer Labeling Requirements:**

- Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfce.org/metals.htm>.

The maximum broadcast application rate is 5.0 pounds of product per 1,000 sq.ft. per application [(1.2 lb 2,4-D ae, 0.27 lb MCPP-p ae and 0.11 lb dicamba ae per acre per application)]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 10.0 pounds of product per 1,000 sq.ft. [(2.4 lb 2,4-D ae, 0.54 lb MCPP-p ae and 0.22 lb dicamba ae per acre)].

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Gordon's Trimec Weed & Feed 24B Weed and Feed effectively controls the following weeds when used as directed.

**[Note to Supplemental Registrants: A subset of the following list may be used in place of the full list.]**

<b>Broadleaf Weeds Controlled [248 Weeds, 233 Weeds CA]</b>			
Amaranth, purple	Creeping Beggarweed*	Morningglory, mexican	Speedwell, bi-lobed
Amaranth, slender	Creeping Jenny	Morningglory, red	Speedwell, common
Amaranth, spiny	(creeping charlie)	Morningglory, tall	Speedwell, corn
Aster, heath	Cupid shaving Brush*	Morningglory, woolly	Speedwell, ivyleaf

Aster, white heath	Cudweed	Mugwort	Speedwell, Persian
Aster, purple	Daisy, English	Mustard, ball	Speedwell, purslane
Aster, white prairie	Daisy, oxeye	Mustard, black	Speedwell, slender
Aster, wild	Dandelion, common	Mustard, blue	Speedwell, snow
Artichoke*	Day flower*	Mustard, hedge	Speedwell, thymeleaf
Austrian fieldcress	Deadnettle	Mustard, Indian,	Spurge, spotted
Bedstraw, Catchweed	Dichondra	Mustard, tansy	Spurge, prostrate
Bedstraw, smooth	Dock, broadleaf	Mustard, tumble	Star of Bethlehem*
Bedstraw, Northern	Dock, curly	Mustard, white	Strawberry, India mock
Bedstraw, pineywoods	Dock, smooth	Mustard, wormseed	Tansy ragwort
Beggarticks, hairy	Dogbane	Nettle, stinging (burning)	Tanweed
Betony, Florida	Dogfennel	Nettle, tall	Thistle, blessed
Bindweed, Field	Dollarweed	Nettle, wood	Thistle, bull
Bindweed, Hedge	(Pennywort)	Parsley-piert	Thistle, Canada
Bitter Wintercress	Dove weed	Parsnip	Thistle, flodman (prairie)
Bittercress, hairy	Elderberry	Pearlwort	Thistle, musk
Bitterweed	Falseflax	Pennycress (frenchweed)	Thistle, platte
Black-eyed Susan	False sunflower	Pepperweed, perennial	Thistle, plumeless
Black Medic	Fiddleneck	Pepperweed, Virginia	Thistle, Russian
Blood flower milkweed	Filaree, redstem	(Peppergrass)	Thistle, scotch
Blue lettuce	Filaree, whitestem	Pigweed, prostrate	Thistle, wavyleaf
Brassbuttons	Fleabane, daisy	Pigweed, redroot	Thistle, yellow (horrible)
Bristly oxtongue	(annual)	Pigweed, Russian	Trailing crownvetch
Broomweed	Fleabane, hairy	Pigweed, smooth	Velvetleaf
Bullnettle	Fleabane, rough	Pigweed, tumble	Vervain, blue
Burclover	Galinsoga, hairy	Pineapple weed	Vervain, hoary
Burdock	Galinsoga, smallflower	Plains coreopsis (tickseed)	Vervain, prostrate
Burweed, lawn (spurweed)	Goldenrod	Plantain, blackseed	Vervain, tall
Buttercup, bulbous	Ground ivy	Plantain, bracted	Vetch, bird
Buttercup, creeping	Groundsel*	Plantain, broadleaf	Vetch, hairy
Buttonweed, common	Gumweed	Plantain, buckhorn	Vetch, milk
(poorjoe)	Hawkweed, meadow	Plantain, hoary	Vetch, narrowleaf
Buttonweed, Virginia	Hawkweed, mouseear	Plantain, narrowleaf	Vetch, wild
Carolina geranium (wild)	Hawkweed, orange	Plantain, slender	Virginia creeper
Carpetweed	Hawkweed, yellow	Plantain, woolly	Western clematis
Catnip	Healall	Poison ivy	Western salsify
Catsear, spotted (false	Heartleaf drymary	Poison oak	Wild buckwheat
dandelion)	Hemp	Pokeweed	Wild carrot
Chamber bitter*	Henbit	Prairie Sunflower	Wild four-o'clock
Chickweed, common	Hoary cress	Prickly lettuce (compass plant)	Wild garlic
Chickweed, mouseear	Horsenettle	Prickly sida	Wild lettuce
Chickweed, sticky	Horseweed*	Puncturevine	Wild marigold
Chicory	Jimsonweed	Purslane, common	Wild mustard (yellow rocket)
Cinquefoil	Johnny-Jumpup violet*	Pusley, Brazil	Wild onion
Cinquefoil, rough	Knawel	Pusley, Florida	Wild parsnip
Clover, alyce	Knotweed, prostrate	Pusley, large flower	Wild radish
Clover, crimson	Kochia	Ragweed, bur	Wild rape
Clover, hop	Lambsquarters	Ragweed, common	Wild strawberry
Clover, rabbit foot	Lespedeza	Ragweed, lanceleaf	Wild sweet potato
Clover, red	Mallow, alkali	Ragweed, western	Wild violet
Clover, strawberry	Mallow, bristly	Scarlet pimpernel	Woodsorrel, creeping
Clover, yellow sweet	Mallow, common	Shepard's purse	Woodsorrel, violet
Clover, white sweet	Mallow, dwarf	Smartweed, ladythumb*	Woodsorrel, yellow (Oxalis)
Clover, white	Mallow, venice	Smartweed, pale*	Woolly croton
Cockle	Marcela*	Smartweed, Pennsylvania*	Wormseed
Cocklebur	Matchweed	Smooth chaff-flower	Yarrow, common
Cocklebur, oriental	Mexicanweed	Sorrel, red (sheep)	Yarrow, western
Cocklebur, spiny	Moneywort*	Sowthistle, annual	Yarrow, yellow
Common mullein	Morningglory, bigroot	Sowthistle, spiny	
Corn Spurry*	Morningglory, ivyleaf	Spanish needles	

\*Not for use in California.

Keep this product off sidewalks, patios, driveways, etc. This product contains materials which will stain concrete and painted surfaces. If it comes in contact with a concrete surface, sweep off immediately before finishing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter product beyond lawn edge and onto concrete.

[Optional]

[Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, Equipment settings of drop spreaders, rotary spreaders, and other granular applicators (pictures or drawings) may be presented on the container labels.]

[Note to Reviewer: the language above was moved into the appendix]

[Note to Supplemental Registrants: The following language on equipment settings/spreader settings is optional – it may be presented on the container at your discretion.]

**[SUGGESTED SPREADER SETTINGS**

Spreader Settings	
Scotts .....	6
Lawn Beauty .....	5
Jackson .....	7.5
Sears .....	4

As a guide, set spreader at the setting indicated by the above chart before applying. Remember the settings provided are only a guide and depend on the age, condition and speed of operation of your spreader. Check spreader calibration often and make adjustments as needed.]

Choose One Of These Spreader Patterns

1. **Single Pass** - Operate the equipment at intervals corresponding to the width or swath of the spreader. For drop spreaders, overlap the wheel tracks to ensure complete coverage. Close the spreader openings when turning to change directions.
2. **Double Pass** - Reduce the application rate by one-half of the recommended rate, calibrate the spreader, and adjust the settings for the desired application rate. Operate the spreader over the lawn two (2) times. Close the spreader openings when turning to change directions.
3. **Cross Hatching** - Reduce the application rate by one-half of the recommended rate, calibrate the spreader, and adjust the settings for the desired application rate. Operate the spreader over the lawn two (2) times. For the second trip, operate the spreader perpendicular to the wheel tracks of the spreader pattern of the first trip. Close the spreader opening when turning to change directions.]

[Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings of drop spreaders, rotary spreaders, and other granular applicators (pictures or drawings) may be presented on the container labels.]

Bag Size, Pounds	Calibration Rate, Pounds/Sq.Ft.	Application Rate, Pounds/1000 Sq.Ft.	Treated Area for This Bag Size, Sq.Ft.	
			Cool Season Grass	St. Augustinegrass
16	1/310	3.23	5,000	5,000
17	1/300	3.33	5,100	5,100
18	1/275	3.64	5,000	5,000
20	1/250	4.00	5,000	--
22	1/227	4.40	5,000	--
25	1/200	5.00	5,000	--

Bag Size, Pounds	Calibration Rate, Pounds/Sq.Ft.	Application Rate, Pounds/1000 Sq.Ft.	Treated Area for This Bag Size, Sq.Ft.	
			Cool Season Grass	St. Augustinegrass
40	1/250	4.00	10,000	--
50	1/300	3.33	15,000	--
54	1/275	3.64	15,000	--

[Note to Reviewer: the language above was moved from the appendix]

[Spreader Listing and Graphics]

Rotary Spreaders	Drop Spreaders
Republic EZ Ev N Spread Scotts Easy Green Precision Quaker Ortho Rotary True Temper Scotts Speedy Green Republic EZ Grow Garden Plus	Ortho Drop Scotts Drop (PF) Scotts Even Green Garden Plus Scotts AccuGreen

[Note to Reviewer: the language above was moved from the appendix]

[End Optional language]

WEEDS			
Bedstraw	Ground ivy	Peppergrass	Spurge
Black medic	Healall	Pigweed	Thistle
Buckhorn	Henbit	Plantain	Wild carrot
Burdock	Knotweed	Poison ivy	Wild garlic
Chicory	Lambsquarters	Poison oak	Wild lettuce
Chickweed	Lespedeza	Purslane	Wild onion
Clover	Mallow	Ragweed	Yarrow
Dandelion	Morningglory	Sheep sorrel	
Deck	Oxalis	Speedwell	

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [www.website.com](http://www.website.com) for disposal instructions. Never place unused product down any indoor or outdoor drain.

## LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of



purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

#### [[Alternate] WARRANTY DISCLAIMER

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

The directions for use of this product must be followed carefully. EXCEPT AS PROVIDED ABOVE AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations of liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.]


## APPENDIX

### 1. Statements which may appear on different label components depending on packaging configuration.

- See next panel for additional Precautionary Statements and First Aid
- Net Weight: \_\_\_\_\_
- EPA Est. No. \_\_\_\_\_

### 21. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

**[Note to Supplemental Registrants: Include, as required, based on fertilizer components.]**

 **[ATTENTION][NOTICE]** This product can expose you to [chemicals including][name of chemical(s)], which [is][are] known to the State of California to cause [cancer][birth defects or other reproductive harm]. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### Herbicide Benefit Claims:

- Controls (Kills) dandelion and other [tough] broadleaf weeds.
- Controls (Kills) (desired weed species from attached listing may be inserted here e.g. dandelion, chickweed, knotweed, plantain, henbit, spurge) and many other broadleaf weeds [in grass lawns]; including those listed on the back panel.
- Controls (Kills) a wide spectrum of broadleaf weeds.
- Controls (kills) dandelion, plantain, and other weeds.
- Contains Trimec® herbicide to control (kill) the toughest weeds.
- Controls broadleaf weeds
- Controls (Number) weeds! (Listing of weeds may include the following.)
- Controls [Kills] Dandelion and other [Tough] Broadleaf Weeds
- Controls plantain
- Controls knotweed
- Controls dandelion
- Controls chickweed
- Controls spurge
- Kills a wide spectrum of [listed] broadleaf weeds, including dandelion, oxalis, spurge and clover
- Contains Trimec Herbicide to control the toughest weeds
- [1 bag] covers [up to] XXX sq.ft.
- Broadleaf weed control

#### Fertilizer Benefit Claims:

- Prepares your lawn for winter dormancy.
- Promotes deeper green lawns and early rapid growth.
- Greens 3X longer.
- What makes Pursell's Polyon® controlled-release nitrogen so unique? Each granule of Polyon® controlled-release nitrogen is encapsulated by our exclusive ultra-thin polymer coating which steadily releases nitrogen into your lawn as your grass needs it. This means your lawn receives a gradual and precise amount of nitrogen. Polyon® controlled-release nitrogen releases in response to temperature rather than moisture so when used as directed, there is virtually no risk of burning or surge growth following heavy rainfall. Your lawn steadily becomes thicker, sturdier and greener.
- Feeds and greens lawns quickly.
- Three types of nitrogen for long-lasting results.
- Greens quick, stays green.
- Promotes longer-lasting winter hardiness & early spring green-up.
- Provides controlled-release feeding and promotes longer-lasting winter hardiness and drought tolerance.
- A (Grade ex. 22-3-16) fertilizer helps condition lawns to prevent winter injury.
- Long lasting with 2% iron.
- Feeds the lawn with two types of nitrogen.
- Greens up to 3 months.
- Greens rapidly.
- 10% slow release nitrogen.
- 2% iron for dark green turf.
- 1% iron for greener lawns
- 12% sulfur
- 1% iron
- 1% zinc
- Non-burning formula
- Slow-release formula builds healthier, thicker lawns
- When applied as directed, this product meets the minimum standards for non-nutritive metals established by the Association of American Plant Food Control Officials.

- Promotes deep green lawns and early rapid growth
- Formulated with slow release nitrogen for long lasting performance
- 3% iron for rich green turf
- Phosphorus Free
- Contains essential micro-nutrients for complete nutrition
- Up to [x] month feeding
- Phosphate free [Note: to be used only on formulations without phosphorus)
- Driven by Duration CR
- Controlled-Release Fertilizer Engineered for Performance

#### General Marketing Claims:

- [Trimec logo] Your guarantee of professional quality
- The key to a beautiful lawn next spring.
- For long lasting results.
- Features:
  - \_\_\_ pounds of product cover up to \_\_\_ square feet of turf
  - Contains Polyon® controlled-release nitrogen.
  - Premium quality
  - Satisfaction guaranteed!
  - This product contains a highly effective weed killer and a winter lawn conditioner.
  - Kills (Controls) over (Number) varieties of weeds while feeding your lawn!
  - Premier formula for weed and feed.
  - A balanced formula for overall lawn health.
  - Easy application with any type of spreader.
  - Combines a highly effective lawn weed killer and winter lawn conditioner.
  - Always apply with a properly calibrated rotary or drop type fertilizer spreader to distribute the granules evenly. Never apply by hand.
  - Place your spreader on the driveway or other paved surface when filling. This guards against spilling fertilizer on grass. For even coverage, begin walking before you turn spreader to the open position to avoid dropping fertilizer in one spot when the spreader is opened. Be sure the spreader is closed when filling it, when turning to backtrack, or when stopping on the lawn.
  - To avoid gaps and streaks, first spread the border and fill in center with uniform, parallel passes.
  - Homogeneous pellets
  - Pelletized for easy application.
  - Controls weeds-Late Spring and/or Early Fall — Feeds turf growth
  - For a beautiful lawn all year long, choose a GroundWork Fertilizer for every season.
  - Lawn Care Program, Step 4, Apply Around Labor Day
  - Round 2
  - Round 4
  - Southwest Kansas Blend
  - Formulated for alkaline soil
  - Feeds XXXX Square Feet [of Lawn]
  - Store In A Dry Place
  - Coverage [up to] XXXX square feet
  - [This Bag] Covers [Treats] [up to] [XXXX] sq.ft.
  - Step 2
  - Locally Made
  - Kills [Controls] [over] [200] [+] [broadleaf] weeds while feeding your lawn
  - Effective on St. Augustine lawns
  - Lasts up to 3 months
- Armstrong Garden Centers is committed to providing the highest quality products for your gardening success. Weed & Feed Lawn Food is formulated to promote a weed free, deep green lawn.

- Controls Weeds – Feeds the Lawn
- Great for Fescue, Kentucky Bluegrass, Centipede, Zoysia, Bermuda, Perennial Ryegrass, St. Augustine and Bahia Lawns
- Just right for the Northwest
- Cover XXX sq. ft. of lawn
- Bi-Mart Unconditional Money Back Guarantee: If you are not completely satisfied with your Bi-Mart Quality Product, regardless of the reason, your entire purchase price will be cheerfully refunded.
- [Tractorsupply.com](http://Tractorsupply.com)
- [Armstronggarden.com](http://Armstronggarden.com)
- Visit [www.bestfertilizer.com](http://www.bestfertilizer.com)
- For use on grass lawns including St. Augustine.
- UNCONDITIONAL GUARANTEE OF SATISFACTION: This Master Nursery product is guaranteed to perform as outlined on this container to the complete satisfaction of the purchaser or a full refund of the purchase price will be made. Refund will be sent upon receipt of the warranty and register receipt showing proof of purchase at participating master Nurseries or email: [info@masternursery.com](mailto:info@masternursery.com)
- Apply around [Memorial][Label] Day

**Container Packaging and Size:**

Note to Supplemental Registrants: Select the appropriate bag size and present only the information provided for that bag size on your product labeling. Also, equipment settings of drop spreaders, rotary spreaders, and other granular applicators (pictures or drawings) may be presented on the container labels.

Bag Size, Pounds	Calibration Rate, Pounds/Sq.Ft.	Application Rate, Pounds/1000 Sq.Ft.	Treated Area for This Bag Size, Sq.Ft.	
			Cool Season Grass	St. Augustinegrass
16	1/310	3.23	5,000	5,000
17	1/300	3.33	5,100	5,100
18	1/275	3.64	5,000	5,000
20	1/250	4.00	5,000	--
22	1/227	4.40	5,000	--
25	1/200	5.00	5,000	--
40	1/250	4.00	10,000	--
50	1/300	3.33	15,000	--
54	1/275	3.64	15,000	--

**[Spreader Listing and Graphics]**

Rotary Spreaders	Drop Spreaders
Republic EZ Ev N Spread Scotts Easy Green Precision Quaker Ortho Rotary True Temper Scotts Speedy Green Republic EZ Grow Garden Plus	Ortho Drop Scotts Drop (PF) Scotts Even Green Garden Plus Scotts AccuGreen

WEEDS			
Annual yellow sweetclover	Clover, white	Mustard	Spiny cocklebur
Aster	Cockle	Narrowleaf plantain	Spiny sowthistle
Austrian fieldcress	Cocklebur	Narrowleaf vetch	Spotted catsear
Bedstraw	Common mullein	Nettle	Spotted spurge

<b>WEEDS</b>			
Beggarticks	Creeping jenny	Orange hawkweed	Spurweed
Botany, Florida	Cudweed	Oriental cocklebur	Stinging nettle
Bindweed, field	Curly dock	Oxalis	Strawberry, India mock
Bird vetch	Daisy, English	Parsley-piert	Tall nettle
Bitter wintercress	Daisy fleabane	Parsnip	Tall vervain
Bittercress, hairy	Daisy, oxeye	Pearlwort	Tansy ragwort
Bitterweed	Dandelion	Pennycress	Tansy mustard
Black-eyed Susan	Dichondra	Pepperweed	Tanweed
Black medic	Dogfennel	Pigweed	Thistle
Black mustard	Dollarweed	Pineywoods bedstraw	Trailing crownvetch
Blackseed plantain	False dandelion	Plains coreopsis	Tumble mustard
Blessed thistle	Falseflax	Plantain	Tumble pigweed
Bloodflower milkweed	False sunflower	Poison ivy	Velvetleaf
Blue lettuce	Fiddleneck	Poison oak	Venice mallow
Blue vervain	Florida pusley	Pokeweed	Virginia buttonweed
Bracted plantain	Frenchweed	Poorjoe	Virginia creeper
Bristly oxtongue	Galinsoga	Prairie sunflower	Virginia pepperweed
Broadleaf dock	Goldenrod	Prickly lettuce	Wavyleaf bullthistle
Broadleaf plantain	Ground ivy	Prickly sida	Western clematis
Broomweed	Gumweed	Prostrate knotweed	Western salsify
Buckhorn	Hairy fleabane	Prostrate pigweed	White mustard
Buckhorn plantain	Hawkweed	Prostrate spurge	Wild aster
Bulbous buttercup	Healall	Prostrate vervain	Wild buckwheat
Bull thistle	Heartleaf drymary	Puncturevine	Wild carrot
Bullnettle	Heath aster	Purslane, common	Wild four-o'clock
Burclover	Hedge bindweed	Ragweed	Wild garlic
Burdock	Hedge mustard	Red sorrel	Wild geranium
Burning nettle	Henbit	Redroot pigweed	Wild lettuce
Burweed	Hoary cross	Redstem filaree	Wild marigold
Buttercup	Hoary plantain	Rough cinquefoil	Wild mustard
Buttonweed	Hoary vervain	Rough fleabane	Wild onion
Canada thistle	Horsenettle	Russian pigweed	Wild parsnip
Carolina geranium	Jimsonweed	Russian thistle	Wild radish
Carpetweed	Knawel	Scarlet pimpernel	Wild rape
Catchweed bedstraw	Knotweed	Scotch thistle	Wild strawberry
Catnip	Kochia	Sheep sorrel	Wild sweet potato
Catsear	Lambsquarters	Shepherdspurse	Wild vetch
Chickweed, common	Lespedeza	Slender plantain	Woodsorrel
Chickweed, mouseear	Mallow	Smallflower galinsoga	Woolly croton
Chicory	Matchweed	Smooth dock	Woolly morningglory
Cinquefoil	Mexicanweed	Smooth pigweed	Woolly plantain
Clover, crimson	Milk vetch	Sorrel	Wormseed
Clover, hop	Morningglory	Sewthistle	Yarrow
Clover, red	Mouseear hawkweed	Spanishneedles	Yellow rocket
Clover, strawberry	Mugwort	Speedwell	Yellowflower pepperweed
Clover, sweet	Musk thistle	Spiny amaranth	and other broadleaf weeds

### 3. State mandated fertilizer labeling requirements:

[Note to Supplemental Registrants: Please select the statements relevant to the areas of the country in which your specific product is registered and sold; if any of these statements are relevant to your labeling, please place in the Directions for Use under the heading "State Restrictions"]

<b>GUARANTEED ANALYSIS XX-X-X</b>	
Total Nitrogen (N) .....	XX%
x.x% ammoniacal nitrogen	
x.x% urea nitrogen*	
Available Phosphate (P2O5) .....	X%
Soluble Potash (K2O) .....	X%

Sulfur (S) .....	X%
x.x% free sulfur (S)	
Iron (Fe).....	X%
Derived from: polymer-coated sulfur-coated urea, urea, ammonium phosphate, potassium chloride. *A portion of the urea has been coated to provide x.x% coated slow-release nitrogen. This product and/or its manufacture is covered by one or more of the following U.S. patents and international counterparts thereof: US Patent Numbers: xxxxxx	

[Note: Fertilizer grades with nutrient contents expressed as the percentages of N, P2O5 and K2O may include the following: 23-3-7 or x-x-x. The fertilizer grade analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states, and the analyses will differ between supplemental registrations.]

- California, Oregon, Washington: “Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>”
- Florida: [Note to reviewer: maximum number of applications in this section is dually based upon maximum ai load as well as fertilizer analysis effect on maximum nitrogen rates in different regions in Florida]:
  - In North Florida: Do not exceed X applications per year on bermudagrass. Do not exceed X applications per year on centipedegrass. Do not exceed X applications per year on St. Augustine grass. Do not exceed X applications per year on zoysiagrass.
  - In Central Florida: Do not exceed X applications per year on bermudagrass. Do not exceed X applications per year on centipedegrass. Do not exceed X applications per year on St. Augustine grass. Do not exceed X applications per year on zoysiagrass.
  - In South Florida: Do not exceed X applications per year on bermudagrass. Do not exceed X applications per year on centipedegrass. Do not exceed X applications per year on St. Augustine grass. Do not exceed X applications per year on zoysiagrass.
- Florida: “Apply only to actively growing turf.”
- Florida: “Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.”
- Idaho: “Apply only as directed”
- Maryland: “This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under § 8-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application; 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or 3) Reestablishing or repairing a turf area.”
- New Jersey: “In the state of New Jersey, this product may be used only when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary pursuant to a soil test conducted by a laboratory identified pursuant to subsection b. of section 6 of P.L.2010, c.112 (C.58:10A-66) and performed no more than three years before the application, and pursuant to the associated annual fertilizer recommendation issued by the New Jersey Agricultural Experiment Station at Rutgers, the State University; 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is in accordance with the standards and requirements established under the “Soil Erosion and Sediment Control Act,” P.L.1975, c.251 (C.4:24-39 et seq.) and the rules and regulations adopted pursuant thereto; 3) Reestablishing or repairing a turf area; or 4) Delivering liquid or granular fertilizer under the soil surface, directly to the feeder roots.”
- New Hampshire: In the state of New Hampshire, this product may only be used on 1) Establishing new lawns, for repairing a lawn, for seeding, or for use when a soil test indicates a phosphorus deficiency.
- Virginia: “In the state of Virginia, this product may be used only on 1) Newly established turf areas from sod or seed during the first growing season; 2) Turf areas being repaired or renovated, and; 3) Turf areas where soil tests performed within the past three years indicate nutrient deficiency.”

- [Virginia, Florida, Maryland, others] DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN. [AND SWEEP ANY PRODUCT THAT LANDS ON THE DRIVEWAY, SIDEWALK, OR STREET, BACK INTO YOUR LAWN/GARDEN.] [Note to Supplemental Registrant: The bracketed part of this statement is not required for liquid products.]
- [For products containing Iron:] Keep this product off sidewalks, patios, driveways, etc. This fertilizer contains iron which will stain concrete and painted surfaces. If it comes in contact with concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter fertilizer beyond lawn edge and onto concrete.
- [Advisories for fertilizers containing iron:] "This product may stain concrete and stone, where spilling occurs, sweep off immediately, then flush with water." OR "Sweep all residues from concrete surfaces immediately after application. The iron content in this product will stain sidewalks, patios, driveways, swimming pools and deck coatings if not removed before watering. Neither seller nor distributor assumes any responsibility for damage incurred to any surface other than product's intended use."
- [Note to Supplemental Distributor: In Kentucky if the product supplies less than 1lb of Nitrogen per application, include the following:] A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing XX pounds of nitrogen per 1,000 square feet [and herbicide to control listed weeds]. Please consult your local extension office for questions regarding a regular fertilizer program [suitable for your geographic region]."

Fertilizer Analysis	
Nitrogen .....	XXX
Phosphorus .....	YYY
Potassium .....	ZZZ

## DOCUMENT CONTROL INFORMATION

1. **Unique Label Identifier:** 002217-00643.20161111.notif-proposed-highlighted

2. **Reason for Issue:** ad claims; updated weeds list; additional warranty statements for distributors; state fertilizer language; formatting; update CA Prop 65 language

Internal Usage Notes
Associated Container Label: Supplemental Distributors