

STOP! READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND FOLLOW  
DIRECTIONS CAREFULLY.

**PRECAUTIONARY STATEMENTS**  
Hazards to Humans & Domestic Animals

**DANGER**—Corrosive, causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. If eye exposure occurs, get immediate medical attention. Harmful or fatal if swallowed. Avoid breathing vapor. Wash contaminated clothing before reuse. Do not contaminate feed or foodstuffs.

**Environmental Hazards**  
Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE & DISPOSAL**

— KEEP FROM FREEZING —

**Prohibitions:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides or seeds.

**Pesticide Disposal:** Pesticide, spray, mixture or rinse that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**Container Disposal:** Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

**General:** Consult federal, state or local disposal authorities for approved alternative procedures.

**OTHER USE PRECAUTIONS:**

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants. Coarse sprays are less likely to drift away from target area. Clover present will be damaged if sprayed.

**Gordon's  
BRUSH KILLER 823**

Contains \*TRIMEC® Herbicide

**KILLS:** Ash, Aspen, Brambles, Kudzu, Oak, Willows and many other species of brush and weeds.

<b>ACTIVE INGREDIENTS:</b>	
*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	24.60%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	24.70%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	6.18%
<b>INERT INGREDIENTS</b>	<b>44.52%</b>
<b>TOTAL</b>	<b>100.00%</b>

**This Product Contains:**

\*2.0 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 20.40%.

\*\*2.0 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 20.40%.

\*\*\*0.5 lb. 3,6-dichloro-o-anisic acid per gallon or 5.13%.

\*TRIMEC® is a registered trademark of PBI/GORDON CORPORATION, U.S. Patent No. 3,284,186.

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact with eyes, flush with water for 15 minutes. Get medical attention. In case of contact with skin, wash with plenty of soap and water.

See side panels for additional precautionary statements.

**NET CONTENTS ONE U.S. GALLON**

Mfd. by **G** pbi/gordon  
CORPORATION

KANSAS CITY, KANSAS 66112

44

**BEST DOCUMENT AVAILABLE**

ACCEP

NOV 25 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the registered under EPA Reg. No. 2217



# Gordon's BRUSH KILLER 823

Contains \*TRIMEC® Herbicide

**KILLS:** Ash, Aspen, Brambles, Kudzu, Oak, Willows and many other species of brush and weeds.

<b>ACTIVE INGREDIENTS:</b>	
*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	24.60%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	24.70%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	6.18%
<b>INERT INGREDIENTS</b>	44.52%
<b>TOTAL</b>	<b>100.00%</b>

**This Product Contains:**

- \*2.0 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 20.40%.
- \*\*2.0 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 20.40%.
- \*\*\*0.5 lb. 3,6-dichloro-o-anisic acid per gallon or 5.13%.

\*TRIMEC® is a registered trademark of PBI/GORDON CORPORATION. U.S. Patent No. 3,284,186.

**KEEP OUT OF REACH OF CHILDREN  
DANGER**


**STATEMENT OF PRACTICAL TREATMENT**

In case of contact with eyes, flush with water for 15 minutes. Get medical attention. In case of contact with skin, wash with plenty of soap and water.

See side panels for additional precautionary statements.

**NET CONTENTS ONE U.S. GALLON**

Mfd. by  **pbi/gordon**  
**corporation**  
KANSAS CITY, KANSAS 66118



**ACCEPTED**

NOV 25 1980

U.S. Environmental Protection Agency  
EPA Reg. No. 2217-644

**ROADSIDES, DRAINAGE DITCH BANKS, RIGHTS-OF-WAYS & OTHER SIMILAR NON-CROP AREAS:**

To effectively control brush, all leaves, stems and suckers should be thoroughly wet to the ground. Apply Gordon's Brush Killer 823 when plants come into full leaf (spring) to the time plants begin to go dormant. Best results are obtained when brush and weeds are young and actively growing. Do not cut brush or weeds until the herbicide has translocated throughout the plant causing root death.

**HIGH VOLUME**—Use Gordon's Brush Killer 823 at the rate of ½ to 2 gallons in water to make 100-300 gallons of spray per acre. The amount of water used must allow for full wetting of plants. For small broadleaf weeds, use the lower rate. Heavy dense stands of brush require the high rate with high water volume.

**LOW VOLUME GROUND or AERIAL FOLIAGE SPRAY**—Use Gordon's Brush Killer 823 at the rate of ½ to 2 gallons in water to make 15-25 gallons of spray per acre. Use enough water to insure uniform wetting of plants.

**NOTE:** Avoid spray drift to sensitive crops. Where necessary, use nozzles which produce large spray droplets that greatly reduce spray drift. Use of thickening agents or anti-drift additives and drift-reducing equipment is of value in preventing spray drift. Care should be taken not to make applications where run-off could contaminate bodies of water or spray drift could carry the chemical to food crops or grazing land where cattle, sheep, goats, swine or poultry would be exposed.

**BRUSH & WEEDS CONTROLLED:**

Gordon's Brush Killer 823 is especially effective against brush such as Ash, Birches, Brambles, Kudzu, Multiflora Rose and Willows. In addition to these, it kills many species of brush and broadleaved weeds, some of which are listed below.

Ash	Cherry	<b>BRUSH</b>	Shortleaf Pine
Aspen	Dogwood	Honeylocust	Sumac
Birches	Elms	Multiflora Rose	Wild Plum
Brambles	Gooseberry	Oak	Willows
Cedar		Poplar	
		<b>WEEDS</b>	
		Kudzu	Poison Oak
		Morning Glory	Thistle
		Poison Ivy	Trumpet Vine
		Dock	

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA REG. No. 2217-644  
EPA EST. No. 2217-KS-1

823/980

**BEST DOCUMENT AVAILABLE**