

ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

107

Gordon's BRUSH KILLER 823

A †TRIMEC® Brush Herbicide Formulation

KEEP FROM FREEZING

KILLS: Ash, Aspen, Brambles, Kudzu, Oak, Willows and many other species of brush and weeds.

ACTIVE INGREDIENTS:

* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	24.70%
** Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	23.12%
* Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid.)	6.18%
INERT INGREDIENTS	46.00%
TOTAL	100.00%

This Product Contains:

- * 2.0 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 20.40%.
 - ✓ ** 1.86 lbs. 2,4-Dichlorophenoxyacetic per gallon or 19.18%.
 - ✓ *** 0.5 lb. 3,6-dichloro-o-anisic acid per gallon or 5.13%.
- * Isomer Specific by AOC Method 6.D01-5.

ACCEPTED
APR 20 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 2217-644

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER—Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed.

Environmental Hazards

Do not apply directly to water except as directed in labeling. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

INSTRUCTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

KEEP FROM FREEZING

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides.

Pesticide Disposal: Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation & Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, or dispose of in a sanitary landfill, or by other approved State and local procedures.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.
If On Skin: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.
If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.
If Inhaled: Remove victim to fresh air and apply respiration if indicated.
See additional precautionary information elsewhere on this label.

†TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.
U.S. Patent No. 3,284,186.

EPA REG. No. 2217-644
EPA EST. No. 2217-KS-1

823/482



NET CONTENTS ONE U.S. GALLON

2072

ROADSIDES, DRAINAGE DITCH BANKS, RIGHTS-OF-WAYS & OTHER SIMILAR NON-CROP AREAS:

To effectively control brush, all leaves, stems and suckers should be thoroughly wet to the ground. Apply Gordon's Brush Killer 823 when plants come into full leaf (spring) to the time plants begin to go dormant. Best results are obtained when brush and weeds are young and actively growing. Do not cut brush or weeds until the herbicide has translocated throughout the plant causing root death.

HIGH VOLUME—Use Gordon's Brush Killer 823 at the rate of 1/2 to 2 gallons in water to make 100-300 gallons of spray per acre. The amount of water used must allow for full wetting of plants. For small broadleaf weeds, use the lower rate. Heavy dense stands of brush require the high rate with high water volume.

LOW VOLUME GROUND or AERIAL FOLIAGE SPRAY—Use Gordon's Brush Killer 823 at the rate of 1/2 to 2 gallons in water to make 15-25 gallons of spray per acre. Use enough water to insure uniform wetting of plants.

NOTE:

Avoid spray drift to cotton, soybeans, tomatoes, tobacco, grapes, fruit trees, flowers or garden crops and all other hormone herbicide — sensitive desirable plants. Do not apply near sensitive plants since small quantities of wind — drifted herbicides may cause severe injury.

Do not apply herbicide when wind speed is sufficient to cause drift. Do not apply herbicide when a temperature air inversion exists. An air inversion may be detected by creating a smoke column and observing for a layering effect. Do not apply when temperature exceeds 90° F and humidity is high.

To aid in avoiding spray drift, use coarse sprays and lower pressure. Do not use nozzles which produce fine spray droplets under high pressure. The use of thickening agents or anticraft additives and drift-reducing equipment is of value in preventing spray drift. Care should be taken not to make applications where runoff could contaminate bodies of water or spray drift could carry the chemical to food crops or grazing lands where cattle, sheep, goats, swine or poultry would be exposed.

BRUSH & WEEDS CONTROLLED:

Gordon's Brush Killer 823 is especially effective against brush such as Ash, Birches, Brambles, Kudzu, Multiflora Rose and Willows. In addition to these, it kills many species of brush and broadleaved weeds, some of which are listed below.

BRUSH

Ash	Cherry	Honeylocust	Shorthead
Aspen	Dogwood	Multiflora Rose	Sumac
Birches	Elms	Oak	Wild Plum
Brambles	Gooseberry	Poplar	Willows
Cedar			

WEEDS

Bedstraw	Kudzu	Poison Oak
Burdock	Morning Glory	Thistles
Chicory	Poison Ivy	Trumpet Vine
Dock		

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

READ THE ENTIRE LABEL FIRST.
ALL PRECAUTIONS AND FOLLOW
DIRECTIONS CAREFULLY.

Gordon's BRUSH KILLER 823

A †TRIMEC® Brush Herbicide Formulation
KEEP FROM FREEZING

KILLS: Ash, Aspen, Brambles, Kudzu, Oak,
Willows and many other species of brush
and weeds.

ACTIVE INGREDIENTS:	
*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	24.70%
*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	23.12%
*Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid.)	6.18%
INERT INGREDIENTS	46.00%
TOTAL	100.00%

This Product Contains:

- *2.0 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 20.40% ✓
- *1.86 lbs. 2,4-Dichlorophenoxyacetic per gallon or 19.18% ✓
- **0.5 lb. 3,6-dichloro-o-anisic acid per gallon or 5.13% ✓

*Isomer Specific by AOAC Method 6.D01-5.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER—Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed.

Environmental Hazards

Do not apply directly to water except as directed in labeling. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

ACCEPTED
APR 20 1982
Under the Federal Insecticide,
Fungicide and Rodenticide Act,
this pesticide is registered under
EPA Reg. No. 2217-644

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

KEEP FROM FREEZING

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides.

Pesticide Disposal: Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation & Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, or dispose of in a sanitary landfill, or by other approved State and local procedures.

KEEP OUT OF REACH OF CHILDREN DANGER

If In Eyes: In case of eye contact, immediately flush eyes with plenty of water for 15 minutes. Call a physician at once.

If On Skin: Wash promptly with soap and water. Rinse thoroughly. If irritation develops, get medical attention.

If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Call a physician at once. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air and apply respiration if indicated. See additional precautionary information elsewhere on this label.

†TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.
U.S. Patent No. 3,284,186.

EPA REG. No. 2217-644

EPA EST. No. 2217-KS-1 ✓

823/482

prod. by  pbi/gordon corporation

NET CONTENTS ONE U.S. GALLON

18151
PM 23 2217-644 ps 181

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

DANGER

CAUSES EYE DAMAGE

CAUSES SEVERE SKIN IRRITATION, ESPECIALLY TO BROKEN SKIN

HARMFUL IF SWALLOWED

Do not get in eyes, on skin or on clothing.

Wear goggles or faceshield and rubber gloves when handling this product

Remove and wash contaminated clothing.

Do not take internally.

STORAGE AND DISPOSAL

"Do not contaminate water, food, or feed by storage or disposal."


"Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

Metal Containers Non Aerosol — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product in a manner other than as directed by label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use

REREGISTRATION
LISTS A&B DATA CALL
OCTOBER 6, 1989



QUAKER-PLUS

DISINFECTANT • CLEANER • FUNGICIDE • DEODORANT

ACTIVE INGREDIENT

n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl benzyl ammonium chloride 5.0%

INERT INGREDIENTS

95.0%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. See side panel for additional precautionary statements

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est No 12798-SC-01

EPA Reg No 12798-2

NET CONTENTS _____

QUAKER CHEMICAL COMPANY, Inc.

1212 Elmore Street • P. O. Box 564 • Telephone (803) 795-9520
Columbia, South Carolina 29202

DIRECTIONS FOR USE

"Only for Sale to, Use, and Storage by Service persons"

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling

FOR CLEANING

Lightly soiled areas — surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of QUAKER-PLUS per gallon of water. Rinse cleaned area with fresh water

Heavily soiled areas — mop or brush soiled surface with a solution containing 2-3 ounces of QUAKER-PLUS per gallon of water. Rinse cleaned surface with fresh water

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard non-porous surfaces in schools, restaurants, restrooms and other public areas mop or brush with a fresh solution containing 1 ounce of QUAKER-PLUS per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality. Do not reuse used solution

To disinfect hard non-porous surfaces in locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop or brush with a fresh solution containing 1/2 ounce of QUAKER-PLUS per gallon of water so as to maintain thoroughly wetted surface for ten minutes. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Do not reuse used solution

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard non-porous surfaces in hospitals and nursing homes, mop or brush with a fresh solution containing 2 ounces of QUAKER-PLUS per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces of QUAKER-PLUS per gallon of water, and then rinsed with a fresh solution containing 2 ounces of QUAKER-PLUS per gallon of water before disinfection. Do not reuse used solution. This product has not been tested for effectiveness against *Mycobacterium tuberculosis* and must not be relied upon when tuberculocidal activity is intended by the user

DEODORIZATION

Prior to deodorization of bathroom areas, garbage pits, diaper pits, food storage areas, kennel areas and other areas where obnoxious odors may develop, remove all garbage, refuse, food and animals. Pre-clean surfaces using pressurized water where possible before deodorization. To deodorize, mop or brush surfaces thoroughly with a solution containing 2 ounces of QUAKER-PLUS per gallon of water

GENERAL INFORMATION

QUAKER-PLUS is an effective anti-bacterial cleaner designed for use in industrial and institutional cleaning. When used as directed, QUAKER-PLUS will disinfect hard non-porous surfaces, such as floors, walls, countertops and furniture. It may be relied upon to deodorize bathroom areas, garbage pits, diaper pits, food storage areas, animal quarters and other areas where obnoxious odors may develop. This product may be used to control pathogenic fungi, and as a general purpose anti-bacterial detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms and other places where efficient cleaning and antimicrobial action is desired