



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals.
WARNING—May be fatal if swallowed. May be absorbed through skin. May be injurious to eyes and skin. Do not take internally. Do not get into eyes or on skin. Wash thoroughly after handling. Wash contaminated clothing before reuse. Flush contaminated eyes with plenty of water and get medical attention promptly. Do not breathe vapors or spray mist. Do not spray food crops or allow spray to drift onto any non-target area. Keep away from food, feed-stuffs and domestic water supplies. Keep container closed. Handle concentrate in a ventilated area.

Environmental Hazards:
 This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service. This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards:
COMBUSTIBLE Do not use or store near heat or open flame. Do not cut or weld container.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides or seeds.

Pesticide Disposal: Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a land-fill approved for pesticides or buried in a safe place away from water supplies.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place.

General: Consult federal, state or local disposal authorities for approved alternative procedures.

EPA REG. NO. 2217-646
 EPA EST. NO. 2217-KS-1

902/281



DURSBAN®

TURF INSECTICIDE

to be applied only by or under the supervision of qualified personnel responsible for insect control programs in professional turf maintenance.

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 41.16%

Xylene-Range Aromatic Petroleum Solvent 50.23%

INERT INGREDIENTS

8.61%

TOTAL 100.00%

This Product Contains:

4 lbs. Chlorpyrifos per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING

Statement of Practical Treatment

If Swallowed: Do not induce vomiting. Call a physician immediately.

If On Skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

If In Eyes: Flush eyes with plenty of water for 15 minutes. Call a physician.

Note To Physician: Chlorpyrifos is a cholinesterase inhibitor. Atropine only by injection is an antidote.

See side panels for additional precautionary statements.

*DURSBAN® is a registered trademark of The Dow Chemical Company. U.S. Patent No. 3,244,586

NET CONTENTS ONE U.S. GALLON

LAWNS & OTHER ORNAMENTAL and RECREATIONAL TURF GRASS AREAS:

Use Dursban Turf Insecticide to control the pests listed by application at the recommended dosages and in accordance with these instructions.

Dilute Dursban Turf Insecticide in enough water to obtain complete and uniform coverage of pest-infested areas and apply as a coarse, low-pressure spray using suitable application equipment. Thoroughly water treated areas immediately after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at time of treatment.

DOSAGES & DIRECTIONS FOR USE ON TURF

Pest	Dosage
Ants	0.75 fl oz per 1,000 sq ft
Armyworms	3.75 fl oz per 1,000 sq ft
Brown dog ticks	5.000 sq ft or one-half pint per 10,000 sq ft
Chiggers	See "Remarks"
Chinch bugs	Note 1
Clover mite	Note 1
Crickets	
Cutworms	
Earwigs	
Fleas	
Grasshoppers	
Sod webworms	
Turfgrass (Hyperodes) weevil	1.50 fl oz per 1,000 sq ft, 7.50 fl oz per 5,000 sq ft, or 15 fl oz per 10,000 sq ft. See "Remarks" Note 2.
White grubs (European chafer and Japanese beetle larvae only)	1.50 to 3 fl oz per 1,000 sq ft, 7.50 to 15 fl oz per 5,000 sq ft, or one pint to one quart per 10,000 sq ft. See "Remarks" Note 3.
Bluegrass billbug	Same as above. See "Remarks" Note 4.

REMARKS

Note 1—Spray when pests first appear. retreat when needed. For sod webworms, delay watering or mowing for 12 to 24 hours after treatment.

Note 2—Spray suspected problem area in mid-April and again in mid-May or as recommended by the local Agricultural Extension Service specialist in your area.

Note 3—For white grubs, spray when grubs are young and actively feeding near the soil surface, usually during late July and August or, as recommended by the local Agricultural Extension Service specialist in your area. Immediately after spraying, irrigate the treated area with 1/2 to 1 inch of water to wash the insecticide into the under-turf soil.

Note 4—Spray early in the season when adults first appear. Retreat when needed.

NOTICE: Seller warrants that this product contains the ingredients and statement on the label. Since conditions of use, such as weather, composition of pest populations, chemicals and condition of application equipment, all vary, Seller makes no claim for results other than those stated on this label.

