# dursban <sup>(R)</sup>

## TURF INSECTICIDE

2217-646

To be applied only by or under the supervision of qualified personnel responsible for insect control programs in professional turf maintenance.

P.11 12

**ACTIVE INGREDIENTS:** 

TOTAL 100.00%

This Product Contains:

4 lbs. Chlorpyrifos per gallon.

# KEEP OUT OF REACH OF CHILDREN

#### WARNING

Statement of Practical Treatment

If Swallowed: Do not induce vomiting. Call a physician immediately.

If On Skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

If In Eyes: Flush eyes with plenty of water for 15 minutes. Call a physician.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Atropine only by injection is an antidote.


See side panels for additional precautionary statements.

\*DURSBAN $^{(R)}$  is a registered trademark of The Dow Chemical Company. U.S. Patent No. 3,244,586.

NET CONTENTS ONE U.S. GALLON

902/1089 EPA REG NO 2217-646 EPA EST. NO. 2217-KS-X

Mfd. By PBI/GORDON CORPORATION KANSAS CITY, KANSAS 66118



1

STOP! READ THE ENTIRE LABEL FIRST: OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

WARNING - May be fatal if swallowed. May be absorbed through skin. May be injurious to eyes and skin. Do not take internally. Do not get into eyes or on skin. Wash thoroughly after handling. Wash contaminated clothing before reuse. Flush contaminated eyes with plenty of water and get medical attention promptly. Do not breathe vapors or spray mist. Do not spray food crops or allow spray to drift onto any non-target area. Keep away from food, feedstuffs and domestic water supplies. Keep container closed. Handle concentrate in a ventilated area.

Environmental Hazards:

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service. product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards:

COMBUSTIBLE. Do not use or store near heat or open flame. Do not cut or weld container.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides or seeds.

Pesticide Disposal: Pesticide, spray, mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, or dispose of in a sanitary landfill, or by other approved State and local procedures.

LAWNS & OTHER ORNAMENTAL and RECREATIONAL TURF GRASS AREAS: \*\*\* Use Dursban Turf Insecticide to control the pests listed by application at the recommended dosages and in accordance with ..... these instructions...Dilute Dursban Turf Insecticide in enough water to obtain complete and uniform coverage of pest-infasted areas and apply as a coarse, low-pressure spray using suitable application equipment. Thoroughly water treated areas immediate-

...

11

2

ly after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at time of treatment.

# DOSAGES & DIRECTIONS FOR USE ON TURF

PEST	DOSAGE
Ants Armyworms Brown Dog Ticks Chiggers Chinch bugs Clover mite Crickets Cutworms Earwigs Fleas Grasshoppers Sod Webworms	0.75 fl. oz. per 1,000 sq.ft., 3.75 fl.oz. per 5,000 sq.ft., or 1 pint per 10,000 sq.ft. See "Remarks" Note 1
Turfgrass (Hyperodes) weevil	1.50 fl. oz. per 1,000 sq.ft., 7.50 fl. oz. per 5,000 sq.ft., or 15 fl. oz. per 10,000 sq.ft. See "Remarks" Note 2
White grubs (European chafer and Japanese beetle larvae only)	1.50 to 3 fl. oz. per 1,000 sq.ft., 7.50 to 15 fl. oz. per 5,000 sq.ft., or 1 pint to 1 quart per 10,000 sq.ft. See "Remarks" Note 3
Bluegrass billbug	Same as above. See "Remarks" Note 4

## REMARKS

Note 1 - Spray when pests first appear; retreat when needed. For sod webworms, delay watering or mowing for 12 to 24 hours after treatment.

Note 2 - Spray suspected problem area in mid-April and again in mid-May or as recommended by the local Agricultural Extension Service specialist in your area.

Note 3 - For white grubs, spray when grubs are young and actively feeding near the soil surface, usually during late July and August, or, as recommended by the local Agricultural Extension Service specialist in your area. Immediately after spraying, irrigate the treated area with ½ to 1 inch of water to wash the insecticide into the underlying soil.

Note 4 - Spray early in the season when adults first appear. Retreat when needed.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSION OF OTHER WARRANTIES AND REMEDIES. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARKANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

