	United States Environmental Proto Office of Pesticide Programs Washington, DC 2040 Application for Pe			(H7505Č)		tion nent	OPP Identifier Number
·		Secti			:		·
 Company/Product Number 2217-648 	er			Product Manage Ine Mill€		3. Pro	oposed Classification
4. Company/Product (Name Gordon's Brush Killer	^{»)} 801				···		None Restricted
5. Name and Address of Ap PBI/Gordon Corporati		ode)					FIFRA Section 3(c)(3) mposition and labeling
PO Box 14090 1217 West 12th Street Kansas <u>City</u> , MO 6410				sg. No	• • • • • • •		· · · · · · · · · · · · · · · · · · ·
	is a new address	. <u>.</u>	Product	t Name	······································	. ł.	1 /4 1 <u>1 - 4</u> - 44 - 44
· · · · · · · · · · · · · · · · · · ·		Sectio	nil	_			
Amendment - Explain b	below			nal printed label gency letter dat		b	···· · · ·
Resubmission in response to Agency letter dated				Ae Too" Applicat			• • •
			0	ther - explain be	low.		
meets every requirement of		e copies of the re	Application to rvised labeling		, 1993. Thie is N LAB	to certify OTIFIC EL. NOT I R PR NOT	that this notification ATION REVIEWED TICE 99-6
meets every requirement of	f PA-Notice 88-6. Thre		Application to rvised labeling	Water*, March 9	, 1993. Thie is N LAB	to certify OTIFIC EL. NOT I R PR NOT	that this notification
1. Material This Product V Child-Resistant Packaging	f PA-Notice 88-6. Thre	e copies of the re Section	Application to rvised labeling	Water*, March 9 are enclosed.	, 1993. Thie is N LAB PE	to certify OTIFIC EL MOT R PR NO Z/ Container	that this notification ATION REVIEWED TICE 00-5 12/93
1. Material This Product V Child-Resistant Packaging Yes*	f PR-Notice 88-6. Thre Nill Be Packaged In:	e copies of the re Section	Application to svised labeling	Water*, March 9 are enclosed.	, 1993. This is N LAB PE DATE.	to certify OTIFIC EL NOT I R PR NO 2/	that this notification ATION REVIEWED TICE 00-5 12/93
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be	VIII Be Packaged In: Unit Packaging Yes No If "Yes,"	Section No. per	Application to svised labeling	Water*, March 9 are enclosed.	2. Type of (to certify OTIFIC EL MOT R PR NO Z/ Container Metal Plastic	that this notification ATION REVIEWED TICE 00-6 12,93
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents	A PR-Notice 88-6. Three Will Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. If of the second se	Section No. per	Application to svised labeling III Water Soluble P Yes No f "Yes," Package wgt.	Water*, March 9 are enclosed. 'ackaging No. per containe	A 1993. This is N LAB PE DATE, 2. Type of C 2. Type of C Location of La On Label	to certify OTIFIC EL MOT R PR NO Z Container Metal Plastic Glass Paper Other (Sp bel Direction	that this notification ATION REVIEWED <u>12293</u> <u>2293</u> pecify) ions
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents Label C	PR-Notice 88-6. Three Nill Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. Information Container	No. per container	Application to svised labeling III Water Soluble P Yes No f *Yes," Package wgt. tail Container	Water*, March 9 are enclosed. 'ackaging No. per containe	A 1993. This is N LAB PE DATE, 2. Type of C 2. Type of C Location of La On Label	to certify OTIFIC EL MOT R PR NO Z Container Metal Plastic Glass Paper Other (Sp bel Direction	that this notification ATION REVIEWED <u>12293</u>
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents	PR-Notice 88-6. Three Nill Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. Information Container	No. per Container	Application to svised labeling III Water Soluble P Yes No f "Yes," Package wgt. tail Container	Water*, March 9 are enclosed. Packaging No. per containe	A 1993. This is N LAB PE DATE, 2. Type of C 2. Type of C Location of La On Label	to certify OTIFIC EL MOT R PR NO Z Container Metal Plastic Glass Paper Other (Sp bel Direction	that this notification ATION REVIEWED <u>12293</u> <u>2293</u> pecify) ions
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents Label C. Manner In Which Label Is 1. Contact Point (Complete)	PR-Notice 88-6. Three Will Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. If ackage wgt. S Information Container s Affixed To Product	No. per container 4. Size(s) of Re Lithograp Paper gla Stencileo for identification o	Application to svised labeling III Water Soluble P Yes No f "Yes," Package wgt. tail Container oh ued D D I IV	Water*, March 9 are enclosed. Packaging No. per containe	A 1993. This is N LAB PE DATE. 2. Type of (2. Type of (1. Conception of Labelian) On Labelian) Con Labelian) Con Labelian) Con Labelian)	to certify OTIFIC EL MOT PR NO Container Metal Plastic Glass Paper Other (Sp bel Direction ng accom	that this notification ATION REVIEWED TICE 00-6 /2/93 pecify) ions panying product) s application.)
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents Label C. Manner in Which Label Is 1. Contact Point (Complete Name	A PR-Notice 88-6. Three Will Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. If "Yes," Unit Package wgt. If ontainer If S Affixed To Product If items directly below iteration	No. per container 4. Size(s) of Re Lithograp Paper gla Stencileo for identification o	Application to svised labeling III Water Soluble P Yes No f *Yes," Package wgt. tail Container oh ued d on IV of individual to b e	Water*, March 9 are enclosed. Packaging No. per containe 5. 5. 0 Other (e contacted, if n	A 1993. This is	to certify OTIFIC EL MOT PR NO Container Metal Plastic Glass Paper Other (Sp bel Directions ng accom	that this notification ATION REVIEWED TICE 00-6 12/93 pecify) ions panying product) s application.) e No. (Include Area Cod
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents Label C. Manner In Which Label Is 1. Contact Point (Complete)	A PR-Notice 88-6. Three Will Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. If "Yes," Unit Package wgt. If ontainer If S Affixed To Product If items directly below iteration	No. per container 4. Size(s) of Re Lithograp Paper glu Stencileo for identification o	Application to svised labeling III Water Soluble P Yes No f *Yes," Package wgt. tail Container oh ued d on IV of individual to b e	Water*, March 9 are enclosed. Packaging No. per containe	A 1993. This is	to certify OTIFIC EL MOT PR NO Container Metal Plastic Glass Paper Other (Sp bel Directions ng accom	that this notification ATION REVIEWED TICE 00-6 /2/93 pecify) ions panying product) s application.) e No. (Include Area Cod 421-4070
1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents Label C. Manner in Which Label Is 1. Contact Point (Complete Name	A PR-Notice 88-6. Three Will Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. If "Yes," Unit Package wgt. If a rest of the second	No. per container 4. Size(s) of Re Lithograp Paper glu Stencileo for identification o Titk Certification s form and all atta	Application to svised labeling III Water Soluble P Yes No f *Yes," Package wgt. tail Container oh ued d Dn IV f individual to b e Mgr. Regu	Water', March 9 are enclosed. Packaging No. per containe 5. 0 Other (A 1993. This is	to certify OTIFIC EL MOT R PR NO Container Metal Plastic Glass Paper Other (Spingle) bel Direction occess this Telephone (8115) etel	that this notification ATION REVIEWED TICE 00-6 12/93 pecify) ions panying product) s application.) e No. (Include Area Cod
meets every requirement of 1. Material This Product V Child-Resistant Packaging Yes* No * Certification must be submitted. 3. Location of Net Contents Label Label 1. Contact Point (Complete Name) James A. Armbrus I certify that the statement I acknowledge that any I both under applicable law 2 Signature	A PR-Notice 88-6. Three Will Be Packaged In: Unit Packaging Yes No If "Yes," Unit Package wgt. If "Yes," Unit Package wgt. If a rest of the second	No. per container 4. Size(s) of Re Lithograp Paper glu Stenciled for identification o Title Certification s form and all atta sleading statemen	Application to svised labeling III Water Soluble P Yes No f 'Yes," Package wgt. stail Container oh ued on IV of individual to b e Mgr. Regu ichments theret it may be punisi	Water', March 9 are enclosed. Packaging No. per containe 5. 0 Other (A 1993. This is	to certify OTIFIC EL MOT R PR NO Container Metal Plastic Glass Paper Other (Second bel Direction mg accom occess this Telephone (8115) Container	that this notification ATION REVIEWED TICE 00-6 /2/93 pecify) ions panying product) s application.) e No. (Include Area Cod) 421-4(/70) 6. Date Application Received

GORDON'S BRUSH KILLER 801

A TRIMEC[®] BRUSH HERBICIDE FORMULATION

Controls Ash, Aspen, Brambles, Kudzu, Oak, Willows and other species of brush and weeds.

ACTIVE INGREDIENTS:

* Isooctyl (2-ethylhexyl) ester of 2,4-dichlorophenoxyacetic acid	17.07%
** Butoxyethanol ester of 2-(2,4-dichlorophenoxy) propionic acid	16.11%
*** Dicamba (3,6-dichloro-o-anisic acid)	11.32%
INERT INGREDIENTS	<u>55.50%</u>
TOTAL	100.00%

THIS PRODUCT CONTAINS:

1.0 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 11.32%

- 1.0 lb. 2-(2,4-dichlorophenoxy) propionic acid equivalent per gallon or 11.30%
- "1.0 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 11.32%

Isomer Specific by AOAC Methods

TRIMEC[®] is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

NOTIFICATION

PER PR NOTICE 88-4

DATE.

ABEL NOT REVIEWED

WARNING

STATEMENT OF PRACTICAL TREATMENT In case of contact with eyes, flush with water for 15 minutes. Get medical attention. In case of contact with skin, wash with plenty of soap and water.

See side panels for additional Precautionary Statements.

NET CONTENTS ONE GALLON

801/ AP052093 EPA REG. NO. 2217-6-3 EPA EST. NC . 2217-K--1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Do not get in eyes, on skin or clothing. Wear goggles or face shield when handling. If spills occur, collect the material and dispose of by following disposal instructions on this label. If eye exposure occurs, get immediate medical attention. Harmful if swallowed. Avoid breathing vapor. Wash contaminated clothing before reuse.

When mixing, loading, or applying this product or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical resistant gloves, long-sleeved shirt, long pants, socks and shoes. It is recommended that saí by glasses include front, brow and temple protection. For aerial applicators in an enclosed cockpit and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. Wash hands, face and arms with soap and water before eating, smoking or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

<u>Containers over 1 gallon and less than 5 gallons</u>: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

<u>Containers of 5 gallons or more</u>: A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and 2,4-DP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and 2,4-DP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

- USE PRECAUTIONS -

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near these plants. Clover present will be damaged if sprayed. Coarse sprays are less likely to drift away from target area. Do not apply when weather conditions favor drift away from target area. Do not apply when weather conditions favor drift away from target area. Do not apply this product through any type of irrigation equipment.

NOTE: Avoid spray drift to cotton, soybeans, tomatoes, tobacco, grapes, fruit trees, flowers or garden crops and all other hormone herbicide-sensitive desirable plants. Do not apply near sensitive plants since small quantities of wind-drifted herbicides may cause severe injury. Do not apply herbicide when wind speed is sufficient to cause drift. Do not apply herbicide when a temperature air inversion exists. An air inversion may be detected by creating a smoke column and observing a layering effect. Do not apply when temperature exceeds 90°F and humidity is high.

To aid in avoiding spray drift, use coarse sprays and low pressure. Do not use nozzles which produce fine spray droplets under high pressure. The use of thickening agents or antidrift additives and drift-reducing equipment is of value in preventing spray drift. Care should be taken not to make applications where runoff could contaminate bodies of water or spray drift could carry the chemical to food crops or grazing lands where cattle, sheep, goats, swine or poultry would be exposed.

ROADSIDE, DRAINAGE, DITCHBANKS, RIGHT-OF-WAYS, RAILROADS, FIREBREAKS, FORESTS, FENCEROWS, INDUSTRIAL SITES AND OTHER SIMILAR NON-CROP AREAS: To effectively control brush all leaves, stems and suckers should be thoroughly wet to the ground. Apply Gordon's Brush Killer 801 when plants come into full leaf (spring) to the time plants begin to go dormant. Best results are obtained when brush and weeds are young and actively growing. Do not cut brush or weeds until the herbicide has translocated throughout the plant.

HIGH VOLUME Use Gordon's Brush Killer 801 at the rate of 1/2 to 2 gallons in water to make 100-300 gallons of spray per acre. The amount of water used must allow for full wetting of plants. For small broadleaf v eeds, use the lower rate. Heavy dense stands of brush require the high rate with high water volume.

GROUND or AERIAL FOLIAGE SPRAY Use Gordon's Brush Killer 801 at the rate of 1/2 to 2 gallons in water to make 15-25 gallons of spray per acre. Use enough water to ensure uniform wetting of plants.

BASAL BARK METHOD Thoroughly wet the base and root collar of all stems until the spray collects around the root collar at ground line. Mix 1-2 gallons of Gordon's Brush Killer 801 in 20 gallons of water. Apply with low volume knapsack sprayer of power equipment. Concentration will depend on volume of spray used, species present and season applied. Use a coarse spray to avoid drift.

For winter dormancy spraying, mix 1-2 gallons Gordon's Brush Killer 801 in 20 gallons of oil.

MODIFIED BASAL METHOD Drench the base of plants, then wet the lower 4/5 of remaining stems and leaves to runoff. Treat when brush is in full fcliage. this method may be used where susceptible species have been controlled by prior sprays and resistant species such as maple and gum remain. Drenching the base of the plant and wetting all stems to runoff is essential for complete control.

CUT SURFACE - STUMP This method can be used at any time of year, but is more effective when applied as soon as possible after trees are cut. Spray the entire stump, particularly bark and exposed roots. Complete control requires a thorough drenching. Use this method after original or capital clearing. It is the primary step toward a chemical brush control program on newly cleared highways and rights-of-ways. Spray is most effective and economical on stumps 3 to 4 inches or larger. Mix 1 to 2 gallons of Gordon's Brush Killer 801 in 20 gallons of water. Apply with low volume knapsack sprayer using solid cone nozzle of medium orifice.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not exter d to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tomadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

