)

)

13 MAR 1992

James A. Armbruster, Pn.D. PBI/Gordon Corporation 1217 W. 12th Street P.O. Box 4090 Kansas City, MO 64101

Dear Dr. Armbruster:

Subject: Revised Label Text

Gordon's Trimec Weed and Feed 27

EPA Registration No. 2217-658 Your Submission Dated January 6, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) Due to new EPA policy, part of the Environmental Hazards section has been changed. To comply, change the sentence "Do not apply to water or wetlands (swamps, bogs, marshes and potholes)" to read "Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark."
- 2) Under the Precautionary Statements, change the sentence "Do not allow contact with eyes or clothing" to read "Do not allow contact with skin, eyes or clothing."

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above changes.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure

			c	ONCURRENC	:ES	 			
SYMBOL	H7505C								
	D. KEUNY]			}	}			
DATE	3/11/92					{			
EPA Form 1320-1 (12-70)		Printed on Recycled Paper				 OFFICIAL FILE COPY			

GORDON'S TRIMEC® WEED & FEED 27 20-10-5

KILLS: Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

ACTIVE INGREDIENT:


*2,4-dichlorophenoxyacetic acid			•	. 0.611%
*2,4-dichlorophenoxyacetic acid			•	. 0.273%
""Dicamba (3,6-dichloro-o-anisic acid)		•		. 0.058%
INERT INGREDIENTS				
	TO	ልጥ	τ.	100.000%

THIS PRODUCT CONTAINS:

- 12.22 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.
- 5.46 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.

1.16 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPOFATION. Isomer Specific by AOAC Methods.



The his mains of the Artist and the main

13 MAK 1992

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

See side panel for additional Precautionary Statements.

(FIFTEEN, SIXTEEN, OR EIGHTEEN) POUNDS COVERS UP TO 5,000 SQUARE FEET.

NET WEIGHT (15, 16, OR 18) POUNDS

570/192 AP010392

EPA REG. NO. 2217-658 EPA EST. NO. 2217-KS-1 MId. by PBI/GORDON CORPORATION KANSAS CITY, KANSAS 66118

- Apply when weeds are young and actively growing.
- Provides vital nutrients plus time-released nitrogen which encourages grass to fill in bare spots weeds wave behind.
- Contains sulfur which helps maintain dark green color and encourages plant and root growth.

GRASS CYCLING AND LAWN BENEFITS

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients will go back into your lawn.

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

- A 50 foot x 50 foot lawn produces enough oxygen for a family of four.
- Controls erosion
- Reduces glare
- Traps dust, smoke particles and other pollutants
- Purifies water

)

- Reduces noise
- Improves soil condition
- Modifies temperature



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: Drift or runoff may adversely affect nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS. Do not use this product where desirable dovers are present or allow the material to twing-drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas undertail by roots of desirable trees or shrubs. Apply when the air is caim. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not use on dichondra, carpetgrass, closely-moved bentgrass putting greens or St. Augustinegrass lawns.

INSTRUCTIONS: Gordon's Weed & Feed 27 is a TRIMEC^(R) complex, a combination of three proven weed killers -- 2,4-D, Mecoprop and Dicamba. Together, they control a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 20-10-5 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water tawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

SPREADER SETTINGS

Scott	6
Lawn Beauty	5
Jackson	7-1/2
Sears	4

j

The above spreader setting are approximate. (15 pound bag: Check your spreader on 330 square feet and adjust to apply at the rate of 1 lb. per 330 square feet)(16 pound bag: Check your spreader on 310 square feet and adjust to apply at the rate of 1 lb. per 310 square feet)(18 pound bag: Check your spreader on 275 square feet and adjust to apply at the rate of 1 lb. per 275 square feet).

- WEEDS -

Bedstraw	Knotweed	Ragweed			
Black Medic	Lambsquarter	Sheep Sorrel			
Buckhorn	Lespedeza	Shepherdspurse			
Burdock	Mallow	Speedwell			
Chicory	Morningglory	Spurge			
Chickweed	Oxalis	Thistle			
Clover	Peppergrass	Wild Carrot			
Dandelion	Pigweed	Wild Garlic			
Dock	Plantains	Wild Lettuce			
Ground Ivy	Poison Ivy	Wild Onion			
Heal-All	Poison Oak	Yarrow			
Henbit	Purslane	-			

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WAR-RANTIES. INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.