· · PM 23	2217-658 Page 19.
(A) CEEPA United States Environme Office of Pesticide Pr Washington Application	ntal Protection Agency rograms (H7505C)
S	ection (
1. Company/Product Number	2. EPA Product Manager 3. Proposed Classification
2217-658	Joanne Miller
4. Company/Product (Name) Gordon's Trimec' Weed and Feed 27	PM# None Restricted
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)
PBI/Gordon Corporation	(b)(i), my product is similar or identical in composition and labeling
PO Box 14090	* SEST AVAILABLE COPY
1217 West 12th Street	EPA Reg. No
Kansas City, MO 64101 Check if this is a new eddress	
	Product Name
Sec	ction 1 i
Amendunent - Explain below	Final printed labels in response to Agency letter dated
Resubmission in response to Agency letter dated	
Notification - Explain below.	
	Other - explain below.
Sect 1. Material This Product Will Be Packaged In:	BATE // ·/ ·/
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging 2. Type of Container
Yes* Yes	
	Yes Metal Plastic
	Glass Paper
Certification must be Unit Package wgt. No. per container	If "Yes," No. per Other (Specify)
submitted.	
3. Location of Net Contents Information 4. Size(s) of Label Container	of Retail Container 5. Location of Label Directions On Label On Label
6. Manner In Which Label Is Affixed To Product Pape	ar glued Other ()
	ion of individual to be contacted, if necessary, to process this application.)
Name	Title Telephone No. (Include Area Code)
James A. Armbruster, Ph.D.	Mgr. Regulatory Services (816)421-4070
Certificatio	
I certify that the statements I have made on this form and all I acknowledge that any knowingly false or misleading state both under applicable law.	attachments thereto are true, accurate and complete
2. Signature	3. Trie
-1.A. Sunducates	Mor. Regulatory Services
4. Typed Name	5. Date
James A. Armbruster, Ph.D.	May 20, 1993

GORDON'S TRIMEC® WEED & FEED 27.

20-10-5

KILLS: Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds; some of which are listed on the back panel.

ACTIVE INGREDIENTS:

* 2,4-dichlorophenoxyacetic acid	0.611%
** 2-(2-methyl-4-chlorophenoxy) propionic acid	0.273%
*** Dicamba (3,6-dichloro-o-anisic acid)	0.058%
INERT INGREDIENTS	99.058%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

12.22 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.

5.46 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.

1.16 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.

TRIMEC[®] is a registered trademark of PBI/GORDON CORPORATION. Isomer Specific by AOAC Methods.

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention. See side panel for additional Precautionary Statements.


(FIFTEEN, SIXTEEN, SEVENTEEN OR EIGHTEEN) POUNDS COVERS UP TO 5,000 SQUARE FEET. (THIRTY OR THIRTY-SIX) POUNDS COVERS UP TO 10,000 SQUARE FEET.

NET WEIGHT (15, 16, 17, 18, 30, AND 36) POUNDS

570/ AP052093

EPA REG. NO. 2217-658 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



295

WELL-MAINTAINED LAWN BENEFITS OUR ENVIRONMENT.

- -Apply when weeds are young and actively growing.
- --Provides vital nutrients plus time-released nitrogen which encourages grass to fill in bare spots weeds leave behind.

3 9 5

--Contains sulfur which helps maintain dark green color and encourages plant and root growth.

GRASS CYCLING AND LAWN BENEFITS

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients will go back into your lawn.

Besides increasing property values, did you know well-maintained lawn provides the following benefits to your home and environment:

A 50 foot x 50 foot lawn produces enough oxygen for a family of four.
Controls erosion
Reduces glare
Traps dust, smoke particles and other pollutants
Purifies water
Reduces noise
Improves soil condition
Modifies temperature

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARDS: Drift or runoff may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. PRODUCT DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash. USE PRECAUTIONS: Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass lawns.

495

INSTRUCTIONS: Gordon's Weed & Feed 27 is a TRIMEC[®] complex, a combination of three proven weed killers – 2,4-D, Mecoprop and Dicamba. Together, they control a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 20-10-5 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4)
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

SPREADER SETTINGS

The above spreader setting are approximate. (15 and 30 pound bags: Calibrate your spreader on 330 square feet and adjust to apply at the rate of 1 lb. of product per 330 square feet) (16 and 17 pound bags: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 lb. of product per 310 square feet) (18 and 36 pound bags: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 lb. of product per 310 square feet) (18 and 36 pound bags: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 lb. of product per 310 square feet) (18 and 36 pound bags: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 lb. of product per 275 square feet).

	- WEEDS -		
Bedstraw Black Medic Buckhom Burdock Chicory Chickweed Clover Dandelion Dock Ground Ivy Healall Henbit	Knotweed Lambsquarter Lespedeza Mallow Morninggiory Oxalis Peppergrass Pigweed Plantains Poison Ivy Poison Oak Furslane	Ragweed Sheep Sorrel Shepherdspurse Speedwell Spurge Thistle Wild Carrot Wild Garlic Wild Carlic Wild Conion Yarrow	
			•


LIMITED WARRANTY AND DISCLAIMER

a 6

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



595