

pm23

2217-660

NOTIFICATION

1/8

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number  
**228310**

**Application for Pesticide - Section I**

1. Company/Product Number <b>2217-660</b>	2. EPA Product Manager <b>Joanne I Miller</b>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Gordon's Trimec® Weed &amp; Feed 33 1/2</b>	PM# <b>(PM 23)</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101</b> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
**NOTIFICATION of Minor Labeling Revisions per PR Notice 95-2**  
  
See attachment

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <b>James A. Armbruster, Ph.D</b>	Title <b>Director, Regulatory Services</b>	Telephone No. (Include Area Code) <b>(816) 421-4070</b>
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title <b>Director, Regulatory Services</b>	
4. Typed Name <b>James A. Armbruster, Ph.D</b>	5. Date <b>November 2, 1995</b>	



3/8

# GORDON'S TRIMEC® WEED & FEED 33 1/2

## 24-4-8

(FIFTEEN, SIXTEEN, SEVENTEEN, OR EIGHTEEN) POUNDS  
COVERS UP TO 5,000 SQUARE FEET.

Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge  
and many other broadleaf weeds including those listed on the back panel.

### ACTIVE INGREDIENTS:

* 2,4-Dichlorophenoxyacetic acid .....	0.761%
** 2-(2-methyl-4-chlorophenoxy) propionic acid.....	0.341%
*** Dicamba (3,6-dichloro-o-anisic acid).....	0.072%
INERT INGREDIENTS.....	<u>98.826%</u>
<b>TOTAL</b>	<b>100.000%</b>

### THIS PRODUCT CONTAINS:

- \* 15.22 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton
  - \*\* 6.82 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton
  - \*\*\* 1.44 lbs. 3,6-dichloro-o-anisic acid equivalent per ton
- Isomer Specific by AOAC Methods.

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

### STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water.  
For eyes, flush with water for 15 minutes and get medical attention.  
See back panel for additional Precautionary Statements.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

### NET WEIGHT (15, 16, 17, OR 18) POUNDS

578/ AP110295  
EPA REG. NO. 2217-660  
EPA EST. NO. 2217-KS-1  
Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, MISSOURI 64101

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**ENVIRONMENTAL HAZARDS:** Drift or run-off may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

**Option I**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

**PESTICIDE DISPOSAL:** Securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

**USE PRECAUTIONS:** Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass.

Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

**INSTRUCTIONS:** Gordon's Weed & Feed 33½ is a Trimec® complex, a combination of three proven weed killers — 2,4-D, Mecoprop and Dicamba. Together, they control a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 24-4-8 fertilizer provides a balanced supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants
4. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

**SPREADER SETTINGS**

Scott..... 6  
 Lawn Beauty ..... 5  
 Jackson ..... 7 1/2  
 Sears ..... 4

The above spreader settings are approximate. (15 pound bag: Calibrate your spreader on 290 square feet and adjust to apply at the rate of 1 pound of product per 290 square feet) (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet) (17 pound bag: Calibrate your spreader on 290 square feet and adjust to apply at the rate of 1 pound of product per 290 square feet) (18 pound bag: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound per 275 square feet.)

24-4-8 GUARANTEED ANALYSIS	
Total Nitrogen (N).....	24%
Water Insoluble Nitrogen.....	5%
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	4%
Soluble Potash (K <sub>2</sub> O).....	8%

**WEEDS**

- |             |               |                |
|-------------|---------------|----------------|
| Bedstraw    | Knotweed      | Ragweed        |
| Black Medic | Lambsquarters | Sheep Sorrel   |
| Buckhorn    | Lespedeza     | Shepherdspurse |
| Burdock     | Mallow        | Speedwell      |
| Chicory     | Morningglory  | Spurge         |
| Chickweed   | Oxalis        | Thistle        |
| Clover      | Peppergrass   | Wild Carrot    |
| Dandelion   | Pigweed       | Wild Garlic    |
| Dock        | Plantains     | Wild Lettuce   |
| Ground Ivy  | Poison Ivy    | Wild Onion     |
| Healall     | Poison Oak    | Yarrow         |
| Henbit      | Purslane      |                |

**LIMITED WARRANTY AND DISCLAIMER.**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

**CONTROLS**

Bedstraw  
Black Medic  
Buckhorn  
Burdock  
Chicory  
Chickweed  
Clover  
Dandelion  
Dock  
Ground Ivy  
Healall  
Henbit

Knotweed  
Lambsquarters  
Lespedeza  
Mallow  
Morningglory  
Oxalis  
Peppergrass  
Pigweed  
Plantains  
Poison Ivy  
Poison Oak  
Purslane

Ragweed  
Sheep Sorrel  
Shepherdspurse  
Speedwell  
Spurge  
Thistle  
Wild Carrot  
Wild Garlic  
Wild Lettuce  
Wild Onion  
Yarrow

**FERTILIZER**

Various grades and state required analysis of fertilizer products.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

**PESTICIDE DISPOSAL:** Securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

End of Option II



