

PM-23

Reg # 2217-660

NOTIFICATION 127

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

 <p>United States Environmental Protection Agency Washington, DC 20460</p>	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <p style="font-size: 24pt; text-align: center;">243541</p>
--	--	---

Application for Pesticide - Section I

1. Company/Product Number <p style="text-align: center;">2217-660</p>	2. EPA Product Manager <p style="text-align: center;">Joanne I Miller</p>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <p>Gordon's Trimec® Weed & Feed 33 1/2</p>	PM# <p style="text-align: center;">(PM 23)</p>	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of Minor Labeling Revisions per PRN 95-2: This request is to revise the spreader settings for granular applicators and to add one advisory statement in the Directions for Use. One (1) copy of the proposed labeling is enclosed. This notification is consistent with the provisions of PRN 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:						2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	* Certification must be submitted	If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name James A. Armbruster, Ph.D.	Title Vice President, Regulatory Services	Telephone No. (Include Area Code) (816) 421-4070
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> (Stamped) </div>
2. Signature 	3. Title Vice President, Regulatory Services	
4. Typed Name James A. Armbruster, Ph.D.	5. Date November 5, 1996	

297

GORDON'S TRIMEC® WEED & FEED 33½ 24-4-8

(Fifteen, Sixteen, Seventeen, or Eighteen) Pounds Covers Up To 5,000 Square Feet.

Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge
and many other broadleaf weeds including those listed on the back panel.

ACTIVE INGREDIENTS:

* 2,4-Dichlorophenoxyacetic acid	0.761%
** 2-(2-methyl-4-chlorophenoxy) propionic acid.....	0.341%
*** Dicamba: 3,6-dichloro-o-anisic acid.....	0.072%
INERT INGREDIENTS.....	98.826%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- *15.22 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per ton
- ** 6.82 lbs. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton
- 1.44 lbs. 3,6-dichloro-o-anisic acid equivalent per ton

NOTIFICATION

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.
See back panel for additional Precautionary Statements.

NET WEIGHT (15, 16, 17, OR 18) POUNDS

578/ AP110596
 EPA REG. NO. 2217-660
 EPA EST. NO. 2217-KS-1
 Mfd. by PBI/GORDON CORPORATION
 KANSAS CITY, MISSOURI 64101

397

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Environmental Hazards: Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

OPTION 1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS: Do not use on dichondra, carpetgrass, closely-mowed bentgrass putting greens or St. Augustinegrass.

Do not use this product where desirable clovers are present or allow the material to wind-drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

INSTRUCTIONS: Gordon's Weed & Feed 33½ is a Trimec® complex, a combination of three proven weed killers -- 2,4-D, Mecoprop and Dicamba. Together, they control a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 24-4-8 fertilizer provides a balanced supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
4. ~~Avoid applying when temperatures are consistently above 90°F~~
5. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

497

Spreader Settings	
Scott.....	6
Lawn Beauty.....	5
Jackson.....	7½
Sears.....	4

Spreader settings for 1.0 lbs. of product per 310 sq. ft.	
Scotts EasyGreen® Rotary.....	26
Scotts Drop.....	5
Scotts SpeedyGreen® Rotary.....	8½
GreenView Drop (Spred II).....	4
Central Drop (#205).....	5½
Sears Drop (#19810).....	4
Ortho Drop (#5000).....	5
Precision Drop (Red Devil).....	4

The above spreader settings are approximate. (15 pound bag: Calibrate your spreader on 290 square feet and adjust to apply at the rate of 1 pound of product per 290 square feet) (16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 pound of product per 310 square feet) (17 pound bag: Calibrate your spreader on 290 square feet and adjust to apply at the rate of 1 pound of product per 290 square feet) (18 pound bag: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound per 275 square feet.)

24-4-8 GUARANTEED ANALYSIS	
Total Nitrogen (N).....	24%
Water Insoluble Nitrogen.....	5%
Available Phosphate (P ₂ O ₅).....	4%
Soluble Potash (K ₂ O).....	8%

WEEDS		
<input checked="" type="checkbox"/> Bedstraw	<input checked="" type="checkbox"/> Knotweed	<input checked="" type="checkbox"/> Ragweed
<input checked="" type="checkbox"/> Black Medic	<input checked="" type="checkbox"/> Lambsquarters	<input checked="" type="checkbox"/> Sheep Sorrel
<input checked="" type="checkbox"/> Buckhorn	<input checked="" type="checkbox"/> Lespedeza	<input checked="" type="checkbox"/> Shepherdspurse
<input checked="" type="checkbox"/> Burdock	<input checked="" type="checkbox"/> Mallow	<input checked="" type="checkbox"/> Speedwell
<input checked="" type="checkbox"/> Chicory	<input checked="" type="checkbox"/> Morningglory	<input checked="" type="checkbox"/> Spurge
<input checked="" type="checkbox"/> Chickweed	<input checked="" type="checkbox"/> Oxalis	<input checked="" type="checkbox"/> Thistle
<input checked="" type="checkbox"/> Clover	<input checked="" type="checkbox"/> Peppergrass	<input checked="" type="checkbox"/> Wild Carrot
<input checked="" type="checkbox"/> Dandelion	<input checked="" type="checkbox"/> Pigweed	<input checked="" type="checkbox"/> Wild Garlic
<input checked="" type="checkbox"/> Dock	<input checked="" type="checkbox"/> Plantains	<input checked="" type="checkbox"/> Wild Lettuce
<input checked="" type="checkbox"/> Ground Ivy	<input checked="" type="checkbox"/> Poison Ivy	<input checked="" type="checkbox"/> Wild Onion
<input checked="" type="checkbox"/> Healall	<input checked="" type="checkbox"/> Poison Oak	<input checked="" type="checkbox"/> Yarrow
<input checked="" type="checkbox"/> Henbit	<input checked="" type="checkbox"/> Purslane	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until dust has settled.

INSTRUCTIONS: Gordon's Weed & Feed 33½ controls a wide range of lawn weeds, including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 24-4-8 fertilizer provides a balanced supply of plant food needed for a normal season's growth.

KEYS FOR SUCCESS	CALIBRATION																
♦ Use when weeds are young and actively growing.	Measure your lawn. For example 20' X 50' equals 1,000 square feet.																
♦ Mow lawn to normal height 1 to 2 days before application. Water thoroughly before application to sustain moisture until the next watering.	Make sure your spreader is dry. If spreader is not listed below, adjust to apply 1 pound of product per 280 square feet (28' X 10"). 18 pounds will cover 5,000 square feet.																
♦ Apply preferably in the morning, when grass is moist from dew, or sprinkle lightly. Water will hold the particles on the foliage and prevent dust drift on to nontarget plants. Apply when air is calm. During application, close spreader openings when turning.	<p>The spreader settings are only approximate.</p> <p>Drop Spreader Settings:</p> <table style="margin-left: 20px;"> <tr> <td>Republic EZ Drop/</td> <td style="text-align: right;">4¾</td> </tr> <tr> <td>Scotts</td> <td style="text-align: right;">5¾</td> </tr> <tr> <td>Sears, K-Gro</td> <td style="text-align: right;">4¾</td> </tr> <tr> <td>True Temper</td> <td style="text-align: right;">3¾</td> </tr> <tr> <td>Red Devil</td> <td style="text-align: right;">8½</td> </tr> </table> <p>Old or rusty spreaders will discharge products at different rates.</p>	Republic EZ Drop/	4¾	Scotts	5¾	Sears, K-Gro	4¾	True Temper	3¾	Red Devil	8½						
Republic EZ Drop/	4¾																
Scotts	5¾																
Sears, K-Gro	4¾																
True Temper	3¾																
Red Devil	8½																
♦ Do not water treated area for 1 to 2 days after application. Then water thoroughly.	<p>The spreader settings are only approximate.</p> <p>Rotary Spreader Settings</p> <table style="margin-left: 20px;"> <tr> <td>Republic EZ Rotary</td> <td style="text-align: right;">2¾</td> </tr> <tr> <td>Scotts Easy Green</td> <td style="text-align: right;">26</td> </tr> <tr> <td>Scotts Speedy Green</td> <td style="text-align: right;">5½</td> </tr> <tr> <td>Republic EZ Grow</td> <td style="text-align: right;">5¼</td> </tr> <tr> <td>Cyclone, True Temper</td> <td style="text-align: right;">3¾</td> </tr> <tr> <td>Red Devil</td> <td style="text-align: right;">5</td> </tr> <tr> <td>Sears, K-Gro</td> <td style="text-align: right;">2¾</td> </tr> <tr> <td>Ortho Whirlybird</td> <td style="text-align: right;">2½</td> </tr> </table>	Republic EZ Rotary	2¾	Scotts Easy Green	26	Scotts Speedy Green	5½	Republic EZ Grow	5¼	Cyclone, True Temper	3¾	Red Devil	5	Sears, K-Gro	2¾	Ortho Whirlybird	2½
Republic EZ Rotary	2¾																
Scotts Easy Green	26																
Scotts Speedy Green	5½																
Republic EZ Grow	5¼																
Cyclone, True Temper	3¾																
Red Devil	5																
Sears, K-Gro	2¾																
Ortho Whirlybird	2½																
♦ Use Precautions: Do not use on desirable clovers, dichondra, carpetgrass, closely mowed bentgrass or St. Augustinegrass. Do not use or allow the material to wind drift onto flowers, vegetables or ornamental shrubbery. Do not apply in areas over root systems of desirable trees or shrubs. Do not apply to newly seeded lawns until after the third mowing.																	

If necessary, reapply in approximately 30 days, if lawn is heavily overrun by weeds, or if adverse low moisture conditions prevail.

The maximum application rate to turf is 1.2 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

627

CONTROLS		
Bedstraw	Knotweed	Ragweed
Black Medic	Lambsquarters	Sheep Sorrel
Buckhorn	Lespedeza	Shepherdspurse
Burdock	Mallow	Speedwell
Chicory	Morningglory	Spurge
Chickweed	Oxalis	Thistle
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantains	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow
Henbit	Purslane	

24-4-8 GUARANTEED ANALYSIS	
Total Nitrogen (N).....	24%
Water Insoluble Nitrogen.....	5%
Available Phosphate (P ₂ O ₅).....	4%
Soluble Potash (K ₂ O).....	8%

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

PESTICIDE DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

-----End of Option 2-----

797

APPENDIX

1. The addition of advertising claims by supplemental registrants that may be presented on the retail containers:

- ◆ Long lasting, lush green lawn.
- ◆ Stimulates deep greening.
- ◆ Stimulates early, vigorous root growth.
- ◆ Stimulates thick, lush grass blades:
- ◆ Ortho product quality you've come to trust.
- ◆ One-step application for a lush green lawn.
- ◆ Fast deep greening balanced with long-term feeding by patented Polyon® coated fertilizer technology.
- ◆ Small particle size for uniform coverage to control a wide range of weeds.
- ◆ Patented Polyon® coated fertilizer technology for timed release of fertilizer.
- ◆ Polyon® coating prevents burning.
- ◆ Scientific blend of small particles promotes fast deep greening and balanced long term feeding.
- ◆ Outdoor use only
- ◆ Satisfaction guaranteed* or your purchase price refunded with proof-of-purchase and original cash register receipt.
- ◆ Controls broadleaf lawn weeds.
- ◆ Controls 35 common lawn weeds including dandelion and clover.

2. Addition of a referral claim: "To spot treat individual weeds, use Ortho Weed-B-Gon Weed Killer®".