



1217 W. 12TH STREET
P.O. BOX 4090
KANSAS CITY, MO 64101


The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of **Gordon's Trimec Weed and Feed for Southern Lawns (2217-661)** produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

2/17/93

James A. Armbruster, Ph.D.
Mgr. Regulatory Services

Date



275

GORDON'S TRIMEC^(R) WEED & FEED FOR SOUTHERN LAWNS

20-10-5

(FIFTEEN, SIXTEEN, OR EIGHTEEN) POUNDS COVERS UP TO 5,000 SQUARE FEET

CONTROLS: Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds in St. Augustinegrass, Centipedegrass, Bahiagrass, Bermuda-grass, Zoysiagrass, Bluegrass, Ryegrass, Fescue and Bentgrass lawns.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	0.641%
**Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	0.184%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.078%
INERT INGREDIENTS	<u>99.097%</u>
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- *10.609 lbs. or 0.530% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.
- **3.062 lbs. or 0.153% 2,4-Dichlorophenoxyacetic acid equivalent per ton.
- ***1.304 lbs. or 0.065% 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods.

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

CAUTION


See back panel for additional Precautionary Statements.

NET WEIGHT (15, 16, OR 18) POUNDS

580/1292 APXXXXXX

EPA REG. NO. 2217-661
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101



- Apply when weeds are young and actively growing.
- Provides vital nutrients plus time-released nitrogen which encourages grass to fill in bare spots weeds leave behind.
- Contains sulfur which helps maintain dark green color and encourages plant and root growth.

GRASS CYCLING AND LAWN BENEFITS

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients will go back into your lawn.

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

- A 50 foot x 50 foot lawn produces enough oxygen for a family of four.
- Controls erosion
- Reduces glare
- Traps dust, smoke particles and other pollutants
- Purifies water
- Reduces noise
- Improves soil condition
- Modifies temperature



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BEST AVAILABLE COPY

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE: Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PRODUCT DISPOSAL: Securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS: Do not use on dichondra. Do not overapply. Under conditions of adequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on St. Augustinegrass.

Do not use this product where desirable clovers are present or allow the material to "wind-drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas overlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

INSTRUCTIONS: Gordon's Weed & Feed 27 is a TRIMEC^(R) complex, a combination of three proven weed killers - 2,4-D, Mecoprop and Dicamba. Together, they control a wide range of lawn weeds including dandelion, chickweed, knotweed, plantains, henbit, spurge and many others commonly found in home lawns. In addition, a 20-10-5 fertilizer provides a generous supply of plant food needed for a normal season's growth. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 0.25 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto non-target plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

SPREADER SETTINGS

- Scott..... 6
- Lawn Beauty 5
- Jackson 7-1/2
- Sears 4

The above spreader setting are approximate. (15 pound bag: Calibrate your spreader on 330 square feet and adjust to apply at the rate of 1 lb. of product per 330 square feet)(16 pound bag: Calibrate your spreader on 310 square feet and adjust to apply at the rate of 1 lb. of product per 310 square feet)(18 pound bag: Calibrate your spreader on 275 square feet and adjust to apply at the rate of 1 lb. of product per 275 square feet).

BEST AVAILABLE COPY

20-10-5

GUARANTEED ANALYSIS

Total Nitrogen (N)..... 20%
 Water Insoluble Nitrogen..... 5%
 Available Phosphoric Acid (P2O5)..... 10%
 Soluble Potash (K2O)..... 5%

WEEDS


Bedstraw	Lambsquarter	Ragweed
Black Medic	Lespedeza	Sheep Sorrel
Buckhorn	Mallow	Shepherdspurse
Chicory	Morningglory	Speedwell
Chickweed	Oxalis	Spurge
Clover	Peppergrass	Thistle
Dandelion	Pigweed	Wild Carrot
Dock	Plantains	Wild Garlic
Ground Ivy	Poison Ivy	Wild Lettuce
Heal-All	Poison Oak	Wild Onion
Henbit	Purslane	Yarrow
Knotweed		

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



BEST