

APR 11 1986

Mr. Stephen Johnson  
PBI/Gordon Corporation  
P.O. Box 4090  
Kansas City, MO 64101

Dear Mr. Johnson:

Subject: Amendments - Storage and Disposal  
Additional Application Techniques  
Spreader King Lawn Weed Killer  
EPA Registration No. 2217-662  
Your Submission Dated March 26, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As finished labels are prepared, reinstate the acid equivalent substatements for the active ingredients. Submit one copy of the revised, finished label for the record.

Sincerely yours,

Richard F. Mountfort *RFM*  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosure

89762:Mountfort:MF-5:KENC0:4/9/86:18/18/86:ab:lf

|           |  |  |  |  |  |  |  |  |
|-----------|--|--|--|--|--|--|--|--|
| SYMBOL ▶  |  |  |  |  |  |  |  |  |
| SURNAME ▶ |  |  |  |  |  |  |  |  |
| DATE ▶    |  |  |  |  |  |  |  |  |

(front panel)

2 3 6



SPREADER KING

Lawn Weed Killer

One Quart Covers Up To 8,000 Square Feet

- KEEP FROM FREEZING -

Kills: Dandelion, Chickweed, Knotweed,  
 Henbit, Plaintain, Clover, Spurge,  
 and many other broadleaf lawn weeds; some  
 of which are shown on the side panel.

ACCE  
 with comment  
 APR 1 1963  
 227-662

ACTIVE INGREDIENTS:

- \*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid..... 7.59 %
- \*\*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid..... 3.66 %
- \*\*\*Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) 0.84 %
- INERT INGREDIENTS..... 87.91 %

100.00 %

*left off acid equiv. statement,*

\* Isomer Specific by AOAC Method 6.101-5.

TRIMEC is a registered trademark of PBI/GORDON CORPORATION  
 U.S. Patent No. 3,284,186

Keep Out of Reach of Children  
 CAUTION  
 See Back Panel for Additional  
 Precautionary Information

NET CONTENTS ONE QUART ✓

(side panel)

3 7 6

CONTROLS:

Sensitive Weeds:

Bedstraw  
Black Medic  
Buckhorn  
Chickweed  
Clover  
Dandelion  
Knotweed  
Lambsquarter  
Peppergrass  
Plaintain  
Purslane  
Ragweed  
Shepherd's Purse  
Wild Lettuce

Hard-To-Kill Weeds:

Chickory  
Dock  
Ground Ivy  
Heal-All  
Lespedeza  
Mallow  
Morning Glory  
Oxalis  
Pigweed  
Poison Ivy  
Poison Oak  
Sheep Sorrel  
Speedwell  
Spurge  
Wild Carrot  
Wild Onion  
Yarrow


and many other  
broadleaf weeds.

EPA Reg. No. 2217-662

EPA Est. No. 2217-KS-1

831/486

Manufactured by PBI/GORDON CORPORATION  
Kansas City, KS 66118



(other side panel)

✓  
OTHER USE PRECAUTIONS:

Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants since injury may result. Do not pour spray solutions near these plants. Do not use "fine mist" sprays. Course droplets are less likely to drift away and thus damage nearby non-target plants. Do not spray on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species. Do not use Spreader King Lawn Weed Killer on carpetgrass, dichondra, St. Augustine, bentgrass, centipede, or hybrid Bermuda grasses.

↙  
NOTICE:

Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

BEST AVAILABLE COPY



(back panel)

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops, get medical attention. Avoid contamination of food or feedstuffs.

Environmental Hazards

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near fertilizers, insecticides, fungicides, or near seeds.

PRODUCT DISPOSAL: Securely wrap original container with unused product in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty can. Rinse thoroughly before discarding in trash.

WHERE TO USE: Spreader King Lawn Weed Killer may be used on bluegrass, rye, fescue, or zoysia lawns, vacant lots, playgrounds, and other similar areas where broadleaf weeds are present.

WHEN TO USE: 1) Spray at any time during the growing season when weeds are actively growing. 2) On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 weeks before putting new grass seed or stolons down in the bare spots left by dead weeds. 3) Poor weed control may result if spray is applied during drought or just before a rain. 4) For best results, mow before treating. 5) Do not water lawn within 24 hours after treatment.

HOW TO USE (Entire Lawn) in the SPREADER KING LAWN SPREADER:

- 1) Determine Lawn Size by multiplying Length by Width=Square Feet.
- 2) Select the proper lawn size in column 1 below.
- 3) Select the proper amount of LAWN WEED KILLER to use from column 2 and pour into the SPREADER KING bottle.
- 4) Fill bottle with water to level shown in column 3.
- 5) Push SPREADER KING at average walking speed being careful not to overlap treated areas.

(continued next page)

**BEST AVAILABLE COPY**

(back panel-continued)



| COLUMN 1<br>Lawn Size in<br>Square Feet | COLUMN 2<br>Amount of Lawn<br>Weed Killer to Use |         | COLUMN 3<br>Fill bottle to:<br>(pints) |
|---|--|---------|--|
|   | Tbsp.  | Fl. Oz. |  |
| 1,000                                   | 8  | 4       | 1                                      |
| 2,000                                   | 16   | 8       | 2                                      |
| 3,000                                   | 24   | 12      | 3                                      |
| 4,000                                   | 32   | 16      | 4                                      |
| 5,000                                   | 40   | 20      | 5                                      |
| 6,000                                   | 48   | 24      | 6                                      |
| 7,000                                   | 56   | 28      | 7                                      |
| 8,000                                   | 64   | 32      | 8                                      |

HOW TO USE (Entire Lawn) in a HOSE-END SPRAYER:

Use a hose-end sprayer designed for lawns. Put recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2), and spray on area shown in Column 3. For example, to spray 2,500 square feet, measure 10 oz. (20 Tbsp.) in bottle, add water to the 10 gallon level, and mix. Turn on hose and spray as evenly as possible over 2,500 square feet.

| COLUMN 1<br>Amount of Lawn Weed Killer to Use |         | COLUMN 2<br>Fill bottle to: | COLUMN 3<br>Area to Treat |
|---|---------|-----------------------------|---------------------------|
| Tbsp.   | Fl. Oz. |                             |                           |
| 10  | 5       | 5 gallons                   | 1,250 sq. ft.             |
| 20  | 10      | 10 gallons                  | 2,500 sq. ft.             |
| 30  | 15      | 15 gallons                  | 3,750 sq. ft.             |
| 40  | 20      | 20 gallons                  | 5,000 sq. ft.             |

HOW TO USE (Large Areas) in a PRESSURE SPRAYER:

Measure indicated amount Lawn Weed Killer into tank and dilute with water, according to the following chart. Use a spray pattern that gives small spray droplets without any fine mist, and cover the area indicated.

| COLUMN 1<br>Amount of Lawn Weed Killer to Use |         | COLUMN 2<br>Fill Bottle to: | COLUMN 3<br>Area to Treat |
|---|---------|-----------------------------|---------------------------|
| Tbsp.   | Fl. Oz. |                             |                           |
| 2   | 1       | 1 gal.                      | 250 sq. ft.               |
| 4   | 2       | 2 gal.                      | 500 sq. ft.               |
| 6   | 3       | 3 gal.                      | 750 sq. ft.               |

HOW TO USE (Spot Spraying) in a PRESSURE SPRAYER:

To spray small areas or individual weeds, do not use a hose-end sprayer. Mix 1 oz. (2 Tbsp.) in 1/2 gallon of water in a pressure sprayer, and spray as required, being certain to "wet" each weed.